

(Note: Cited references are listed at the end of the classification.)

### **Subgenus *Cellia* Theobald**

- Cellia Series (Christophers, 1924a)
  - argenteolobatus* (Gough)
  - brumpti* Hamon & Rickenbach
  - crispipalpis* Service
  - murphyi* Gillies & de Meillon
  - pharoensis* Theobald
  - swahilicus* Gillies
- Squamosus Group (Grjebine, 1966)
  - cydippis* de Meillon
  - squamosus* Theobald
- Myzomyia Series (Christophers, 1924a)
  - apoci* Marsh
  - azaniae* Bailly-Choumara
  - barberellus* Evans
  - bervoetsi* D'Haenans
  - brunnipes* (Theobald)
  - domicola* Edwards
  - dthali* Patton
  - erythraeus* Corradetti
  - ethiopicus* Gillies & Coetzee
  - flavicosta* Edwards
  - fontinalis* Gillies & de Meillon
  - majidi* Young & Majid
  - moucheti* Evans
  - schwetzi* Evans
  - tchekedii* de Meillon & Leeson
  - walravensi* Edwards
- Demeilloni Group (Gillies & de Meillon, 1968)
  - carteri* Evans & de Meillon
  - demeilloni* Evans
  - freetownensis* Evans
  - garnhami* Edwards
  - keniensis* Evans
  - lloreti* Gil Collado
  - sergentii* (Theobald)
    - subspecies *macmahoni* Evans
    - subspecies *sergentii* (Theobald)
- Funestus Group (Garros *et al.*, 2005b)
  - jeyporiensis* James
- Aconitus Subgroup (Chen *et al.*, 2003)
  - aconitus* Dönitz
  - filipinae* Manalang
  - mangyanus* (Banks)
  - pampanai* Büttiker & Beales

*varuna* Iyengar  
Culicifacies Subgroup (Garros *et al.*, 2005b)  
*culicifacies* Giles (species A, B, C, D and E) (Kar *et al.*, 1999)  
Funestus Subgroup (Garros *et al.*, 2005b)  
*aruni* Sobti  
*confusus* Evans & Leeson  
*funestus* Giles  
*funestus*-like species (Spillings *et al.*, 2009)  
*longipalpis* (Theobald) (Type C) (Koekemoer *et al.*, 2009)  
*parensis* Gillies  
*vaneedeni* Gillies & Coetzee  
Minimus Subgroup (Chen *et al.*, 2003)  
*flavirostris* (Ludlow)  
*leasoni* Evans  
*longipalpis* (Theobald) (Type A) (Koekemoer *et al.*, 2009)  
Fluviatilis Complex (Sarala *et al.*, 1994)  
*fluviatilis* James (species S, T and U)  
Minimus Complex (Green *et al.*, 1990)  
*harrisoni* Harbach & Manguin (species C)  
*minimus* Theobald (species A)  
*yaeyamaensis* Somboon & Harbach  
Rivulorum Subgroup (Garros *et al.*, 2005b)  
*brucei* Service  
*fuscivenosus* Leeson  
*rivulorum* Leeson  
*rivulorum*-like species (Cohuet *et al.*, 2003)  
Marshallii Group (Gillies & de Meillon, 1968)  
*austeni* (Theobald)  
*berghei* Vincke & Leleup  
*brohieri* Edwards  
*gibbinsi* Evans  
*hancocki* Edwards  
*hargreavesi* Evans  
*harperi* Evans  
*mortiauxi* Edwards  
*mousinhoi* de Meillon & Pereira  
*njombiensis* Peters  
*seydeli* Edwards  
Marshallii Complex (Gillies & Coetzee, 1987)  
*hughi* Lambert & Coetzee  
*kosiensis* Coetzee, Segerman & Hunt  
*letabensis* Lambert & Coetzee  
*marshallii* (Theobald)  
Wellcomei Group (Gillies & de Meillon, 1968)  
*distinctus* (Newstead & Carter)  
*erepens* Gillies  
*theileri* Edwards  
*wellcomei* Theobald  
    subspecies *ugandae* Evans  
    subspecies *ungujae* White

subspecies *wellcomei* Theobald  
 Neocellia Series (Christophers, 1924a)  
     *ainshamsi* Gad, Harbach & Harrison  
     *dancalicus* Corradetti  
     *hervyi* Brunhes, le Goff & Geoffroy  
     *karwari* (James)  
     *maculipalpis* Giles  
     *moghulensis* Christophers  
     *paltrinieri* Shidrawi & Gillies  
     *pattoni* Christophers  
     *pretoriensis* (Theobald)  
     *pulcherrimus* Theobald  
     *rufipes* (Gough)  
         subspecies *broussesi* Edwards  
         subspecies *rufipes* (Gough)  
     *salbairi* Maffi & Coluzzi  
     *stephensi* Liston  
     *superpictus* Grassi  
     *theobaldi* Giles  
 Annularis Group (Reid, 1968)  
     Annularis Complex (Atrie *et al.*, 1999)  
         *annularis* van der Wulp (species A and B)  
         *pallidus* Theobald  
         *philippinensis* Ludlow  
         *schueffneri* Stanton  
     Nivipes Complex (Green *et al.*, 1985b; Harrison *et al.*, 1991)  
         *nivipes* (Theobald) (2 cytogenetic species in Thailand)  
 Jamesii Group (Rattanaarithikul *et al.*, 2006b)  
     *jamesii* Theobald  
     *pseudojamesi* Strickland & Chowdhury  
     *splendidus* Koidzumi  
 Maculatus Group (Rattanaarithikul & Green, 1987)  
     *dispar* Rattanaarithikul & Harbach  
     *greeni* Rattanaarithikul & Harbach  
     *pseudowillmori* (Theobald)  
     *willmori* (James)  
 Maculatus Subgroup (Rattanaarithikul *et al.*, 2006b)  
     *dravidicus* Christophers  
     *maculatus* Theobald  
 Sawadwongporni Subgroup (Rattanaarithikul *et al.*, 2006b)  
     *notanandai* Rattanaarithikul & Green  
     *rampae* Harbach & Somboon, 2011  
     *sawadwongporni* Rattanaarithikul & Green  
 Neomyzomyia Series (Christophers, 1924a)  
     *amictus* Edwards  
     *annulatus* de Rook  
     *annulipes* Walker (species A, B, C, D, E, F and G) (Booth & Bryan, 1986)  
     *aurirostris* (Watson)  
     *dualaensis* Brunhes, le Goff & Geoffroy  
     *hilli* Woodhill & Lee

*incognitus* Brug  
*kokhani* Vythilingam, Jeffery & Harbach  
*kolambuganensis* Baisas  
*longirostris* Brug  
*meraukensis* Venhuis  
*novaguinensis* Venhuis  
*saungi* Colless  
*stookesi* Colless  
*watsonii* (Leicester)  
Lungae Complex (Belkin, 1962)  
*lungae* Belkin & Schlosser  
*nataliae* Belkin  
*solomonis* Belkin, Knight & Rozeboom  
Ardensis Group (Gillies & de Meillon, 1968)  
*ardensis* (Theobald)  
*buxtoni* Service  
*cinctus* (Newstead & Carter)  
*deemingi* Service  
*dureni* Edwards  
*eouzani* Brunhes, le Goff & Bousset  
*kingi* Christophers  
*machardyi* Edwards  
*maliensis* Bailly-Choumara & Adam  
*millecampsi* Lips  
*multicinctus* Edwards  
*natalensis* (Hill & Haydon)  
*vernus* Gillies & de Meillon  
*vinckei* de Meillon  
Nili Complex (Gillies & de Meillon, 1968)  
*carnevalei* Brunhes, le Goff & Geoffroy  
*nili* (Theobald)  
*ovengensis* Awono-Ambene, Kengne, Simard, Antonio-Nkondjio & Fontenille  
*somalicus* Rivola & Holstein  
Kochi Group (Rattanaarithikul *et al.*, 2006b)  
*kochi* Dönitz  
Leucosphyrus Group (Reid, 1949)  
Hackeri Subgroup (Sallum *et al.*, 2005a)  
*hackeri* Edwards  
*mirans* Sallum & Peyton  
*pujutensis* Colless  
*recens* Sallum & Peyton  
*sulawesi* Waktoedi  
Leucosphyrus Subgroup (Peyton, 1990)  
Dirus Complex (Sallum *et al.*, 2005b)  
aff. *takasagoensis* (Takano *et al.*, 2010)  
*baimaii* Sallum & Peyton  
*cracens* Sallum & Peyton  
*dirus* Peyton & Harrison  
*elegans* (James)  
*nemophilous* Peyton & Ramalingam

*scanloni* Sallum & Peyton  
*takasagoensis* Morishita  
Leucosphyrus Complex (Sallum *et al.*, 2005a)  
*baisasi* Colless  
*balabacensis* Baisas  
*introlatus* Colless  
*latens* Sallum & Peyton  
*leucosphyrus* Dönitz  
Riparis Subgroup (Peyton, 1990)  
*cristatus* King & Baisas  
*macarthuri* Colless  
*riparis* King & Baisas  
Mascarensis Group (Harbach, 1994a)  
*mascarensis* de Meillon  
Pauliani Group (Grjebine, 1966)  
*grassei* Grjebine  
*grenieri* Grjebine  
*milloti* Grjebine & Lacan  
*pauliani* Grjebine  
*radama* de Meillon  
Punctulatus Group (Schmidt *et al.*, 2001)  
*clowi* Rozeboom & Knight  
*koliensis* Owen  
*punctulatus* Dönitz  
*rennellensis* Taylor & Maffi  
sp. near *punctulatus* (Foley *et al.*, 1995)  
Farauti Complex (Schmidt *et al.*, 2003)  
*farauti* Laveran  
*farauti* 4, 5 and 6 (Foley *et al.*, 1993)  
*hinesorum* Schmidt  
*irenicus* Schmidt  
*torresiensis* Schmidt  
Ranci Group (Grjebine, 1966)  
*griveaudi* Grjebine  
Ranci Subgroup (Grjebine, 1966)  
*ranci* Grjebine  
Roubaudi Subgroup (Grjebine, 1966)  
*lacani* Grjebine  
*notleyi* van Someren  
*roubaudi* Grjebine  
Rhodesiensis Group (Gillies & de Meillon, 1968)  
*cameroni* de Meillon & Evans  
*lounibosi* Gillies & Coetzee  
*rhodesiensis* Theobald  
    subspecies *rhodesiensis* Theobald  
    subspecies *rupicolus* Lewis  
*rodhaini* Leleup & Lips  
*ruarinus* Edwards  
Smithii Group (Gillies & de Meillon, 1968)  
*caroni* Adam

*faini* Leleup  
*hamoni* Adam  
*jebudensis* Froud  
*lovettae* Evans  
*rageaui* Mattingly & Adam  
*smithii* Theobald  
*vanhoofi* Manson & Lebied  
*wilsoni* Evans

Tessellatus Group (Rattanarithikul *et al.*, 2006b)  
*tessellatus* Theobald  
    subspecies *kalawara* Stoker & Waktoedi  
    subspecies *orientalis* (Swellengrebel & Swellengrebel de Graaf  
    subspecies *tessellatus* Theobald

Paramyzomyia Series (Christophers & Barraud, 1931)  
Cinereus Group (Gillies & de Meillon, 1968)  
*azevedoi* Ribeiro  
*cinereus* Theobald  
    subspecies *cinereus* Theobald  
    subspecies *hispaniola* (Theobald)  
*turkhudi* Liston  
    subspecies *telamali* Saliternik & Theodor  
    subspecies *turkhudi* Liston

Listeri Group (Gillies & de Meillon, 1968)  
*listeri* de Meillon  
*multicolor* Cambouliu  
*seretsei* Abdulla-Khan, Coetzee & Hunt

Pyretophorus Series (Edwards, 1932a)  
*christyi* (Newstead & Carter)  
*daudi* Coluzzi  
*indefinitus* (Ludlow)  
*limosus* King  
*litoralis* King  
*ludlowae* (Theobald)  
    subspecies *ludlowae* (Theobald)  
    subspecies *torakala* Stoker & Waktoedi  
*parangensis* (Ludlow)  
*pseudosundaicus* Tyagi, Hiriyan, Tewari, Ayanar, Samuel, Arunachalam,  
    Paramasivan, Krishnamoorthy, Dhananjeyan, Leo & Rajendran  
*vagus* Dönitz

Gambiae Complex (White, 1985)  
*arabiensis* Patton  
*bwambae* White  
*comorensis* Brunhes, le Goff & Geoffroy  
*gambiae* Giles  
*melas* Theobald  
*merus* Dönitz  
*quadriannulatus* Theobald  
*quadriannulatus* B (Hunt *et al.*, 1998)

Subpictus Complex (Suguna *et al.*, 1994)  
*subpictus* Grassi (species A, B, C and D)

Sundaicus Complex (Sukowati *et al.*, 1999)  
*epiroticus* Linton & Harbach  
*sundaicus* (Rodenwaldt)  
*sundaicus* B and C

## References

- Atrie, B., Subbarao, S.K., Pillai, M.K.K., Rao, S.R.V. & Sharma, V.P. 1999. Population cytogenetic evidence for sibling species in *Anopheles annularis* (Diptera: Culicidae). *Annals of the Entomological Society of America* 92: 243–249.
- Belkin, J.N. 1962. *The mosquitoes of the South Pacific (Diptera, Culicidae)*. Volumes 1 and 2. University of California Press, Berkeley and Los Angeles.
- Booth, D.R. & Bryan, J.H. 1986. Cytogenetic and crossbreeding evidence for additional species in the *Anopheles annulipes* Walker complex (Diptera: Culicidae). *Journal of the Australian Entomological Society* 25: 315–325.
- Chen, B., Butlin, R.K. & Harbach, R.E. 2003. Molecular phylogenetics of the Oriental members of the Myzomyia Series of *Anopheles* subgenus *Cellia* (Diptera: Culicidae) inferred from nuclear and mitochondrial DNA sequences. *Systematic Entomology* 28: 57–69.
- Christophers, S.R. 1924a. Provisional list and reference catalogue of the Anophelini. *Indian Medical Research Memoirs* 3: 1–105.
- Christophers, S.R. & Barraud, P.J. 1931. The eggs of Indian *Anopheles*, with descriptions of the hitherto undescribed eggs of a number of species. *Records of the Malaria Survey of India* 2: 161–192, 5 pls.
- Cohuet, A., Simard, F., Toto, J.C., Kengne, P., Coetzee, M. & Fontenille, D. 2003. Species identification within the *Anopheles funestus* group of malaria vectors in Cameroon and evidence for a new species. *American Journal of Tropical Medicine and Hygiene* 69: 200–205.
- Edwards, F.W. 1932a. *Genera Insectorum. Diptera, Fam. Culicidae*. Fascicle 194. Desmet-Verteneuil, Brussels.
- Foley, D.H., Cooper, R.D. & Bryan, J.H. 1995. A new species within the *Anopheles punctulatus* complex in Western Province, Papua New Guinea. *Journal of the American Mosquito Control Association* 11: 122–127.
- Foley, D.H., Paru, R., Dagoro, H. & Bryan, J.H. 1993. Allozyme analysis reveals six species within the *An. punctulatus* complex of mosquitoes in Papua New Guinea. *Medical and Veterinary Entomology* 7: 37–48.
- Garros, C., Harbach, R.E. & Manguin, S. 2005b. Morphological assessment and molecular phylogenetics of the Funestus and Minimus Groups of *Anopheles* (*Cellia*). *Journal of Medical Entomology* 42: 522–536.

- Gillies, M.T. & Coetzee, M. 1987. A supplement to the Anophelinae of Africa south of the Sahara (Afrotropical Region). *Publications of the South African Institute for Medical Research* 55: 1–143.
- Gillies, M.T. & de Meillon, B. 1968. The Anophelinae of Africa south of the Sahara (Ethiopian Zoogeographical Region). *Publications of the South African Institute for Medical Research* 54: 1–343.
- Green, C.A., Cass, R.F., Munstermann, L.E. & Baimai, V. 1990. Population-genetic evidence for two species in *Anopheles minimus* in Thailand. *Medical and Veterinary Entomology* 4: 25–34.
- Green, C.A., Harrison, B.A., Klein, T.A. & Baimai, V. 1985b. Cladistic analysis of polytene chromosome rearrangements in anopheline mosquitoes, subgenus *Cellia*, series *Neocellia*. *Canadian Journal of Genetics and Cytology* 27: 123–133.
- Grjebine, A. 1966. *Faune de Madagascar. XXII. Insecies Diptères Culicidae Anophelinae*. Centre National de la Recherche Scientifique, Office de la Recherche Scientifique et Technique Outre-Mer, Paris.
- Harbach, R.E. 1994a. Review of the internal classification of the genus *Anopheles* (Diptera: Culicidae): the foundation for comparative systematics and phylogenetic research. *Bulletin of Entomological Research* 84: 331–342.
- Harrison, B. A. 1980. Medical entomology studies – XIII. The Myzomyia Series of *Anopheles (Cellia)* in Thailand, with emphasis on intra-interspecific variations (Diptera: Culicidae). *Contributions of the American Entomological Institute* 17(4): iv + 1-195.
- Harrison, B.A., Rattanakul, R., Peyton, E.L. & Mongkolpanya, K. 1991. Taxonomic changes, revised occurrence records and notes on the Culicidae of Thailand and neighboring countries. *Mosquito Systematics* (1990) 22: 196–227.
- Hunt, R.H., Coetzee, M. & Fettene, M. 1998. The *Anopheles gambiae* complex: a new species from Ethiopia. *Transactions of the Royal Society of Tropical Medicine and Hygiene* 92: 231–235.
- Kar, I., Subbarao, S.K., Eapen, A., Ravendran, J., Satyanarayana, T.S., Raghavendra, K., Nanda, N. & Sharma, V.P. 1999. Evidence for a new malaria vector species, species E, within the *Anopheles culicifacies* complex (Diptera: Culicidae). *Journal of Medical Entomology* 36: 595–600.
- Koekemoer, L.L., Misiani, E.A., Hunt, R.H., Kent, R.J., Norris, D.E. & Coetzee, M. 2009. Cryptic species within *Anopheles longipalpis* from southern Africa and phylogenetic comparison with members of the *An. funestus* group. *Bulletin of Entomological Research* 99: 41–49.
- Peyton, E.L. 1990. A new classification for the Leucosphyrus Group of *Anopheles (Cellia)*. *Mosquito Systematics* (1989) 21 197–205.

- Rattanarithikul, R. & Green, C.A. 1987. Formal recognition of the species of the *Anopheles maculatus* group (Diptera: Culicidae) occurring in Thailand, including the descriptions of two new species and a preliminary key to females. *Mosquito Systematics* (1986) 18: 246–278.
- Rattanarithikul, R., Harrison, B.A., Harbach, R.E., Panthusiri, P. & Coleman, R.E. 2006b. Illustrated Keys to the mosquitoes of Thailand. IV. *Anopheles*. *Southeast Asian Journal of Tropical Medicine and Public Health* 37 (suppl. 2): 1–128.
- Reid, J.A. 1949. A preliminary account of the forms of *Anopheles leucosphyrus* Dönitz (Diptera: Culicidae). *Proceedings of the Royal Entomological Society of London Series B Taxonomy* 18: 42–53.
- Reid, J.A. 1968. Anopheline mosquitoes of Malaya and Borneo. *Studies from the Institute for Medical Research Malaya* 31: 1–520.
- Reid, J.A. & Knight, K.L. 1961. Classification within the subgenus *Anopheles* (Diptera, Culicidae). *Annals of Tropical Medicine and Parasitology* 55: 474–488.
- Sallum, M.A.M., Peyton, E.L., Harrison, B.A. & Wilkerson, R.C. 2005b. Revision of the Leucosphyrus group of *Anopheles* (*Cellia*) (Diptera, Culicidae). *Revista Brasileira de Entomologia* 49 (Supl. 1): 1–152.
- Sallum, M.A.M., Peyton, E.L. & Wilkerson, R.C. 2005a. Six new species of the *Anopheles leucosphyrus* group, reinterpretation of *An. elegans* and vector implications. *Medical and Veterinary Entomology* 19: 158–199.
- Schmidt, E.R., Foley, D.H., Bugoro, H. & Bryan, J.H. 2003. A morphological study of the *Anopheles punctulatus* group (Diptera: Culicidae) in the Solomon Islands, with a description of *Anopheles* (*Cellia*) *irenicus* Schmidt, sp.n. *Bulletin of Entomological Research* 93: 515–526.
- Schmidt, E.R., Foley, D.H., Hartel, G.F., Williams, G.M. & Bryan, J.H. 2001. Descriptions of the *Anopheles* (*Cellia*) *farauti* complex of sibling species (Diptera: Culicidae) in Australia. *Bulletin of Entomological Research* 91: 389–410.
- Spillings, B.L., Brooke, B.D., Koekemoer, L.L., Chiphwanya, J., Coetzee, M. & Hunt, R.H. 2009. A new species concealed by *Anopheles funestus* Giles, a major malaria vector in Africa. *American Journal of Tropical Medicine and Hygiene* 81: 510–515.
- Suguna, S.G., Rathinam, K.G., Rajavel, A.R. & Dhanda, V. 1994. Morphological and chromosomal descriptions of new species in the *Anopheles subpictus* complex. *Medical and Veterinary Entomology* 9: 88–94.
- Sukowati, S., Baimai, V., Harun, S., Dasuki, Y., Andris, H. & Efriwati, M. 1999. Isozyme evidence for three sibling species in the *Anopheles sunndaicus* complex from Indonesia. *Medical and Veterinary Entomology* 13: 408–414.
- Takano, K.T., Nguyen, N.T.H., Nguyen, B.T.H., Sunahara, T., Yasunami, M., Nguyen, M.D. & Takagi, M. 2010. Partial mitochondrial DNA sequences suggest the existence of a

cryptic species within the Leucosphyrus group [*sic*] of the genus *Anopheles* (Diptera: Culicidae), forest malaria vectors, in northern Vietnam. *Parasites and Vectors* 3: 41.

White, G.B. 1985. *Anopheles bwambae* sp.n., a malaria vector in the Semliki Valley, Uganda, and its relationships with other sibling species of the *An. gambiae* complex (Diptera: Culicidae). *Systematic Entomology* 10: 501–522.