

abdita (Barraud, 1931): *Verrallina (Harbachius)*
abdita Peyton, 1977: *Uranotaenia (Pseudoficalbia)*
abebela Dyar & Knab, 1908: *Wyeomyia (Wyeomyia)*
aberrans Harrison & Scanlon, 1975: *Anopheles (Anopheles)*
ablechra Dyar & Knab, 1908: *Wyeomyia (Wyeomyia)*
ablusa Harbach, 2009: *Chagasia*
abnormalis (Theobald, 1909): *Aedimorphus* [*Aedes (Aedimorphus)*]
abnormalis Lane, 1936: *Culex (Culex)*
abominator Dyar & Knab, 1909: *Culex (Melanoconion)*
abonnenci Clastrier, 1970: *Culex (Melanoconion)*
aboriginis (Dyar, 1917): *Ochlerotatus* (unplaced) [*Ochlerotatus (Ochlerotatus)*]
abserratus (Felt & Young, 1904): *Ochlerotatus* (unplaced) [*Ochlerotatus (Ochlerotatus)*]
abstrusa Peyton, 1977: *Uranotaenia (Pseudoficalbia)*
acaci Baisas, 1946: *Anopheles (Anopheles)*
acanthotorynus Komp, 1937: *Anopheles (Stethomyia)*
acaudatus (Leicester, 1908): *Toxorhynchites (Toxorhynchites)*
accelerans Root, 1927: *Culex (Aedinus)*
achaetae (Leicester, 1908): *Heizmannia (Mattinglyia)*
acharistus Root, 1927: *Culex (Culex)*
aconitus Dönitz, 1902: *Anopheles (Cellia)*
acrostichalis Edwards, 1941: *Culex (Eumelanomyia)*
aculeatus (Theobald, 1903): *Ochlerotatus (Gilesia)* [*Ochlerotatus (Ochlerotatus)*]
aculeatus Colless, 1965: *Culex (Lophoceraomyia)*
acutipalus Colless, 1965: *Culex (Lophoceraomyia)*
acutisentis Arnell, 1973: *Haemagogus (Haemagogus)*
adairi Kirkpatrick, 1926: *Culex (Lasiosiphon)*
adamesi Sirivanakarn & Galindo, 1980: *Culex (Melanoconion)*
adami (Hamon & Mouchet, 1955): *Culex (Eumelanomyia)*
adami Ferrara & Eouzan, 1974: *Eretmapodites*
adami (Geoffroy, 1971): *Catageiomyia* [*Aedes (Aedimorphus)*]
adelpha Dyar & Knab, 1906: *Wyeomyia (Wyeomyia)*
adentata van den Assem, 1959: *Tripteroides (Rachisoura)*
adersi (Edwards, 1917): *Diceromyia* [*Aedes (Diceromyia)*]
adersianus Edwards, 1941: *Culex (Eumelanomyia)*
adusta (Laffoon, 1946): *Verrallina (Neomacleaya)*
aegypti (Linnaeus, 1762): *Stegomyia (Stegomyia)* [*Aedes (Stegomyia)*]
aenea Thurman, 1959: *Topomyia (Topomyia)*
aeneus (Edwards, 1921): *Tripteroides (Tripteroides)*
aeneus (Evans, 1926): *Toxorhynchites (Afrorhynchus)*
aenigma Harbach, 2000: *Onirion*
aenigmaticus (Cerqueira & Costa, 1946): *Ochlerotatus (Protoculex)* [*Ochlerotatus (Ochlerotatus)*]
aequatorianna Levi-Castillo, 1953: *Uranotaenia (Uranotaenia)*
aequatorianna Levi-Castillo, 1954: *Wyeomyia* (subgenus uncertain)
aerarius McIntosh, 1975: *Aedimorphus* [*Aedes (Aedimorphus)*]
aeritinctus Galindo & Trapido, 1967: *Haemagogus (Haemagogus)*
aestivus Sirivanakarn, 1977: *Culex (Lophoceraomyia)*
affinis (Edwards, 1913): *Tripteroides (Rachionotomyia)*
africana (Theobald, 1901): *Mansonia (Mansonioides)*
africana Neveu-Lemaire, 1906: *Aedeomyia (Lepiothauma)*
africana Theobald, 1901: *Stegomyia* [*Aedes (Stegomyia)*]
agastyai (Tewari & Hiriyani, 1992): *Tewarius* [*Aedes (Diceromyia)*]
agranensis Singh & Prakash, 2008: *Lutzia (Metalutzia)*
agrestis (Barraud, 1931): *Verrallina (Neomacleaya)*
agrihanensis (Bohart, 1957): *Stegomyia (Bohartius)* [*Aedes (Stegomyia)*]
aguilari Baisas & Feliciano, 1953: *Zeugomyia*
ahomi Chowdhury, 1929: *Anopheles (Anopheles)*
ainshamsi Gad, Harbach & Harrison, 2006: *Anopheles (Cellia)*
airosai Lane & Cerqueira, 1942: *Wyeomyia (Spilonympha)*
airozai Lane, 1945: *Culex (Phenacomyia)*
aitkeni (Schick, 1970): '*Ochlerotatus (Protomacleaya)*'

aitkenii James, 1903: **Anopheles (Anopheles)**
akkeshiensis (Tanaka, 1998): **Ochlerotatus** (unplaced) [*Ochlerotatus* (*Ochlerotatus*)]
akritos Forattini & Sallum, 1995: **Culex (Melanoconion)**
alani Forattini, 1965: **Culex (Culex)**
alani Lane & Cerqueira, 1957: **Wyeomyia (Antunesmyia)**
alaskaensis (Ludlow, 1906): **Culiseta (Culiseta)**
alba Baker, 1936: **Orthopodomyia**
alba Theobald, 1901: **Uranotaenia (Uranotaenia)**
albertianus Edwards, 1941: **Culex (Eumelanomyia)**
albescens (Edwards, 1921): **Ochlerotatus (Rusticoidus)**
albescens Taylor, 1914: **Uranotaenia (Uranotaenia)**
albicosta (Edwards, 1913): **Neomelaniconion** [*Aedes* (*Neomelaniconion*)]
albicosta (Lutz, 1904): **Orthopodomyia**
albicosta (Peryassú, 1908): **Coquillettidia (Rhynchoaenia)**
albifasciatus (Macquart, 1838): **Ochlerotatus** (unplaced) [*Ochlerotatus* (*Ochlerotatus*)]
albifera (Prado, 1931): **Coquillettidia (Rhynchoaenia)**
albigenu (Peryassú, 1908): **Psorophora (Janthinosoma)**
albilabris (Edwards, 1925): **Rampamyia** [*Ochlerotatus* (*Finlaya*)]
albimanus da Cunha Ramos & Brunhes, 2004: **Uranotaenia (Pseudoficalbia)**
albimanus Wiedemann, 1820: **Anopheles (Nyssorhynchus)**
albinensis Bonne-Wepster & Bonne, 1920: **Culex (Melanoconion)**
albinervis Edwards, 1929: **Culex (Oculeomyia)**
albineus (Séguy, 1923): **Ochlerotatus** (unplaced) [*Ochlerotatus* (*Ochlerotatus*)]
albinotata da Cunha Ramos & Brunhes, 2004: **Uranotaenia (Pseudoficalbia)**
albipes (Edwards, 1922): **Toxorhynchites (Toxorhynchites)**
albipes (Theobald, 1907): **Psorophora (Janthinosoma)**
albipes Leicester, 1904: **Orthopodomyia**
albipes Lutz, 1904: **Culex (Microculex)**
albipes Peyton, 1977: **Uranotaenia (Pseudoficalbia)**
albiprivus Theobald, 1903: **Sabethes (Sabethes)**
albiradius le Goff, Boussès & Brunhes, 2007: **Neomelaniconion**
albitarsis Lynch Arribálzaga, 1878: **Anopheles (Nyssorhynchus)**
albiventris Edwards, 1922: **Culex (Eumelanomyia)**
alboabdominalis Theobald, 1910: **Uranotaenia (Uranotaenia)**
alboannulata (Theobald, 1905): **Uranotaenia (Uranotaenia)**
alboannulatus (Macquart, 1850): **Dobrotworskyius** [*Ochlerotatus* (*Finlaya*)]
alboapicus (Schick, 1970): '*Ochlerotatus* (*Protomacleaya*)'
albocephala da Cunha Ramos & Brunhes, 2004: **Uranotaenia (Uranotaenia)**
albocephala (Theobald, 1903): **Polyleptomyia** [*Aedes* (*Aedimorphus*)]
alboincinctus (Barraud, 1924): **Hopkinsius (Yamada)** [*Ochlerotatus* (*Finlaya*)]
albodorsalis Fontenille & Brunhes, 1985: **Aedimorphus** [*Aedes* (*Aedimorphus*)]
albolateralis (Theobald, 1908): **Downsiomyia** [*Ochlerotatus* (*Finlaya*)]
albolineata Theobald, 1904: **Scutomyia** [*Aedes* (*Scutomyia*)]
albomaculatus Theobald, 1903: **Haemagogus (Haemagogus)**
albomarginatus (Newstead, 1907): **Pseudarmigeres** [*Aedes* (*Pseudarmigeres*)]
albonivea (Barraud, 1934): **Downsiomyia** [*Ochlerotatus* (*Finlaya*)]
albonotata (Coquillett, 1906): **Howardina** [*Ochlerotatus* (*Howardina*)]
albopicta (Skuse, 1895): **Stegomyia** [*Aedes* (*Stegomyia*)]
alboscutellatus (Theobald, 1905): **Aedimorphus** [*Aedes* (*Aedimorphus*)]
alboscutellatus Lee, 1946: **Tripteroides (Tripteroides)**
albosquamata Bonne-Wepster & Bonne, 1919: **Wyeomyia** (subgenus uncertain)
alboternopleura Peters, 1963: **Uranotaenia (Uranotaenia)**
albotaeniata Leicester, 1904: **Danielsia** [*Ochlerotatus* (*Finlaya*)]
albotaeniatus (Theobald, 1903): **Anopheles (Anopheles)**
albothorax (Theobald, 1907): **Neomelaniconion** [*Aedes* (*Neomelaniconion*)]
alboventralis (Theobald, 1910): **Aedimorphus** [*Aedes* (*Aedimorphus*)]
alcasidi (Huang, 1972): **Stegomyia** [*Aedes* (*Stegomyia*)]
alcocki Bonne-Wepster & Bonne, 1920: **Culex (Melanoconion)**
alektorovi (Stackelberg, 1943): **Bruceharrisonius** [*Ochlerotatus* (*Bruceharrisonius*)]
alexandrei Gornostaeva, 2005: **Aedes** [*Aedes* (*Aedes*)]

algeriensis Theobald, 1903: **Anopheles (Anopheles)**
aliciae Duret, 1953: **Culex (Melanoconion)**
alienus Colless, 1957: **Culex (Culex)**
alinkios Sallum & Hutchings, 2003: **Culex (Melanoconion)**
alis Theobald, 1903: **Culex (Culex)**
alius (Lien, 1968): **Gilesius [Ochlerotatus (Finlaya)]**
alkatirii Toma, Miyagi & Syafruddin, 1995: **Armigeres (Armigeres)**
allostigma (Howard, Dyar & Knab, 1915): **Lutzia (Lutzia)**
allotecnon (Kumm, Komp & Ruiz, 1940): **Howardina [Ochlerotatus (Howardina)]**
alocasicola (Marks, 1947): **Finlaya [Ochlerotatus (Finlaya)]**
alogistus Dyar, 1918: **Culex (Melanoconion)**
alongensis Venhuis, 1940: **Anopheles (Anopheles)**
alongi (Galliard & Ngu, 1947): **Bothaella [Aedes (Bothaella)]**
aloponotum (Dyar, 1917): **Ochlerotatus** (unplaced) [**Ochlerotatus (Ochlerotatus)**]
alorensis (Bonne-Wepster & Brug, 1932): **Stegomyia [Aedes (Stegomyia)]**
alorensis Sirivanakarn, 1977: **Culex (Lophoceraomyia)**
alphus Colless, 1965: **Culex (Lophoceraomyia)**
alternans (Westwood, 1835): **Mucidus (Mucidus) [Ochlerotatus (Mucidus)]**
alticola (Bonne-Wepster, 1948): '**Ochlerotatus (Finlaya)**'
altivallis Bonne-Wepster, 1948: **Tripteroides (Polylepidomyia)**
amabilis (Schick, 1970): '**Ochlerotatus (Protomacleaya)**'
amalthea (de Meillon & Lavoipierre, 1944): **Stegomyia [Aedes (Stegomyia)]**
amaniensis van Someren & Hamon, 1964: **Culex (Eumelanomyia)**
amazonensis (Lutz, 1905): **Culex (Aedinus)**
amazonensis (Theobald, 1901): **Mansonia (Mansonia)**
amazonica Cerqueira, 1960: **Psorophora (Janthinosoma)**
amazonica Levi-Castillo, 1954: **Wyeomyia** (subgenus uncertain)
amazonicus Gordon & Evans, 1922: **Sabethes (Sabethes)**
ambodimanga da Cunha Ramos & Brunhes, 2004: **Uranotaenia (Pseudoficalbia)**
amboinensis (Doleschall, 1857): **Toxorhynchites (Toxorhynchites)**
ambreensis (Rodhain & Boutonnier, 1983): **Ochlerotatus** (unplaced) [**Ochlerotatus (Ochlerotatus)**]
ambremontis Brunhes & Hervy, 1995: **Orthopodomyia**
ameliae Casal, 1967: **Culex (Culex)**
amesii (Ludlow, 1903): **Lorrainea [Aedes (Lorrainea)]**
amictus Edwards, 1921: **Anopheles (Cellia)**
amiensis Peters, 1963: **Uranotaenia (Uranotaenia)**
amitis Komp, 1936: **Culex (Melanoconion)**
amurensis Maslov, 1964: **Culiseta (Culicella)**
ananae (Knight & Laffoon, 1946): **Finlaya [Ochlerotatus (Finlaya)]**
anastasionis Dyar, 1921: **Haemagogus (Haemagogus)**
anchietai Corrêa & Ramalho, 1968: **Anopheles (Anopheles)**
andamanensis (Edwards, 1922): **Verrallina (Neomacleaya)**
andamanensis Barraud, 1934: **Orthopodomyia**
andavakae Doucet, 1950: **Uranotaenia (Uranotaenia)**
andersoni (Edwards, 1926): **Ochlerotatus** (unplaced) [**Ochlerotatus (Ochlerotatus)**]
andersoni Edwards, 1914: **Culex (Culex)**
andinum Levi-Castillo, 1953: **Trichoprosopon**
andinus Levi-Castillo, 1954: **Limatus**
andinus Osorno-Mesa, 1944: **Haemagogus (Haemagogus)**
andreae Doucet, 1962: **Uranotaenia (Pseudoficalbia)**
andreas Edwards, 1927: **Culex (Eumelanomyia)**
andrewsi (Edwards, 1926): **Stegomyia [Aedes (Stegomyia)]**
andricus Root, 1927: **Culex (Melanoconion)**
anduzei Cerqueira & Lane, 1944: **Culex (Carrollia)**
anggiensis (Bonne-Wepster, 1937): **Patmarksia [Ochlerotatus (Finlaya)]**
angkoris Klein, 1977: **Topomyia (Topomyia)**
angolensis da Cunha Ramos & Ribeiro, 1992: **Eretmapodites**
angolensis da Cunha Ramos, 1985: **Uranotaenia (Uranotaenia)**
angolensis Ribeiro, 1992: **Toxorhynchites (Afrorhynchus)**
angusta (Edwards, 1935): **Stegomyia [Aedes (Stegomyia)]**

angustiplatus Evenhuis & Steffan, 1986: *Toxorhynchites (Toxorhynchites)*
angustivittatus (Dyar & Knab, 1907): *Ochlerotatus (Ochlerotatus)*
anhydor Dyar, 1907: *Uranotaenia (Pseudoficalbia)*
aningae Motta & Lourenço-De-Oliveira, 2005: *Wyeomyia (Spilonympha)*
anips Dyar, 1916: *Culex (Melanoconion)*
ankaratrensis Brunhes & Hervy, 1995: *Orthopodomyia*
annandalei Barraud, 1926: *Uranotaenia (Uranotaenia)*
annandalei Prashad, 1918: *Anopheles (Anopheles)*
annandalei Theobald, 1910: *Stegomyia (Heteraspidion)* [*Aedes (Stegomyia)*]
annettii (Theobald, 1901): *Coquillettidia (Coquillettidia)*
annularis van der Wulp, 1884: *Anopheles (Cellia)*
annulata (Schrank, 1776): *Culiseta (Culiseta)*
annulata Leicester, 1908: *Mansonia (Mansonioides)*
annulata Theobald, 1901: *Uranotaenia (Pseudoficalbia)*
annulatus Haga, 1930: *Anopheles (Cellia)*
annulifera (Theobald, 1901): *Mansonia (Mansonioides)*
annulioris Theobald, 1901: *Culex (Oculeomyia)*
annulipalpis (Theobald, 1910): *Armigeres (Leicesteria)*
annulipalpis Lynch Arribázaga, 1878: *Anopheles (Anopheles)*
annulipes (Meigen, 1830): *Ochlerotatus* (unplaced) [*Ochlerotatus (Ochlerotatus)*]
annulipes Walker, 1856: *Anopheles (Cellia)*
annulirostris (Theobald, 1905): *Christophersomyia* [*Aedes (Christophersomyia)*]
annulirostris Skuse, 1889: *Culex (Culex)*
annulitarsis (Leicester, 1908): *Armigeres (Leicesteria)*
annuliventris (Blanchard, 1852): *Culex (Culex)*
annulus Theobald, 1901: *Culex (Culex)*
anomalophyllus Komp, 1936: *Anopheles (Nyssorhynchus)*
anopheloides (Giles, 1903): *Orthopodomyia*
anopheloides Brunhes & Razafindrasolo, 1975: *Uranotaenia (Uranotaenia)*
anoplicitus Forattini & Sallum, 1989: *Culex (Melanoconion)*
antalahaensis da Cunha Ramos & Brunhes, 2004: *Uranotaenia (Pseudoficalbia)*
antanosyorum Rodhain & Boutonnier, 1984: *Orthopodomyia*
antennalis Bohart & Farner, 1944: *Tripteroidea (Tripteroidea)*
antennalis Taylor, 1919: *Uranotaenia (Uranotaenia)*
antennatus (Becker, 1903): *Culex (Culex)*
antillumagnorum Dyar, 1928: *Culex (Micraedes)*
antipodea Dobrotworsky, 1962: *Culiseta (Climacura)*
antipodeus Edwards, 1920: *Ochlerotatus* (unplaced) [*Ochlerotatus (Ochlerotatus)*]
antunesi Galvão & Amaral, 1940: *Anopheles (Nyssorhynchus)*
antunesi Lane & Guimarães, 1937: *Wyeomyia (Phoniomyia)*
antunesi Lane & Whitman, 1943: *Culex (Carrollia)*
aobae (Belkin, 1962): *Stegomyia* [*Aedes (Stegomyia)*]
aphobema Dyar, 1918: *Wyeomyia (Dodecamyia)*
aphylactus Root, 1927: *Culex (Microculex)*
apicalis Adams, 1903: *Culex (Neoculex)*
apicalis Theobald, 1903: *Uranotaenia (Uranotaenia)*
apicimacula Dyar & Knab, 1906: *Anopheles (Anopheles)*
apicinus Philippi, 1865: *Culex (Culex)*
apicoannulatus (Edwards, 1912): *Elpeytonius* [*Aedes (Aedimorphus)*]
apicoargentea Theobald, 1909: *Stegomyia* [*Aedes (Stegomyia)*]
apicosquamata da Cunha Ramos & Brunhes, 2004: *Uranotaenia (Pseudoficalbia)*
apicotaeniata Theobald, 1909: *Uranotaenia (Pseudoficalbia)*
apicotriangulatus (Theobald, 1910): *Tripteroidea (Polylepidomyia)*
apoci Marsh, 1933: *Anopheles (Cellia)*
apoensis Baisas & Ubaldo-Pagayon, 1953: *Tripteroidea (Tricholeptomyia)*
apoensis Bohart & Farner, 1944: *Armigeres (Armigeres)*
aporonoma Dyar & Knab, 1906: *Wyeomyia (Triamyia)*
approximata Peyton, 1977: *Uranotaenia (Pseudoficalbia)*
apsarae Klein, 1977: *Topomyia (Suaymyia)*
aquarius Strickman, 1990: *Culex (Culex)*

aquasalis Curry, 1932: **Anopheles (Nyssorhynchus)**
arabiensis Patton, 1905: **Anopheles (Cellia)**
aranoideoides Dong, Zhou & Gong, 2004: **Tripteroides (Rachionotomyia)**
aranoides (Theobald, 1901): **Tripteroides (Rachionotomyia)**
arawak Berlin, 1969: **Culex (Micraedes)**
arbieeni Salem, 1938: **Culex (Maillotia)**
arborea Galindo, Carpenter & Trapido, 1951: **Wyeomyia (Exallomyia)**
arboREALIS (Bonne-Wepster & Bonne, 1920): **Howardina [Ochlerotatus (Howardina)]**
arboricola (Knight & Rozeboom, 1946): **Scutomyia [Aedes (Scutomyia)]**
arboricola Galindo & Mendez, 1961: **Culex (Melanoconion)**
arboricola Zavortink, 1970: **Anopheles (Anopheles)**
arboricollis (Charmoy, 1908): **Orthopodomyia**
archegus Dyar, 1929: **Culex (Culex)**
ardensis (Theobald, 1905): **Anopheles (Cellia)**
arenivaga Marks, 1968: **Culiseta** (subgenus uncertain)
argenteitarsis (Brug, 1932): **Patmarksia [Ochlerotatus (Finlaya)]**
argenteiventris (Theobald, 1905): **Tripteroides (Polylepidomyia)**
argenteolobatus (Gough, 1910): **Anopheles (Cellia)**
argenteopunctata (Theobald, 1901): **Catageiomyia [Aedes (Aedimorphus)]**
argenteopunctatus (Ventrillon, 1905): **Culex (Culex)**
argenteorostris (Bonne-Wepster & Bonne, 1920): **Wyeomyia** (subgenus uncertain)
argenteoscutellatus Carter & Wijesundara, 1948: **Aedimorphus [Aedes (Aedimorphus)]**
argenteoventralis (Theobald, 1909): **Pseudarmigeres [Aedes (Pseudarmigeres)]**
argenteoventralis Leicester, 1908: **Topomyia (Suaymyia)**
argenteipleura da Cunha Ramos & Brunhes, 2004: **Uranotaenia (Uranotaenia)**
arguellesi Baisas, 1935: **Uranotaenia (Uranotaenia)**
argyritarsis Robineau-Desvoidy, 1827: **Anopheles (Nyssorhynchus)**
argyrites (Dyar & Nunez Tovar, 1927): **Howardina [Ochlerotatus (Howardina)]**
argyromeris Dyar & Ludlow, 1921: **Haemagogus (Haemagogus)**
argyronotum (Belkin, 1962): **Patmarksia [Ochlerotatus (Finlaya)]**
argyropalpis Leicester, 1908: **Topomyia (Topomyia)**
argyropus (Swellingrebel, 1914): **Anopheles (Anopheles)**
argyropus (Walker, 1848): **Maorigoeldia**
argyrotarsis Leicester, 1908: **Uranotaenia (Uranotaenia)**
argyrothorax (Bonne-Wepster & Bonne, 1920): 'Ochlerotatus (Protomacleaya)'
argyrurus (Edwards, 1934): **Udaya**
argyrurus Edwards, 1936: **Eretmapodites**
arizonensis Bohart, 1949: **Culex (Neoculex)**
arribalzagae (Theobald, 1903): **Coquillettidia (Rhynchotaenia)**
artemievi Gordeyev, Zvantsov, Goryacheva, Shaikovich & Yezhov, 2005: **Anopheles (Anopheles)**
arthrostigma (Lutz, 1905): **Wyeomyia (Wyeomyia)**
articularis Philippi, 1865: **Culex (Culex)**
aruni Sobti, 1968: **Anopheles (Cellia)**
ascidiicola de Meijere, 1910: **Uranotaenia (Pseudoficalbia)**
ashworthi (Edwards, 1921): **Halaedes [Ochlerotatus (Halaedes)]**
asiaticus Leicester, 1904: **Anopheles (Anopheles)**
assamensis (Theobald, 1908): **Phagomyia [Ochlerotatus (Finlaya)]**
assamensis Bhattacharyya, Tewari, Prakash, Mohapatra & Mahanta, 2004: **Verrallina (Neomacleaya)**
asteliae Belkin, 1968: **Culex (Culex)**
astridianus de Meillon, 1942: **Culex (Culex)**
asulleptus (Theobald, 1903): **Limatus**
atactavittatus (Arnell, 1976): **Ochlerotatus (Ochlerotatus)**
ater (Daniels, 1908): **Toxorhynchites (Toxorhynchites)**
atlantica (Edwards, 1932): **Culiseta (Culiseta)**
atlanticus (Dyar & Knab, 1906): **Ochlerotatus (Protoculex) [Ochlerotatus (Ochlerotatus)]**
atlanticus Adames, 1971: **Deinocerites**
atra (Lee, 1944): **Culiseta (Culicella)**
atra Theobald, 1905: **Uranotaenia (Pseudoficalbia)**
atracus Colless, 1960: **Culex (Lophoceraomyia)**

atrata Belkin, Heinemann & Page, 1970: *Wyeomyia* (*Wyeomyia*)
atratipes Skuse, 1889: *Anopheles* (*Anopheles*)
atratus Theobald, 1901: *Culex* (*Melanoconion*)
atria (Barraud, 1928): *Verrallina* (*Neomacleaya*)
atriceps Edwards, 1926: *Culex* (*Culex*)
atriisimilis (Tanaka & Mizusawa, 1973): *Verrallina* (*Neomacleaya*)
atripes (Skuse, 1889): *Tripteroides* (*Polylepidomyia*)
atropalpus (Coquillett, 1902): *Georgecraigius* (*Georgecraigius*) [*Ochlerotatus* (*Ochlerotatus*)]
atroparvus van Thiel, 1927: *Anopheles* (*Anopheles*)
atropos Dyar & Knab, 1906: *Anopheles* (*Anopheles*)
aurantapex Edwards, 1914: *Culex* (*Oculeomyia*)
auranticauda Lane, 1992: *Toxorhynchites* (*Toxorhynchites*)
aurantius (Theobald, 1907): *Mucidus* (*Pardomyia*) [*Ochlerotatus* (*Mucidus*)]
aurata (Dobrotworsky, 1962): *Coquillettidia* (*Coquillettidia*)
aurata (Doucet, 1951): *Mimomyia* (*Ingramia*)
auratus (Grabham, 1906): *Ochlerotatus* (*Ochlerotatus*)
aurea (Edwards, 1915): *Coquillettidia* (*Coquillettidia*)
aurea (Leicester, 1908): *Mimomyia* (*Mimomyia*)
aurea Brug, 1932: *Heizmannia* (*Heizmannia*)
aureoantennata Ferrara, 1973: *Orthopodomyia*
aureochaeta (Leicester, 1908): *Heizmannia* (*Heizmannia*)
aureolineata (Berlin, 1969): *Howardina* [*Ochlerotatus* (*Howardina*)]
aureolineatus (Leicester, 1908): *Armigeres* (*Armigeres*)
aureonotatus Duret & Barreto, 1956: *Culex* (*Melanoconion*)
aureosquamata (Ludlow, 1909): *Coquillettidia* (*Coquillettidia*)
aureostriatus (Doleschall, 1857): *Bruceharrisonius* [*Ochlerotatus* (*Bruceharrisonius*)]
aureoventer (Theobald, 1910): *Topomyia* (*Topomyia*)
aurescens (Lutz, 1905): *Sabethes* (*Peytonulus*)
aureus Lane & Whitman, 1951: *Culex* (*Microculex*)
auriceps Brug, 1939: *Topomyia* (*Suaymyia*)
auridorsum (Edwards, 1922): *Molpemyia* [*Ochlerotatus* (*Molpemyia*)]
aurifer (Coquillett, 1903): *Ochlerotatus* (unplaced) [*Ochlerotatus* (*Ochlerotatus*)]
aurimargo (Edwards, 1922): *Leptosomatomyia* [*Aedes* (*Leptosomatomyia*)]
auripes (Edwards, 1935): *Toxorhynchites* (*Toxorhynchites*)
aurirostris (Watson, 1910): *Anopheles* (*Cellia*)
aurites (Theobald, 1901): *Coquillettidia* (*Coquillettidia*)
aurites Theobald, 1907: *Howardina* [*Ochlerotatus* (*Howardina*)]
aurivittata (Cerqueira, 1943): *Howardina* [*Ochlerotatus* (*Howardina*)]
auronitens (Edwards, 1922): '*Ochlerotatus* (*Finlaya*)'
aurotaeniatus (Edwards, 1922): *Belkinus* [*Aedes* (*Belkinus*)]
aurovenatum (Worth, 1960): *Neomelaniconion* [*Aedes* (*Neomelaniconion*)]
austenii (Theobald, 1905): *Anopheles* (*Cellia*)
australicus Dobrotworsky & Drummond, 1953: *Culex* (*Culex*)
australiensis (Theobald, 1910): '*Ochlerotatus* (*Finlaya*)'
australis (Erichson, 1842): *Halaedes* [*Ochlerotatus* (*Halaedes*)]
autocratica Dyar & Knab, 1906: *Wyeomyia* (*Hystatomyia*)
auyantepuiensis Harbach & Navarro, 1996: *Anopheles* (*Kerteszia*)
avianus de Meillon, 1943: *Culex* (*Maillotia*)
avistylus (Brug, 1939): *Finlaya* [*Ochlerotatus* (*Finlaya*)]
axillicola Steffan, 1979: *Culex* (*Acallyntrum*)
axitiosa (Kulasekera, Knight & Harbach, 1990): *Downsiomyia* [*Ochlerotatus* (*Finlaya*)]
azaniae Bailly-Choumara, 1960: *Anopheles* (*Cellia*)
azevedoi Ribeiro, 1969: *Anopheles* (*Cellia*)
aztecus Hoffmann, 1935: *Anopheles* (*Anopheles*)
azureosquamata (Bonne-Wepster, 1948): *Verrallina* (*Verrallina*)
azurini Basio, 1971: *Armigeres* (*Armigeres*)
azurini Toma, Miyagi & Cabrera, 1984: *Culex* (*Culiciomyia*)
azymus Dyar & Knab, 1906: *Culex* (*Microculex*)
babahoyensis Levi-Castillo, 1953: *Culex* (*Carrollia*)
baezai Gater, 1934: *Anopheles* (*Anopheles*)

bahama Dyar & Knab, 1906: *Wyeomyia* (*Wyeomyia*)
bahamensis (Berlin, 1969): *Howardina* [*Ochlerotatus* (*Howardina*)]
bahamensis Dyar & Knab, 1906: *Culex* (*Culex*)
bahiensis Duret, 1969: *Culex* (*Melanoconion*)
bahri (Edwards, 1914): *Culex* (*Culiciomyia*)
baileyi Edwards, 1929: *Anopheles* (*Anopheles*)
bailyi Barraud, 1929: *Hodgesia*
bailyi Barraud, 1934: *Culex* (*Culiciomyia*)
baimaii Sallum & Peyton, 2005: *Anopheles* (*Cellia*)
baisasi (Knight & Hull, 1951): *Geoskusea* [*Ochlerotatus* (*Geoskusea*)]
baisasi Colless, 1957: *Anopheles* (*Cellia*)
baisasi Sirivanakarn, 1972: *Culex* (*Eumelanomyia*)
baisasi Stone & Thurman, 1958: *Armigeres* (*Armigeres*)
balabacensis Baisas, 1936: *Anopheles* (*Cellia*)
balerensis Mendoza, 1947: *Anopheles* (*Anopheles*)
balfouri Theobald, 1904: *Uranotaenia* (*Uranotaenia*)
altae Porter, 2009: *Wyeomyia* (*Hystatomyia*)
balteatus Macdonald, 1960: *Armigeres* (*Leicesteria*)
bambiotai Geoffroy, 1987: *Aedimorphus* [*Aedes* (*Aedimorphus*)]
bamborum Rozeboom & Komp, 1948: *Culex* (*Anoedioporpa*)
bambusa (Yamada, 1917): *Tripteroides* (*Tripteroides*)
bambusae (Edwards, 1935): *Stegomyia* [*Aedes* (*Stegomyia*)]
bambusaihole Dong, Zhou & Dong, 1997: *Topomyia* (*Suaymyia*)
bambusicola (Lutz & Neiva, 1913): *Toxorhynchites* (*Lynchiella*)
bambusicola da Cunha Ramos & Brunhes, 2004: *Uranotaenia* (*Pseudoficalbia*)
bambusicola Knight & Rozeboom, 1946: *Scutomyia* [*Aedes* (*Scutomyia*)]
bambusicolus Komp, 1937: *Anopheles* (*Kerteszia*)
bananea (Wolfs, 1958): *Diceromyia* [*Aedes* (*Diceromyia*)]
bancoi Geoffroy, 1987: *Aedimorphus* [*Aedes* (*Aedimorphus*)]
bancroftianus (Edwards, 1921): *Ochlerotatus* (*Pseudoskusea*)
bancroftii Giles, 1902: *Anopheles* (*Anopheles*)
bandoengensis Brug, 1939: *Culex* (*Lophoceraomyia*)
banksensis Maffi & Tenorio, 1977: *Culex* (*Culex*)
banksi (Edwards, 1922): *Collessius* (*Alloeomyia*) [*Ochlerotatus* (*Finlaya*)]
bannaensis Gong & Lu, 1995: *Topomyia* (*Suaymyia*)
baolini Gong, 1989: *Topomyia* (*Topomyia*)
barberellus Evans, 1932: *Anopheles* (*Cellia*)
barberi Coquillett, 1903: *Anopheles* (*Anopheles*)
barbipes Edwards, 1913: *Toxorhynchites* (*Toxorhynchites*)
barbirostris van der Wulp, 1884: *Anopheles* (*Anopheles*)
barbumbrosus Strickland & Chowdhury, 1927: *Anopheles* (*Anopheles*)
barbus Baisas, 1946: *Topomyia* (*Topomyia*)
baresi Cerqueira, 1960: *Haemagogus* (*Haemagogus*)
barianensis James, 1911, in James & Liston, 1911: *Anopheles* (*Anopheles*)
barnardi (Edwards, 1924): *Hopkinsius* (*Hopkinsius*) [*Ochlerotatus* (*Finlaya*)]
barnesi Belkin, 1953: *Uranotaenia* (*Uranotaenia*)
barraudi Baisas & Ubaldo-Pagayon, 1953: *Tripteroides* (*Tricholeptomyia*)
barraudi Edwards, 1922: *Culex* (*Culex*)
barraudi Edwards, 1934: *Paraedes* [*Aedes* (*Paraedes*)]
barreto Adames, 1971: *Deinocerites*
barrinus Bram, 1967: *Culex* (*Culiciomyia*)
bastagarius Dyar & Knab, 1906: *Culex* (*Melanoconion*)
batesi Lane & Cerqueira, 1942: *Sabethes* (*Sabethes*)
batesi Rozeboom & Komp, 1948: *Culex* (*Melanoconion*)
bathana (Dyar, 1928): *Chagasia*
becki (Belkin, 1962): *Geoskusea* [*Ochlerotatus* (*Geoskusea*)]
becki Belkin, 1962: *Culex* (*Lophoceraomyia*)
bedfordi (Edwards, 1936): *Catageiomyia* [*Aedes* (*Aedimorphus*)]
behningi (Martini, 1926): *Ochlerotatus* (unplaced) [*Ochlerotatus* (*Ochlerotatus*)]

bejaranoi (Martinez, Carcavallo & Prosen, 1960): *Ochlerotatus* (unplaced) [*Ochlerotatus* (*Ochlerotatus*)]
bejaranoi Duret, 1953: *Culex* (*Melanoconion*)
bekkui (Mogi, 1977): *Edwardsaedes* [*Aedes* (*Edwardsaedes*)]
beklemishevi Stegnii & Kabanova, 1976: *Anopheles* (*Anopheles*)
belemensis Duret & Damasceno, 1955: *Culex* (*Anoedioparpa*)
belenrae Rueda, 2005: *Anopheles* (*Anopheles*)
belisarioi Neiva, 1908: *Sabethes* (*Sabethes*)
belkini Adames, 1971: *Deinocerites*
belkini Baisas & Ubaldo-Pagayon, 1953: *Tripteroides* (*Tricholeptomyia*)
belkini Grjebine, 1979: *Uranotaenia* (*Pseudoficalbia*)
belkini Stone & Penn, 1948: *Culex* (*Acallyntrum*)
bellator Dyar & Knab, 1906: *Anopheles* (*Kerteszia*)
belleci le Goff, Boussés & Brunhes, 2007: *Neomelaniconion*
benarrochi Gabaldón, Cova Garcia & Lopez, 1941: *Anopheles* (*Nyssorhynchus*)
bengalensis Barraud, 1934: *Culex* (*Lophoceraomyia*)
bengalensis Puri, 1930: *Anopheles* (*Anopheles*)
bengalensis Rosenberg & Evenhuis, 1985: *Toxorhynchites* (*Toxorhynchites*)
benoiti Wolfs, 1964: *Uranotaenia* (*Uranotaenia*)
bequaerti (Wolfs, 1947): *Neomelaniconion* [*Aedes* (*Neomelaniconion*)]
bequaerti Dyar & Shannon, 1925: *Culex* (*Melanoconion*)
bergerardi (Pajot & Geoffroy, 1971): *Neomelaniconion* [*Aedes* (*Neomelaniconion*)]
berghei Vincke & Leleup, 1949: *Anopheles* (*Cellia*)
bergi Belkin, 1962: *Culex* (*Lophoceraomyia*)
bergrothi (Edwards, 1921): *Culiseta* (*Culiseta*)
berlandi (Séguy, 1921): *Ochlerotatus* (unplaced) [*Ochlerotatus* (*Ochlerotatus*)]
berlini (Schick, 1970): '*Ochlerotatus* (*Protomacleaya*)'
bernardi (Doucet, 1950): *Mimomyia* (*Ingramia*)
bertii Cova Garcia & Rausseo, 1964: *Uranotaenia* (*Uranotaenia*)
bertrami (Schick, 1970): '*Ochlerotatus* (*Protomacleaya*)'
beta Séguy, 1924: *Culex* (*Culex*)
bevisi (Edwards, 1915): *Aedimorphus* [*Aedes* (*Aedimorphus*)]
beytouti (Doucet, 1951): *Mimomyia* (*Ingramia*)
bhayungi Thurman & Thurman, 1958: *Armigeres* (*Armigeres*)
bicincta da Cunha Ramos & Brunhes, 2004: *Uranotaenia* (*Pseudoficalbia*)
bicki Stone & Penn, 1947: *Culex* (*Acallyntrum*)
bickleyi Forattini, 1965: *Culex* (*Culex*)
bickleyi Thurman, 1959: *Toxorhynchites* (*Toxorhynchites*)
bicolor Leicester, 1908: *Uranotaenia* (*Pseudoficalbia*)
bicornis (Root, 1928): *Wyeomyia* (*Nunezia*)
bicornutus (Theobald, 1910): *Culex* (*Lophoceraomyia*)
bicristatus (Thurman & Winkler, 1950): *Ochlerotatus* (*Rusticoidus*)
bidens Dyar, 1922: *Culex* (*Culex*)
bidentata da Cunha Ramos & Brunhes, 2004: *Uranotaenia* (*Uranotaenia*)
bifasciata da Cunha Ramos & Brunhes, 2004: *Uranotaenia* (*Pseudoficalbia*)
bifoliata (King & Hoogstraal, 1947): *Verrallina* (*Verrallina*)
bifoliolatus Duret & Barreto, 1956: *Culex* (*Melanoconion*)
bifurcata Dong, Wang & Lu, 1995: *Topomyia* (*Topomyia*)
bigoti Bellardi, 1862: *Lutzia* (*Lutzia*)
bihicola Dyar & Nuñez Tovar, 1927: *Culex* (*Carrollia*)
bihamatus Edwards, 1926: *Culex* (*Culex*)
bilineata Theobald, 1909: *Uranotaenia* (*Uranotaenia*)
bimaculata Leicester, 1908: *Uranotaenia* (*Pseudoficalbia*)
bimaculatus (Coquillett, 1902): *Ochlerotatus* (*Chrysoconops*) [*Ochlerotatus* (*Ochlerotatus*)]
bimaculiala Leicester, 1908: *Uranotaenia* (*Uranotaenia*)
bimaculipes (Theobald, 1905): *Tripteroides* (*Tripteroides*)
binigrolineatus Knight & Rozeboom, 1945: *Culex* (*Acallyntrum*)
binotatus Belkin, 1950: *Tripteroides* (*Tripteroides*)
biocellatus (Taylor, 1915): '*Ochlerotatus* (*Finlaya*)'
bipartipes Dyar & Knab, 1906: *Sabethes* (*Sabethes*)

biscaynensis Zavortink & O'Meara, 1999: *Culex (Micraedes)*
biskraensis (Brunhes, 1999): *Ochlerotatus* (unplaced) [*Ochlerotatus (Ochlerotatus)*]
bisquamatus Lee, 1946: *Tripteroides (Rachisoura)*
bisulcatus (Coquillett, 1906): *Culex (Micraedes)*
bitaeniorhynchus Giles, 1901: *Culex (Oculeomyia)*
blacklocki (Evans, 1925): *Stegomyia* [*Aedes (Stegomyia)*]
bogotanus (Arnell, 1976): *Ochlerotatus (Ochlerotatus)*
boharti (Knight & Rozeboom, 1946): *Scutomyia* [*Aedes (Scutomyia)*]
boharti Brookman & Reeves, 1950: *Culex (Neoculex)*
bokorensis Klein & Sirivanakarn, 1970: *Culex (Eumelanomyia)*
bolense (Edwards, 1936): *Neomelaniconion* [*Aedes (Neomelaniconion)*]
bolii Sirivanakarn, 1968: *Culex (Lophoceraomyia)*
boliviensis (Theobald, 1905): *Anopheles (Kerteszia)*
boneti (Gil Collado, 1936): *Bifidistylus* [*Aedes (Aedimorphus)*]
boninensis Bohart, 1957: *Culex (Sirivanakarnius)*
bonneae (Mattingly, 1958): *Paraedes* [*Aedes (Paraedes)*]
bonneae Dyar & Knab, 1919: *Culex (Culex)*
bonneae Edwards, 1930: *Mansonia (Mansonioides)*
bonneae Root, 1927: *Chagasia*
bonnei (Lane & Cerqueira, 1942): *Wyeomyia (Phoniomyia)*
bonnei Dyar, 1921: *Culex (Carrollia)*
bonneti Belkin, 1962: *Tripteroides (Tripteroides)*
borneensis McArthur, 1949: *Anopheles (Anopheles)*
boshelli Osorno-Mesa, 1944: *Haemagogus (Haemagogus)*
bosseri Grjebine, 1979: *Uranotaenia (Pseudoficalbia)*
bougainvillensis (Belkin, 1962): *Mimomyia (Etorleptiomyia)*
bougainvillensis (Marks, 1947): *Finlaya* [*Ochlerotatus (Finlaya)*]
bougainvillensis Steffan, 1979: *Culex (Acalyntrum)*
bourrouli (Lutz, 1905): *Wyeomyia (Spilonympha)*
boussesi da Cunha Ramos & Brunhes, 2004: *Uranotaenia (Pseudoficalbia)*
brachiatus Hutchings & Sallum, 2008: *Culex (Melanoconion)*
bradleyi King, 1939: *Anopheles (Anopheles)*
brami Forattini, Rabello & Lopes, 1967: *Culex (Culex)*
braziliensis (Chagas, 1907): *Anopheles (Nyssorhynchus)*
braziliensis (Gordon & Evans, 1922): '*Ochlerotatus (Protomacleaya)*'
breedensis (Muspratt, 1953): *Ochlerotatus* (unplaced) [*Ochlerotatus (Ochlerotatus)*]
breinli (Taylor, 1914): *Armigeres (Armigeres)*
brelandi (Zavortink, 1972): '*Ochlerotatus (Protomacleaya)*'
brenquesi Rickenbach & Lombrici, 1975: *Eretmapodites*
brenquesi Brunhes & Ravaonjanahary, 1973: *Culex (Eumelanomyia)*
brethesi Dyar, 1919: *Culex (Culex)*
breviculus Senevet & Abonnenc, 1939: *Culex (Tinolestes)*
brevipalpis (Giles, 1902): *Culex (Eumelanomyia)*
brevipalpis Brug, 1934: *Tripteroides (Tripteroides)*
brevipalpis Roper, 1914: *Anopheles (Anopheles)*
brevipalpis Theobald, 1901: *Toxorhynchites (Toxorhynchites)*
brevipalpus (Theobald, 1905): *Culex (Lophoceraomyia)*
brevipes (da Costa Lima, 1931): *Trichoprosopon*
brevirhynchus Brug, 1934: *Tripteroides (Rachisoura)*
brevirostris Reid, 1950: *Anopheles (Anopheles)*
brevis (Berlin, 1969): *Howardina* [*Ochlerotatus (Howardina)*]
breviseta da Cunha Ramos & Brunhes, 2004: *Uranotaenia (Pseudoficalbia)*
brevispinosus Bonne-Wepster & Bonne, 1920: *Culex (Culex)*
brevitibia (Edwards, 1914): *Alanstonea* [*Aedes (Alanstonea)*]
brevivittata (Berlin, 1969): *Howardina* [*Ochlerotatus (Howardina)*]
briceno Cova Garcia, Pulido, Escalante de Ugueto, Amarista & Mora R., 1987: *Uranotaenia (Uranotaenia)*
briseis Dyar, 1925: *Uranotaenia (Uranotaenia)*
britteni (Marks & Hodgkin, 1958): '*Ochlerotatus (Finlaya)*'
brohieri Edwards, 1929: *Anopheles (Cellia)*

bromeliae Theobald, 1911: *Stegomyia (Mukwaya)* [*Aedes (Stegomyia)*]
brottesi Rickenbach, 1967: *Eretmapodites*
browni Komp, 1936: *Culex (Anoediopora)*
browni Mattingly, 1955: *Uranotaenia (Pseudoficalbia)*
brownscurtuma (Dong, Zhu & Dong, 1999): *Bothaella* [*Aedes (Bothaella)*]
brucei (del Ponte & Cerqueira, 1938): *Onirion*
brucei Service, 1960: *Anopheles (Cellia)*
brumpti Doucet, 1951: *Uranotaenia (Pseudoficalbia)*
brumpti Gailiard, 1931: *Culex (Culex)*
brumpti Hamon & Rickenbach, 1955: *Anopheles (Cellia)*
brunhesi (Reinert, 1999): *Zavortinkius* [*Ochlerotatus (Zavortinkius)*]
brunhesi Grjebine, 1979: *Uranotaenia (Pseudoficalbia)*
brunhesi Ribeiro, 2004: *Toxorhynchites (Afrorhynchus)*
brunnipes (Theobald, 1910): *Anopheles (Cellia)*
brygooi (Brunhes, 1971): *Zavortinkius* [*Ochlerotatus (Zavortinkius)*]
brygooi Grjebine, 1986: *Mimomyia (Ingramia)*
buenaventura (Schick, 1970): '*Ochlerotatus (Protomacleaya)*'
bukavuensis Wolfs, 1947: *Culex (Culex)*
bulkleyi Causey, 1937: *Anopheles (Anopheles)*
burgeri (Zavortink, 1972): '*Ochlerotatus (Protomacleaya)*'
burjaticus (Kuchartshuk, 1973): *Ochlerotatus* (unplaced) [*Ochlerotatus (Ochlerotatus)*]
burnetti (Belkin, 1962): *Finlaya* [*Ochlerotatus (Finlaya)*]
burnsi (Basio & Reisen, 1971): *Stegomyia* [*Aedes (Stegomyia)*]
burpengaryensis (Theobald, 1905): *Ochlerotatus* (unplaced) [*Ochlerotatus (Ochlerotatus)*]
busckii (Coquillett, 1906): *Howardina* [*Ochlerotatus (Howardina)*]
bustamentei Galvão, 1955: *Anopheles (Anopheles)*
butleri (Theobald, 1901): *Verrallina (Verrallina)*
buxtoni (Belkin, 1962): *Patmarksia* [*Ochlerotatus (Finlaya)*]
buxtoni (Edwards, 1923): *Coquillettidia (Coquillettidia)*
buxtoni Edwards, 1926: *Culex (Lophoceraomyia)*
buxtoni Service, 1958: *Anopheles (Cellia)*
bwambae White, 1985: *Anopheles (Cellia)*
caballus (Theobald, 1912): *Ochlerotatus (Juppius)* [*Ochlerotatus (Ochlerotatus)*]
cabrerai Miyagi, Toma & Rivera, 1983: *Topomyia (Topomyia)*
cachani (Doucet, 1950): *Uranotaenia (Pseudoficalbia)*
cacharana (Barraud, 1923): *Phagomyia* [*Ochlerotatus (Finlaya)*]
cacozelus (Marks, 1963): *Ochlerotatus* (unplaced) [*Ochlerotatus (Ochlerotatus)*]
caecus (Theobald, 1901): *Aedimorphus* [*Aedes (Aedimorphus)*]
caeruleocephala Theobald, 1901: *Uranotaenia (Uranotaenia)*
caeruleocephalus (Leicester, 1908): *Tripterooides (Tripterooides)*
caillardi Rickenbach, Ferrara & Eouzan, 1968: *Eretmapodites*
cairnensis (Taylor, 1919): *Culex* (subgenus uncertain)
cairnensis Taylor, 1919: *Hodgesia*
calabarensis Edwards, 1941: *Culex (Eumelanomyia)*
calabyi (Marks, 1963): *Macleaya (Chaetocruimyia)* [*Ochlerotatus (Chaetocruimyia)*]
calcariae (Marks, 1957): *Ochlerotatus (Pholeomyia)* [*Ochlerotatus (Ochlerotatus)*]
calceata (Edwards, 1924): *Stegomyia* [*Aedes (Stegomyia)*]
calderoni Wilkerson, 1991: *Anopheles (Anopheles)*
caledonicus (Edwards, 1922): *Tripterooides (Polylepidomyia)*
caliginosa Philip, 1931: *Uranotaenia (Uranotaenia)*
caliginosus (Graham, 1910): *Aedimorphus* [*Aedes (Aedimorphus)*]
caliginosus de Meillon, 1943: *Anopheles (Anopheles)*
calosomata Dyar & Knab, 1907: *Uranotaenia (Uranotaenia)*
calumnior (Belkin, Heinemann & Page, 1970): *Ochlerotatus* (unplaced) [*Ochlerotatus (Ochlerotatus)*]
calurus Edwards, 1935: *Culex (Culex)*
camaronis Ribeiro, 1991: *Toxorhynchites (Toxorhynchites)*
cambournaci Hamon & Candara, 1955: *Culex (Culiciomyia)*
cameroni de Meillon & Evans, 1935: *Anopheles (Cellia)*
campana (Schick, 1970): '*Ochlerotatus (Protomacleaya)*'

campestris (Dyar & Knab, 1907): **Ochlerotatus** (unplaced) [*Ochlerotatus* (*Ochlerotatus*)]
campestris Leicester, 1908: **Uranotaenia** (*Uranotaenia*)
campestris Reid, 1962: **Anopheles** (*Anopheles*)
campilunati Carter & Wijesundara, 1948: **Culex** (*Eumelanomyia*)
camposi Dyar, 1925: **Culex** (*Culex*)
camporhynchus (Thomson, 1869): **Ochlerotatus** (unplaced) [*Ochlerotatus* (*Ochlerotatus*)]
campylostylus (Laffoon, 1946): **Verrallina** (*Neomacleaya*)
canaanensis Lane & Whitman, 1943: **Culex** (*Anoedioparpa*)
canadensis (Theobald, 1901): **Ochlerotatus** (*Culicada*) [*Ochlerotatus* (*Ochlerotatus*)]
cancer Theobald, 1901: **Deinocerites**
cancricomes (Edwards, 1922): **Cancaeredes** [*Aedes* (*Cancaeredes*)]
candelabrifer Brug, 1939: **Armigeres** (*Armigeres*)
candidoscutellum (Marks, 1947): '*Ochlerotatus* (*Finlaya*)'
canorii Floch & Abonnenc, 1945: **Anopheles** (*Stethomyia*)
cantans (Meigen, 1818): **Ochlerotatus** (unplaced) [*Ochlerotatus* (*Ochlerotatus*)]
cantator (Coquillett, 1903): **Ochlerotatus** (unplaced) [*Ochlerotatus* (*Ochlerotatus*)]
capelai da Cunha Ramos, 1993: **Uranotaenia** (*Pseudoficalbia*)
capelai Ribeiro, 1992: **Toxorhynchites** (*Toxorhynchites*)
capensis (Edwards, 1924): **Albuginosus** [*Aedes* (*Albuginosus*)]
capricornii Lutz, 1904: **Haemagogus** (*Haemagogus*)
caracula Dyar & Nunez Tovar, 1927: **Wyeomyia** (*Wyeomyia*)
carcinicola da Cunha Ramos & Brunhes, 2004: **Uranotaenia** (*Pseudoficalbia*)
carcinophilus Dyar & Knab, 1906: **Culex** (*Melanoconion*)
carcinoxenus de Oliveira Castro, 1932: **Culex** (*Culex*)
caribbeanus Galindo & Blanton, 1954: **Culex** (*Melanoconion*)
carioca Lane & Whitman, 1951: **Culex** (*Microculex*)
carletii Brunhes & Ravaonjanahary, 1971: **Culex** (*Culex*)
carmentii (Edwards, 1924): **Verrallina** (*Verrallina*)
carnevalei Brunhes, le Goff & Geoffroy, 1999: **Anopheles** (*Cellia*)
carolinensis Bohart & Ingram, 1946: **Culex** (*Lophoceraomyia*)
caroni Adam, 1961: **Anopheles** (*Cellia*)
carrilloi (Sutil O. & Pulido F., 1978): **Wyeomyia** (*Exallomyia*)
carteri (Edwards, 1936): **Neomelaniconion** [*Aedes* (*Neomelaniconion*)]
carteri Amerasinghe, 1993: **Heizmannia** (*Heizmannia*)
carteri Evans & de Meillon, 1933: **Anopheles** (*Cellia*)
cartroni (Ventrillon, 1906): **Skusea** [*Aedes* (*Skusea*)]
casali (Schick, 1970): '*Ochlerotatus* (*Protomacleaya*)'
caspius (Pallas, 1771): **Ochlerotatus** (unplaced) [*Ochlerotatus* (*Ochlerotatus*)]
castaneus Sirivanakarn, 1973: **Culex** (*Lophoceraomyia*)
castelli Hamon, 1957: **Culex** (*Culex*)
castor de Meillon & Lavoipierre, 1944: **Culex** (*Eumelanomyia*)
castrensis Edwards, 1922: **Culex** (*Eumelanomyia*)
castroi Casal & Garcia, 1967: **Culex** (*Phytotelmatomyia*)
castroi Lane & Cerqueira, 1942: **Trichoprosopon**
cataphylla (Dyar, 1916): **Ochlerotatus** (unplaced) [*Ochlerotatus* (*Ochlerotatus*)]
cataractarum Edwards, 1923: **Culex** (*Eumelanomyia*)
catasticta Knab, 1909: **Aedeomyia** (*Aedeomyia*)
catesi (Lien, 1968): **Heizmannia** (*Mattinglyia*)
catharinensis (da Costa Lima, Guitoon & Ferreira, 1962): **Toxorhynchites** (*Ankylorhynchus*)
cauchensis Floch & Abonnenc, 1945: **Culex** (*Tinolestes*)
caudatus Clastrier, 1970: **Culex** (*Melanoconion*)
caudelli (Dyar & Knab, 1906): **Culex** (*Melanoconion*)
cauta (Barraud, 1928): **Verrallina** (*Neomacleaya*)
cavalierii Garcia & Casal, 1967: **Toxorhynchites** (*Lynchiella*)
cavaticus (Reinert, 1979): **Isoaedes** [*Aedes* (*Isoaedes*)]
cavernicola Mattingly, 1954: **Uranotaenia** (*Pseudoficalbia*)
cavernicola Rattanarithikul & Harbach, 2007: **Borichinda**
cedecei Stone & Hair, 1968: **Culex** (*Melanoconion*)
celaenocephala Dyar & Knab, 1906: **Wyeomyia** (*Wyeomyia*)
celatum Peyton & Harbach, 2000: **Onirion**

celebica (Mattingly, 1959): *Lorrainea* [*Aedes* (*Lorrainea*)]
celeste Dyar & Nunez Tovar, 1927: *Haemagogus* (*Haemagogus*)
centropunctatus (Theobald, 1913): *Aedimorphus* [*Aedes* (*Aedimorphus*)]
ceramensis Sirivanakarn & Kurihara, 1973: *Culex* (*Culiciomyia*)
cerqueirai (Barreto & Coutinho, 1944): *Mansonia* (*Mansonia*)
cerqueirai (Stone, 1944): *Runchomyia* (*Runchomyia*)
cerqueirai Valencia, 1973: *Culex* (*Carrollia*)
cesari del Ponte & Cerqueira, 1938: *Wyeomyia* (subgenus uncertain)
ceylonensis (Theobald, 1905): *Tripteroides* (*Rachionotomyia*)
chaetovenralis (Theobald, 1910): *Culex* (*Neoculex*)
chagasi (da Costa Lima, 1935): *Mansonia* (*Mansonia*)
chaguanco Casal, García & Fernández, 1968: *Culex* (*Anoedioparpa*)
chalcocephala Dyar & Knab, 1906: *Wyeomyia* (subgenus uncertain)
chalcopilans Dyar, 1921: *Haemagogus* (*Haemagogus*)
chamberlaini Ludlow, 1904: *Mimomyia* (*Mimomyia*)
chamboni (Cornet, 1968): *Catageomyia* [*Aedes* (*Aedimorphus*)]
champerico (Dyar & Knab, 1906): *Psorophora* (*Janthinosoma*)
chandi Edwards, 1922: *Heizmannia* (*Heizmannia*)
changuinolae Galindo & Blanton, 1954: *Culex* (*Melanoconion*)
charmion Dyar, 1928: *Wyeomyia* (*Wyeomyia*)
chathamicus (Dumbleton, 1962): *Opifex* (*Nothoskusea*) [*Ochlerotatus* (*Nothoskusea*)]
chaussieri (Edwards, 1923): *Stegomyia* [*Aedes* (*Stegomyia*)]
chauveti Brunhes & Rambelo, 1968: *Culex* (*Eumelanomyia*)
cheesmanae Mattingly & Marks, 1955: *Culex* (*Neoculex*)
chelli Edwards, 1915: *Ochlerotatus* (*Juppius*) [*Ochlerotatus* (*Ochlerotatus*)]
chemulpoensis (Yamada, 1921): *Stegomyia* [*Aedes* (*Stegomyia*)]
chengi Lien, 1968: *Heizmannia* (*Heizmannia*)
cheni Dong, Wang & Lu, 2003: *Culex* (*Culiciomyia*)
cheni Lien, 1968: *Tripteroides* (*Tripteroides*)
chidesteri Dyar, 1921: *Culex* (*Culex*)
chionodes (Belkin, 1962): *Christophersiomyia* [*Aedes* (*Christophersiomyia*)]
chionotum (Zavortink, 1972): '*Ochlerotatus* (*Protomacleaya*)'
chiriquiensis Komp, 1936: *Anopheles* (*Anopheles*)
chitae Duret, 1967: *Culex* (*Culex*)
chloropterus (von Humboldt, 1819): *Sabethes* (*Sabethoides*)
chocoensis Porter & Wolff, 2004: *Wyeomyia* (*Hystatomyia*)
chodukini Martini, 1929: *Anopheles* (*Anopheles*)
chorleyi Edwards, 1936: *Uranotaenia* (*Uranotaenia*)
chorleyi Edwards, 1941: *Culex* (*Culex*)
christiani Colless, 1960: *Culex* (*Lophoceraomyia*)
christophersi (Edwards, 1922): *Bruceharrisonius* [*Ochlerotatus* (*Bruceharrisonius*)]
christophersi Baisas & Ubaldo-Pagayon, 1953: *Tripteroides* (*Tricholeptomyia*)
christophersi Barraud, 1926: *Uranotaenia* (*Uranotaenia*)
christophi (Portschinsky, 1884): *Toxorhynchites* (*Toxorhynchites*)
christyi (Newstead & Carter, 1911): *Anopheles* (*Cellia*)
chryselatus Dyar & Knab, 1919: *Culex* (*Microculex*)
chrysochlorus Arnell, 1973: *Haemagogus* (*Haemagogus*)
chrysogaster Graham, 1909: *Eretmapodites*
chrysolineata (Theobald, 1907): *Hulecoeteomyia* [*Ochlerotatus* (*Finlaya*)]
chrysonotum (Peryassú, 1922): *Coquillettidia* (*Rhynchotaenia*)
chrysoscuta (Theobald, 1910): *Paraedes* [*Aedes* (*Paraedes*)]
chrysosoma (Edwards, 1915): *Coquillettidia* (*Coquillettidia*)
chungi (Lien, 1968): *Jihlienius* [*Ochlerotatus* (*Finlaya*)]
churchillensis (Ellis & Brust, 1973): *Ochlerotatus* (unplaced) [*Ochlerotatus* (*Ochlerotatus*)]
ciliata (Fabricius, 1794): *Psorophora* (*Psorophora*)
cilipes (Fabricius, 1805): *Psorophora* (*Psorophora*)
cinctellus Edwards, 1922: *Culex* (*Lophoceraomyia*)
cinctus (Newstead & Carter, 1910): *Anopheles* (*Cellia*)
cinerellus Edwards, 1922: *Culex* (*Culiciomyia*)
cinereus Meigen, 1818: *Aedes* [*Aedes* (*Aedes*)]

cinereus Theobald, 1901: **Anopheles (Cellia)**
cinereus Theobald, 1901: **Culex (Culiciomyia)**
cingulata (Fabricius, 1805): **Psorophora (Grabhamia)**
cingulatus (Leicester, 1908): **Armigeres (Leicesteria)**
circumcincta Dyar & Knab, 1907: **Wyeomyia (Hystatomyia)**
circumflava Cerqueira, 1943: **Psorophora (Janthinosoma)**
circumluteolum (Theobald, 1908): **Neomelaniconion** [*Aedes (Neomelaniconion)*]
circumtestacea (Theobald, 1908): **Ficalbia**
civinskii Belkin, 1953: **Uranotaenia (Uranotaenia)**
claggi Bohart & Farner, 1944: **Tripteroides (Tripteroides)**
clara Dyar & Shannon, 1925: **Uranotaenia (Uranotaenia)**
clarki (Galindo, Carpenter & Trapido, 1953): **Haemagogus (Conopostegus)**
clarki Evans, 1924: **Culex (Melanoconion)**
clasoleuca Dyar & Knab, 1908: **Wyeomyia** (subgenus uncertain)
clastrieri Casal & Garcia, 1968: **Culex (Aedinus)**
claviger (Barraud, 1931): **Verrallina (Neomacleaya)**
claviger (Meigen, 1804): **Anopheles (Anopheles)**
clelandi (Taylor, 1914): **Ochlerotatus (Pholeomyia)** [*Ochlerotatus (Ochlerotatus)*]
clintoni (Taylor, 1946): **Patmarksia** [*Ochlerotatus (Finlaya)*]
clivis (Lanzaro & Eldridge, 1992): **Ochlerotatus** (unplaced) [*Ochlerotatus (Ochlerotatus)*]
clowi Rozeboom & Knight, 1946: **Anopheles (Cellia)**
coatzaocalcos Dyar & Knab, 1906: **Uranotaenia (Uranotaenia)**
codiocampa Dyar & Knab, 1907: **Wyeomyia (Miamiya)**
coenonus Howard, Dyar & Knab, 1913: **Wyeomyia (Hystatomyia)**
coerulescens Edwards, 1928: **Culex (Lophoceraomyia)**
coeruleus (Brug, 1934): **Toxorhynchites (Toxorhynchites)**
cogilli (Edwards, 1922): **Phagomyia** [*Ochlerotatus (Finlaya)*]
coheni Belkin, 1950: **Tripteroides (Polylepidomyia)**
colledgei Marks, 1956: **Anopheles (Anopheles)**
collessi (Mattingly, 1958): **Paraedes** [*Aedes (Paraedes)*]
collessi Grjebine, 1986: **Mimomyia (Ingramia)**
collessi Lee, 1946: **Tripteroides (Polylepidomyia)**
collessi Reid, 1963: **Anopheles (Anopheles)**
collessi Sirivanakarn, 1968: **Culex (Lophoceraomyia)**
colocasiae Edwards, 1928: **Uranotaenia (Pseudoficalbia)**
colombiana Lane, 1945: **Wyeomyia (Antunesmyia)**
colombianus Adames, 1971: **Deinocerites**
columbiae (Dyar & Knab, 1906): **Psorophora (Grabhamia)**
coluzzii (Rioux, Guilvard & Pasteur, 1998): **Ochlerotatus** (unplaced) [*Ochlerotatus (Ochlerotatus)*]
comata (Barraud, 1931): **Verrallina (Neomacleaya)**
comatus Senevet & Abonnenc, 1939: **Culex (Melanoconion)**
combesi Doucet, 1950: **Uranotaenia (Pseudoficalbia)**
comitatus (Arnell, 1976): **Ochlerotatus (Ochlerotatus)**
commevynensis Bonne-Wepster & Bonne, 1920: **Culex (Melanoconion)**
comminutor Dyar, 1920: **Culex (Melanoconion)**
communis (de Geer, 1776): **Ochlerotatus** (unplaced) [*Ochlerotatus (Ochlerotatus)*]
communis (Leicester, 1908): **Heizmannia (Heizmannia)**
comorensis Brunhes, 1977: **Culex (Culex)**
comorensis Brunhes, 1977: **Orthopodomyia**
comorensis Brunhes, le Goff & Geoffroy, 1997: **Anopheles (Cellia)**
comorensis da Cunha Ramos & Brunhes, 2004: **Uranotaenia (Pseudoficalbia)**
comosa (Reinert, 1974): **Verrallina (Neomacleaya)**
complex (Theobald, 1910): **Heizmannia (Heizmannia)**
complosa (Dyar, 1928): **Wyeomyia (Dendromyia)**
compressum Lutz, 1905: **Trichoprosopon**
compta Senevet & Abonnenc, 1939: **Wyeomyia** (subgenus uncertain)
concinus Lee, 1946: **Tripteroides (Rachisoura)**
concolor Edwards, 1938: **Anopheles (Anopheles)**
conditus Moses, Howard & Harbach, 2000: **Sabethes (Sabethoides)**
condollescens (Dyar & Knab, 1907): **Ochlerotatus (Ochlerotatus)**

confinnis (Lynch Arribáizaga, 1891): **Psorophora (Grabhamia)**
confundior Komp & Rozeboom, 1951: **Culex (Melanoconion)**
confusa (Lutz, 1905): **Wyeomyia (Prosopolepis)**
confusa Bonne-Wepster, 1951: **Bironella (Neobironella)**
confusa Peyton, 1977: **Uranotaenia (Pseudoficalbia)**
confusus Edwards, 1915: **Armigeres (Armigeres)**
confusus Evans & Leeson, 1935: **Anopheles (Cellia)**
confusus Lee, 1946: **Tripteroidea (Rachisoura)**
conjungens Edwards, 1914: **Armigeres (Armigeres)**
connali Edwards, 1912: **Uranotaenia (Uranotaenia)**
conservator Dyar & Knab, 1906: **Culex (Anoedioparpa)**
consolator Dyar & Knab, 1906: **Culex (Microculex)**
consonensis (Reinert, 1973): **Verrallina (Harbachius)**
conspirator Dyar & Knab, 1906: **Culex (Melanoconion)**
contei Duret, 1968: **Culex (Melanoconion)**
contigua (Edwards, 1936): **Stegomyia [Aedes (Stegomyia)]**
continentalis (Dobrotworsky, 1960): **Ochlerotatus (unplaced) [Ochlerotatus (Ochlerotatus)]**
contrastata da Cunha Ramos & Brunhes, 2004: **Uranotaenia (Pseudoficalbia)**
cooki (Belkin, 1962): **Stegomyia [Aedes (Stegomyia)]**
cooki Root, 1937: **Uranotaenia (Uranotaenia)**
coonorensis Mattingly, 1981: **Tripteroidea (Rachionotomyia)**
coppenamensis Bonne-Wepster & Bonne, 1920: **Culex (Melanoconion)**
corbeti Hamon, 1962: **Eretmapodites**
cordellieri (Huang, 1986): **Diceromyia [Aedes (Diceromyia)]**
corentynensis Dyar, 1920: **Culex (Melanoconion)**
corethroides Theobald, 1907: **Anopheles (Anopheles)**
corneti (Huang, 1986): **Stegomyia [Aedes (Stegomyia)]**
corniger Theobald, 1903: **Culex (Phenacomyia)**
cornuta da Cunha Ramos & Brunhes, 2004: **Uranotaenia (Pseudoficalbia)**
cornutus Edwards, 1922: **Culex (Oculeomyia)**
corona Belkin, Heinemann & Page, 1970: **Wyeomyia (Wyeomyia)**
coronator Dyar & Knab, 1906: **Culex (Culex)**
corriganii Dyar & Knab, 1907: **Culex (Anoedioparpa)**
costai da Fonseca & da Silva Ramos, 1939: **Anopheles (Anopheles)**
costaricensis Adames & Hogue, 1970: **Deinocerites**
cottlei Sirivanakarn, 1968: **Culex (Lophoceraomyia)**
coulangesi (Rodhain & Boutonnier, 1983): **Diceromyia [Aedes (Diceromyia)]**
coustani Laveran, 1900: **Anopheles (Anopheles)**
covagarciai Forattini, 1965: **Culex (Culex)**
covagarciai Sutil Oramas & Pulido F., 1974: **Wyeomyia (subgenus uncertain)**
covelli Barraud, 1929: **Heizmannia (Heizmannia)**
cozi (Cornet, 1973): **Cornetius [Aedes (Cornetius)]**
cozumelensis (Diaz Nájera, 1966): **Howardina [Ochlerotatus (Howardina)]**
cracens Sallum & Peyton, 2005: **Anopheles (Cellia)**
raggi Barraud, 1923: **Stegomyia (Heteraspidion) [Aedes (Stegomyia)]**
crassicomus Colless, 1965: **Culex (Lophoceraomyia)**
crassiforceps (Edwards, 1927): **Neomelaniconion [Aedes (Neomelaniconion)]**
crassipes (van der Wulp, 1881): **Coquillettidia (Coquillettidia)**
crassistylus Brug, 1934: **Culex (Neoculex)**
crawfordi Reid, 1953: **Anopheles (Anopheles)**
creole Anduze, 1949: **Culex (Melanoconion)**
cretata (Delfinado, 1967): **Verrallina (Neomacleaya)**
cretina (Edwards, 1921): **Stegomyia [Aedes (Stegomyia)]**
crinicauda Edwards, 1921: **Culex (Culex)**
crinifer (Theobald, 1903): **Ochlerotatus (Ochlerotatus)**
cristata (Theobald, 1904): **Coquillettidia (Coquillettidia)**
cristata Thurman, 1959: **Topomyia (Suaymyia)**
cristatus King & Baisas, 1936: **Anopheles (Cellia)**
crispalpis Service, 1977: **Anopheles (Cellia)**
crisovaoi Duret, 1968: **Culex (Melanoconion)**

crocea (Knight & Laffoon, 1946): *Finlaya* [*Ochlerotatus* (*Finlaya*)]
crossi (Lien, 1967): '*Ochlerotatus* (*Finlaya*)'
crowei Sirivanakarn, 1968: *Culex* (*Lophoceraomyia*)
crucians Wiedemann, 1828: *Anopheles* (*Anopheles*)
cruzii Dyar & Knab, 1908: *Anopheles* (*Kerteszia*)
crybda Dyar, 1924: *Culex* (*Melanoconion*)
crypticus Coetzee, 1995: *Anopheles* (*Anopheles*)
cubiculi Marks, 1989: *Culex* (*Lophoceraomyia*)
cubitatus Colless, 1965: *Culex* (*Lophoceraomyia*)
cuccioi (Belkin, 1962): *Verrallina* (*Verrallina*)
cucphuongensis Phan, Manh, Hinh & Vien, 1991: *Anopheles* (*Anopheles*)
culicifacies Giles, 1901: *Anopheles* (*Cellia*)
culiciformis (Theobald, 1905): *Ochlerotatus* (*Pseudoskusea*)
culiciformis Cogill, 1903: *Anopheles* (*Anopheles*)
culicinus Edwards, 1922: *Aedimorphus* [*Aedes* (*Aedimorphus*)]
cumminsii (Theobald, 1903): *Aedimorphus* [*Aedes* (*Aedimorphus*)]
cunabulanus (Edwards, 1924): *Ochlerotatus* (unplaced) [*Ochlerotatus* (*Ochlerotatus*)]
cunninghami (Taylor, 1944): *Verrallina* (*Verrallina*)
curiche Adames, 1971: *Deinocerites*
curtipalpis (Edwards, 1914): *Culex* (*Lophoceraomyia*)
curtipes (Edwards, 1915): *Canraedes* [*Aedes* (*Canraedes*)]
curvibrachius Angulo, 1993: *Culex* (*Culex*)
cuttsi van den Assem, 1959: *Tripteroides* (*Rachisoura*)
cuyanus Duret, 1968: *Culex* (*Culex*)
cyanescens (Coquillett, 1902): *Psorophora* (*Janthinosoma*)
cyaneus (Fabricius, 1805): *Sabethes* (*Sabethes*)
cydippis de Meillon, 1931: *Anopheles* (*Cellia*)
cylindricus Theobald, 1903: *Culex* (*Lophoceraomyia*)
cyprionides (Danilov & Stupin, 1982): *Ochlerotatus* (unplaced) [*Ochlerotatus* (*Ochlerotatus*)]
cyprius (Ludlow, 1920): *Ochlerotatus* (unplaced) [*Ochlerotatus* (*Ochlerotatus*)]
cyptopus Theobald, 1909: *Hodgesia*
cyrtolabis (Edwards, 1928): *Verrallina* (*Neomacleaya*)
daciae Linton, Nicolescu & Harbach, 2004: *Anopheles* (*Anopheles*)
daggi (Stone & Bohart, 1944): *Geoskusea* [*Ochlerotatus* (*Geoskusea*)]
dahlae Nielsen, 2009: *Ochlerotatus* (unplaced)
dahuricus Danilov, 1987: *Aedes* [*Aedes* (*Aedes*)]
daitensis (Miyagi & Toma, 1981): *Stegomyia* [*Aedes* (*Stegomyia*)]
daliensis (Taylor, 1916): '*Ochlerotatus*' (subgenus uncertain)
dalzieli (Theobald, 1910): *Aedimorphus* [*Aedes* (*Aedimorphus*)]
damascenoi Duret, 1969: *Culex* (*Anoedioporpa*)
damasei Grjebine, 1979: *Uranotaenia* (*Pseudoficalbia*)
danaraji Ramalingam, 1988: *Topomyia* (*Topomyia*)
dancalicus Corradetti, 1939: *Anopheles* (*Cellia*)
darlingi Root, 1926: *Anopheles* (*Nyssorhynchus*)
daryi (Schick, 1970): '*Ochlerotatus* (*Protomacleaya*)'
dasyorrhus (King & Hoogstraal, 1946): *Lorrainea* [*Aedes* (*Lorrainea*)]
daudi Coluzzi, 1958: *Anopheles* (*Cellia*)
daumastocampa Dyar & Knab, 1908: *Culex* (*Microculex*)
dauidi Basio, 1971: *Aedimorphus* [*Aedes* (*Aedimorphus*)]
davisi (Lane & Cerqueira, 1942): *Wyeomyia* (*Phoniomyia*)
davisi Kumm, 1933: *Culex* (*Microculex*)
davisi Lane, 1943: *Uranotaenia* (*Uranotaenia*)
deanei (Lourenço de Oliveira, 1983): *Wyeomyia* (*Phoniomyia*)
deaneorum Rosa-Freitas, 1989: *Anopheles* (*Nyssorhynchus*)
deboeri (Edwards, 1926): *Stegomyia* [*Aedes* (*Stegomyia*)]
deccana (Barraud, 1923): *Phagomyia* [*Ochlerotatus* (*Finlaya*)]
decens Theobald, 1901: *Culex* (*Culex*)
declarator Dyar & Knab, 1906: *Culex* (*Culex*)
decorabilis Leicester, 1908: *Kimia*
decticus (Howard, Dyar & Knab, 1917): *Ochlerotatus* (unplaced) [*Ochlerotatus* (*Ochlerotatus*)]

deemingi Service, 1970: *Anopheles (Cellia)*
deficiens (Arnell, 1976): *Ochlerotatus (Ochlerotatus)*
deguzmanae (Mattingly, 1957): *Mimomyia (Ingramia)*
dejesusi Baisas & Feliciano, 1953: *Topomyia (Topomyia)*
delfinadoe Sirivanakarn, 1973: *Culex (Culiciomyia)*
delpilari Baisas & Ubaldo-Pagayon, 1953: *Tripteroides (Tricholeptomyia)*
delponte Duret, 1969: *Culex (Melanoconion)*
delys Howard, Dyar & Knab, 1915: *Culex (Culex)*
demeilloni (Edwards, 1936): *Stegomyia [Aedes (Stegomyia)]*
demeilloni Doucet, 1950: *Culex (Culex)*
demeilloni Evans, 1933: *Anopheles (Cellia)*
demeilloni Mattingly, 1970: *Heizmannia (Heizmannia)*
demeilloni Peyton & Rattanarithikul, 1970: *Uranotaenia (Pseudoficalbia)*
demissus Colless, 1965: *Culex (Lophoceraomyia)*
denbesteni Brug, 1925: *Armigeres (Armigeres)*
denderensis (Wolfs, 1949): *Stegomyia [Aedes (Stegomyia)]*
dendrophila (Edwards, 1921): *Stegomyia [Aedes (Stegomyia)]*
dentatus (Theobald, 1904): *Aedimorphus [Aedes (Aedimorphus)]*
dentatus Barraud, 1927: *Armigeres (Leicesteria)*
denticulatus Delfinado & Hodges, 1968: *Tripteroides (Tripteroides)*
derivator Dyar & Knab, 1906: *Culex (Neoculex)*
derooki (Brug, 1932): *Patmarksia [Ochlerotatus (Finlaya)]*
derooki Soesilo & van Slooten, 1931: *Bironella (Neobironella)*
deserticola (Zavortink, 1969): *Jarnellius (Jarnellius) [Ochlerotatus (Ochlerotatus)]*
deserticola Kirkpatrick, 1925: *Culex (Maillotia)*
desmotes Giles, 1904: *Stegomyia (Xyele) [Aedes (Stegomyia)]*
detritus (Haliday, 1833): *Ochlerotatus (unplaced) [Ochlerotatus (Ochlerotatus)]*
devemyi Hamon, 1955: *Uranotaenia (Pseudoficalbia)*
diabolica (Lane & Forattini, 1952): *Wyeomyia (Phoniomyia)*
diagonalis Brug, 1934: *Uranotaenia (Pseudoficalbia)*
dialloi (Hamon & Brengues, 1965): *Catageiomyia [Aedes (Aedimorphus)]*
diamphidius Peyton & Harbach, 1991: *Culex (Melanoconion)*
diantaeus (Howard, Dyar & Knab, 1913): *Ochlerotatus (Woodius) [Ochlerotatus (Ochlerotatus)]*
diazi (Schick, 1970): '*Ochlerotatus (Protomacleaya)*'
dibrugarhensis Bhattacharyya, Prakash, Mohapatra & Mahanta, 2004: *Uranotaenia (Pseudoficalbia)*
diengensis Brug, 1931: *Culex (Culex)*
digitatum (Rondani, 1848): *Trichoprosopon*
digitatus (Edwards, 1914): *Armigeres (Leicesteria)*
digoelensis Brug, 1932: *Culex (Lophoceraomyia)*
digoelensis Brug, 1934: *Tripteroides (Polylepidomyia)*
diluvialis Reinert, 1997: *Anopheles (Anopheles)*
dimidiata Cerqueira, 1943: *Psorophora (Grabhamia)*
diplophyllum Dyar, 1929: *Culex (Culex)*
diraphati Peyton & Klein, 1970: *Uranotaenia (Uranotaenia)*
dirus Peyton & Harrison, 1979: *Anopheles (Cellia)*
discolor (Coquillett, 1903): *Psorophora (Grabhamia)*
discrepans (Edwards, 1922): *Heizmannia (Mattinglyia)*
discrucians (Walker, 1856): *Psorophora (Janthinosoma)*
dispar Rattanarithikul & Harbach, 1991: *Anopheles (Cellia)*
dispectus Bram, 1966: *Culex (Culiciomyia)*
dissimilierodes (Dong, Zhou & Dong, 2002): *Kenknighthia [Ochlerotatus (Kenknighthia)]*
dissimilis (Leicester, 1908): *Kenknighthia [Ochlerotatus (Kenknighthia)]*
distigma (Edwards, 1925): *Tripteroides (Tripteroides)*
distinctus (Newstead & Carter, 1911): *Anopheles (Cellia)*
distinguendus Dyar, 1928: *Culex (Melanoconion)*
ditaenionota Prado, 1931: *Uranotaenia (Uranotaenia)*
dives (Schiner, 1868): *Mansonia (Mansonioides)*
dmitryi Gornostaeva, 2005: *Aedes [Aedes (Aedes)]*
dobodura (King & Hoogstraal, 1946): *Patmarksia [Ochlerotatus (Finlaya)]*

dobrotworskyi (Marks, 1958): **Finlaya** [*Ochlerotatus* (*Finlaya*)]
dofleini (Guenther, 1913): **Tripteroides** (**Rachionotomyia**)
dohenyi Hogue, 1975: **Culex** (**Culex**)
dolichocephalus (Leicester, 1908): **Armigeres** (**Leicesteria**)
dolichophyllus Clastrier, 1970: **Culex** (**Melanoconion**)
dolosus (Lynch Arribálzaga, 1891): **Culex** (**Culex**)
domesticus (Theobald, 1901): **Aedimorphus** [*Aedes* (*Aedimorphus*)]
domicola Edwards, 1916: **Anopheles** (**Cellia**)
donai da Cunha Ramos & Brunhes, 2004: **Uranotaenia** (**Pseudoficalbia**)
donaldi Reid, 1962: **Anopheles** (**Anopheles**)
doonii (Wattal, Bhatia & Kalra, 1958): **Bruceharrisonius** [*Ochlerotatus* (*Bruceharrisonius*)]
dorsalis (Meigen, 1830): **Ochlerotatus** (unplaced) [*Ochlerotatus* (*Ochlerotatus*)]
dorseyi (Knight, 1946): **Downsiomyia** [*Ochlerotatus* (*Finlaya*)]
douceti Grjebine, 1953: **Uranotaenia** (**Pseudoficalbia**)
douglasi Dobrotworsky, 1956: **Culex** (**Neoculex**)
downsi Lane, 1945: **Wyeomyia** (**Wyeomyia**)
dracaenae Edwards, 1916: **Eretmapodites**
dravidicus Christophers, 1924: **Anopheles** (**Cellia**)
drummondi (Dobrotworsky, 1960): **Culiseta** (**Culicella**)
dthali Patton, 1905: **Anopheles** (**Cellia**)
dualaensis Brunhes, le Goff & Geoffroy, 1999: **Anopheles** (**Cellia**)
dubitans Lane & Whitman, 1951: **Culex** (**Microculex**)
dubitans Leicester, 1908: **Topomyia** (**Topomyia**)
dufourii (Hamon, 1953): **Levua** [*Ochlerotatus* (*Levua*)]
dulongensis Gong & Lu, 1995: **Topomyia** (**Suaymyia**)
dumbletoni Belkin, 1962: **Culex** (**Neoculex**)
dumonti Doucet, 1949: **Uranotaenia** (**Uranotaenia**)
dundo da Cunha Ramos & Ribeiro, 1992: **Eretmapodites**
dundo Ribeiro, 1991: **Toxorhynchites** (**Toxorhynchites**)
dunhami Causey, 1945: **Anopheles** (**Nyssorhynchus**)
dunni Dyar, 1918: **Culex** (**Melanoconion**)
duplex (Martini, 1926): **Ochlerotatus** (unplaced) [*Ochlerotatus* (*Ochlerotatus*)]
duplicator Dyar & Knab, 1909: **Culex** (**Culex**)
dupreei (Coquillett, 1904): **Ochlerotatus** (**Protoculex**) [*Ochlerotatus* (*Ochlerotatus*)]
durbanensis (Theobald, 1903): **Aedimorphus** [*Aedes* (*Aedimorphus*)]
dureni Edwards, 1938: **Anopheles** (**Cellia**)
dureti Casal & Garcia, 1968: **Culex** (**Melanoconion**)
durhami (Edwards, 1917): **Armigeres** (**Armigeres**)
durhami Sirivanakarn, 1968: **Culex** (**Lophoceraomyia**)
durhamii Theobald, 1901: **Limatus**
duttoni Theobald, 1901: **Culex** (**Culex**)
dux (Dyar & Shannon, 1925): **Verrallina** (**Verrallina**)
dyari Belkin & Hogue, 1959: **Deinocerites**
dyari Belkin, Heinemann & Page, 1970: **Mansonia** (**Mansonia**)
dyari Bohart & Farner, 1944: **Tripteroides** (**Tripteroides**)
dyari Lane & Cerqueira, 1942: **Wyeomyia** (**Cruzmyia**)
dybasi (Bohart, 1957): **Stegomyia** [*Aedes* (*Stegomyia*)]
dyi Baisas & Ubaldo-Pagayon, 1953: **Tripteroides** (**Tripteroides**)
dyius Root, 1927: **Culex** (**Melanoconion**)
dzeta (Séguy, 1924): **Ochlerotatus** (unplaced) [*Ochlerotatus* (*Ochlerotatus*)]
ealaensis (Huang, 2004): **Stegomyia** [*Aedes* (*Stegomyia*)]
earlei Vargas, 1943: **Anopheles** (**Anopheles**)
eastor Dyar, 1920: **Culex** (**Melanoconion**)
eatonii Edwards, 1916: '*Ochlerotatus* (*Finlaya*)'
ebogoensis Rickenbach & Ferrara, 1965: **Aedimorphus** [*Aedes* (*Aedimorphus*)]
echinus (Edwards, 1920): **Dahlia** [*Ochlerotatus* (*Finlaya*)]
ecuadoriensis (Berlin, 1969): **Howardina** [*Ochlerotatus* (*Howardina*)]
edgari (Stone & Rosen, 1952): **Ochlerotatus** (**Buvirilia**) [*Ochlerotatus* (*Ochlerotatus*)]
eduardoi Casal & García, 1968: **Culex** (**Culex**)
educator Dyar & Knab, 1906: **Culex** (**Melanoconion**)

edwardsi (Barraud, 1924): **Toxorhynchites (Toxorhynchites)**
edwardsi (Barraud, 1929): **Tripteroides (Rachionotomyia)**
edwardsi (Lane & Cerqueira, 1942): **Wyeomyia (Phoniomyia)**
edwardsi Barraud, 1923: **Culex (Culex)**
edwardsi Barraud, 1923: **Stegomyia (Actinothrix)** [*Aedes (Stegomyia)*]
edwardsi Barraud, 1926: **Uranotaenia (Uranotaenia)**
egcymon Dyar, 1923: **Culex (Melanoconion)**
eidsvoldensis (Mackerras, 1927): **Ochlerotatus** (unplaced) [*Ochlerotatus (Ochlerotatus)*]
eiseni Coquillett, 1902: **Anopheles (Anopheles)**
ejercitoi Baisas, 1935: **Armigeres (Armigeres)**
ejercitoi Mendoza, 1947: **Anopheles (Anopheles)**
eknomios Forattini & Sallum, 1992: **Culex (Melanoconion)**
elchoensis (Taylor, 1929): **Macleaya (Chaetocruimyia)** [*Ochlerotatus (Chaetocruimyia)*]
eldridgei (Reinert, 1973): **Bothaella** [*Aedes (Bothaella)*]
eldridgei Adames & Galindo, 1973: **Culex (Belkinomyia)**
eleanorae (Berlin, 1969): **Howardina** [*Ochlerotatus (Howardina)*]
elegans (James, 1903): **Anopheles (Cellia)**
elegans (Taylor, 1914): **Mimomyia (Etorleptomyia)**
elegans Brug, 1934: **Tripteroides (Tripteroides)**
elephas Komp, 1936: **Culex (Melanoconion)**
elevator Dyar & Knab, 1906: **Culex (Melanoconion)**
ellinorae (Edwards, 1941): **Neomelaniconion** [*Aedes (Neomelaniconion)*]
elongatus Rozeboom & Komp, 1950: **Culex (Microculex)**
elsiae (Barraud, 1923): **Collessius (Collessius)** [*Ochlerotatus (Finlaya)*]
embiensis (Huang, 1968): **Verrallina (Verrallina)**
embuensis (Edwards, 1930): **Hopkinsius (Hopkinsius)** [*Ochlerotatus (Finlaya)*]
eminentia (Leicester, 1908): **Culex (Lophoceraomyia)**
engarensis Kanda & Oguma, 1978: **Anopheles (Anopheles)**
enigmatica Peyton, 1977: **Uranotaenia (Pseudoficalbia)**
ensifformis Bonne-Wepster & Bonne, 1920: **Culex (Melanoconion)**
eouzani Brunhes, le Goff & Boussès, 2003: **Anopheles (Cellia)**
eouzani Geoffroy, 1971: **Culex (Culiciomyia)**
eouzani Rickenbach & Lombri, 1974: **Eretmapodites**
epactius (Dyar & Knab, 1908): **Georgecraigius (Georgecraigius)** [*Ochlerotatus (Ochlerotatus)*]
epanastasis Dyar, 1922: **Culex (Melanoconion)**
epidesmus (Theobald, 1910): **Culex (Oculeomyia)**
epiroticus Linton & Harbach, 2005: **Anopheles (Cellia)**
epitedeus (Knab, 1907): **Deinocerites**
equinoxialis Floch & Abonnenc, 1945: **Culex (Melanoconion)**
equinus Theobald, 1903: **Haemagogus (Haemagogus)**
erepens Gillies, 1958: **Anopheles (Cellia)**
erethyzonfer Galindo & Blanton, 1954: **Culex (Micraedes)**
eritreae (Lewis, 1942): **Aedimorphus** [*Aedes (Aedimorphus)*]
erlindae Baisas & Ubaldo-Pagayon, 1953: **Tripteroides (Tripteroides)**
ernanii Duret, 1968: **Culex (Melanoconion)**
ernsti Anduze, 1949: **Culex (Melanoconion)**
erraticus (Dyar & Knab, 1906): **Culex (Melanoconion)**
erythraeus Corradetti, 1939: **Anopheles (Cellia)**
erythrothorax Dyar, 1907: **Culex (Culex)**
erythrurus (Edwards, 1941): **Toxorhynchites (Afrorhynchus)**
esmeraldas (Levi-Castillo, 1955): **Wyeomyia (Hystatomyia)**
esoensis Yamada, 1921: **Aedes** [*Aedes (Aedes)*]
espini (Martini, 1914): **Isostomyia**
ethiopicus Gillies & Coetzee, 1987: **Anopheles (Cellia)**
ethiopiensis (Huang, 2004): **Stegomyia** [*Aedes (Stegomyia)*]
eucephalaesus (Dyar, 1918): **Ochlerotatus (Protoculex)** [*Ochlerotatus (Ochlerotatus)*]
euedes (Howard, Dyar & Knab, 1913): **Ochlerotatus** (unplaced) [*Ochlerotatus (Ochlerotatus)*]
euiris (Dyar, 1922): **Ochlerotatus** (unplaced) [*Ochlerotatus (Ochlerotatus)*]
eukrines Bram & Rattanarithikul, 1967: **Culex (Lophoceraomyia)**
euplocamus (Dyar & Knab, 1906): **Ochlerotatus (Ochlerotatus)**

europaeus da Cunha Ramos, Ribeiro & Harrison, 2003: **Culex (Neoculex)**
evandroi da Costa Lima, 1937: **Anopheles (Anopheles)**
evansae (Brethés, 1926): **Anopheles (Nyssorhynchus)**
evansae (Edwards, 1936): **Toxorhynchites (Toxorhynchites)**
evansae Antunes, 1942: **Trichoprosopon**
evansae Root, 1927: **Culex (Melanoconion)**
excrucians (Walker, 1856): **Ochlerotatus** (unplaced) [**Ochlerotatus (Ochlerotatus)**]
exnebulis Bonne-Wepster, 1948: **Tripteroides (Rachisoura)**
explorator (Marks, 1964): **Ochlerotatus** (unplaced) [**Ochlerotatus (Ochlerotatus)**]
fabricii Lane & Cerqueira, 1942: **Sabethes (Peytonulus)**
faini Leleup, 1952: **Anopheles (Cellia)**
fairchildi Galindo & Blanton, 1954: **Culex (Melanoconion)**
fajardi Lutz, 1904): **Chagasia**
fajardoi Baisas & Feliciano, 1953: **Zeugomyia**
falabreguesi (Hamon, 1957): **Catageomyia** [**Aedes (Aedimorphus)**]
falcipes Banks, 1906: **Uranotaenia (Uranotaenia)**
farauti Laveran, 1902: **Anopheles (Cellia)**
farquharsoni (Edwards, 1922): **Malaya**
fasciolata (Lynch Arribáizaga, 1891): **Coquillettidia (Rhynchotaenia)**
fascipalpis (Edwards, 1912): **Diceromyia** [**Aedes (Diceromyia)**]
fascipes (Coquillett, 1906): **Orthopodomyia**
fasyi Baisas, 1938: **Culex (Culex)**
faurani Duret, 1968: **Culex (Melanoconion)**
fausti Vargas, 1943: **Anopheles (Anopheles)**
feegradei (Barraud, 1934): **Phagomyia** [**Ochlerotatus (Finlaya)**]
feliccia (Dyar & Nunez Tovar, 1927): **Wyeomyia (Decamyia)**
felicittatis Bonne-Wepster, 1948: **Tripteroides (Rachisoura)**
femineus Edwards, 1926: **Culex (Eumelanomyia)**
femorata (Edwards, 1936): **Mimomyia (Mimomyia)**
fengi (Edwards, 1935): **Luius** [**Ochlerotatus (Finlaya)**]
fergusoni (Taylor, 1914): **Culex (Neoculex)**
ferinus (Knight, 1947): **Mucidos (Mucidos)** [**Ochlerotatus (Mucidos)**]
fernandezi Casal, García & Cavalieri, 1966: **Culex (Culex)**
fernandezyepezi (Cova Garcia, Sutil Oramas & Pulido F., 1974): **Wyeomyia (Caenomyiella)**
ferox (von Humboldt, 1819): **Psorophora (Janthinosoma)**
ferrarai Rickenbach & Eouzan, 1970: **Eretmapodites**
ferreri Duret, 1968: **Culex (Melanoconion)**
fiebrigi Edwards, 1922: **Psorophora (Janthinosoma)**
fijiensis (Belkin, 1962): **Coquillettidia (Coquillettidia)**
fijiensis (Marks, 1947): **Finlaya** [**Ochlerotatus (Finlaya)**]
filicis (Ingram & de Meillon, 1927): **Catageomyia** [**Aedes (Aedimorphus)**]
filipes (Walker, 1861): **Tripteroides (Rachisoura)**
filipinae Manalang, 1930: **Anopheles (Cellia)**
fimbriata King & Hoogstraal, 1947: **Uranotaenia (Uranotaenia)**
fimbriatus Edwards, 1930: **Armigeres (Armigeres)**
fimbriforceps Edwards, 1935: **Culex (Eumelanomyia)**
fimbripes (Edwards, 1924): **Geoskusea** [**Ochlerotatus (Geoskusea)**]
finlayi Lane & Cerqueira, 1942: **Wyeomyia (Spilonympha)**
fishi Zavortink, 1986: **Wyeomyia (Zinzala)**
fitchii (Felt & Young, 1904): **Ochlerotatus** (unplaced) [**Ochlerotatus (Ochlerotatus)**]
flabellata (Lane & Cerqueira, 1942): **Wyeomyia (Phoniomyia)**
flabellifer Komp, 1936: **Culex (Melanoconion)**
flabelliger Bonne-Wepster, 1948: **Tripteroides (Rachisoura)**
flavens (King & Hoogstraal, 1946): **Mimomyia (Mimomyia)**
flaveola (Coquillett, 1906): **Mansonia (Mansonia)**
flavescens (Müller, 1764): **Ochlerotatus** (unplaced) [**Ochlerotatus (Ochlerotatus)**]
flavicollis (Edwards, 1928): **Diceromyia** [**Aedes (Diceromyia)**]
flavicornis Barraud, 1924: **Culex (Lophoceraomyia)**
flavicosta Barraud, 1927: **Orthopodomyia**
flavicosta Edwards, 1911: **Anopheles (Cellia)**

flavifacies Edwards, 1922: **Wyeomyia (Antunesmyia)**
flavifrons (Skuse, 1889): **Ochlerotatus (Pholeomyia)** [Ochlerotatus (Ochlerotatus)]
flavimargo (Edwards, 1941): **Neomelaniconion** [Aedes (Neomelaniconion)]
flavipennis Giles, 1904: **Finlaya** [Ochlerotatus (Finlaya)]
flavirostris (Ludlow, 1914): **Anopheles (Cellia)**
flavisetosus de Oliveira Castro, 1935: **Limatus**
flavithorax Barraud, 1927: **Orthopodomyia**
flavocincta (Edwards, 1936): **Coquillettidia (Coquillettidia)**
flavopicta (Edwards, 1936): **Mimomyia (Mimomyia)**
flavopicta (Yamada, 1921): **Stegomyia** [Aedes (Stegomyia)]
flavus (Leicester, 1908): **Armigeres (Leicesteria)**
flochi Duret, 1969: **Culex** (subgenus uncertain)
florestan Dyar, 1925: **Wyeomyia (Wyeomyia)**
floridensis Belkin, 1950: **Tripteroides (Polylepidomyia)**
flui (Bonne-Wepster & Bonne, 1920): **Wyeomyia** (subgenus uncertain)
fluminensis Root, 1927: **Anopheles (Anopheles)**
fluviatilis (Lutz, 1904): **Georgecraigius (Horsfallius)** [Ochlerotatus (Ochlerotatus)]
fluviatilis (Theobald, 1903): **Shannoniana**
fluviatilis James, 1902: **Anopheles (Cellia)**
foliaceus Lane, 1945: **Culex (Culex)**
foliafer Komp & Rozeboom, 1951: **Culex (Melanoconion)**
foliatus Brug, 1931: **Armigeres (Armigeres)**
foliatus Brug, 1932: **Culex (Eumelanomyia)**
folicola Belkin, 1955: **Tripteroides (Polylepidomyia)**
foliformis (King & Hoogstraal, 1947): **Verrallina (Verrallina)**
fontenillei Brunhes & Hervy, 1995: **Orthopodomyia**
fonseci (Pinto, 1932): **Mansonia (Mansonia)**
fontenillei le Goff, Boussès & Brunhes, 2007: **Neomelaniconion**
fontenillei Ribeiro, 2004: **Toxorhynchites (Afrorhynchus)**
fontinalis Gillies & de Meillon, 1968: **Anopheles (Cellia)**
forattinii Cerqueira, 1961: **Sabethes (Sabethes)**
forattinii Clastrier, 1974: **Wyeomyia (Cruzmyia)**
forattinii Wilkerson & Sallum, 1999: **Anopheles (Anopheles)**
forceps Cerqueira, 1939: **Psorophora (Janthinosoma)**
forcipenis Lourenço-de-Oliveira & da Silva, 1985: **Wyeomyia (Spilonympha)**
forcipulatus Edwards, 1936: **Eretmapodites**
formosensis (Yamada, 1921): **Hulecoeteomyia** [Ochlerotatus (Finlaya)]
fowleri (Charmoy, 1908): **Aedimorphus** [Aedes (Aedimorphus)]
fragilis (Theobald, 1903): **Anopheles (Anopheles)**
fragilis Leicester, 1908: **Verrallina (Harbachius)**
fragilis Ludlow, 1903: **Culex (Culiciomyia)**
franciscanus McCracken, 1904: **Anopheles (Anopheles)**
franciscoi (Mattingly, 1959): **Petermattinglyius** [Aedes (Diceromyia)]
franciscoi Reid, 1962: **Anopheles (Anopheles)**
franclemonti (Belkin, 1962): **Finlaya** [Ochlerotatus (Finlaya)]
fraseri (Edwards, 1914): **Culiseta (Theomyia)**
fraseri (Edwards, 1922): **Malaya**
fraseri (Theobald, 1911): **Coquillettidia (Coquillettidia)**
fraseri Edwards, 1912: **Stegomyia** [Aedes (Stegomyia)]
fraseri Edwards, 1912: **Uranotaenia (Uranotaenia)**
fraudatrix (Theobald, 1905): **Culex (Lophoceraomyia)**
freeborni Aitken, 1939: **Anopheles (Anopheles)**
freetownensis Evans, 1925: **Anopheles (Cellia)**
frenchii (Theobald, 1901): **Culiseta (Neotheobaldia)**
freycinetiae (Laird, 1957): **Finlaya** [Ochlerotatus (Finlaya)]
freyi Meng, 1957: **Anopheles (Anopheles)**
frontosa Theobald, 1903: **Runchomyia (Runchomyia)**
fryeri (Theobald, 1912): **Levua** [Ochlerotatus (Levua)]
fulgens (Edwards, 1917): **Zavortinkius** [Ochlerotatus (Zavortinkius)]
fulgens da Cunha Ramos & Brunhes, 2004: **Uranotaenia (Pseudoficalbia)**

fuliginosus Lee, 1946: *Tripteroides (Rachisoura)*
fulleri (Ludlow, 1909): *Culex (Lophoceraomyia)*
fulvithorax (Lutz, 1904): *Howardina [Ochlerotatus (Howardina)]*
fulvus (Wiedemann, 1828): *Ochlerotatus (Chrysoconops) [Ochlerotatus (Ochlerotatus)]*
fumida (Edwards, 1928): *Lorrainea [Aedes (Lorrainea)]*
fumipennis (Stephens, 1825): *Culiseta (Culicella)*
funerea (Leicester, 1908): *Heizmannia (Heizmannia)*
funerea (Theobald, 1903): *Verrallina (Verrallina)*
funerearoides Dong, Zhou & Gong, 2004: *Heizmannia (Heizmannia)*
funestus (Leicester, 1908): *Toxorhynchites (Toxorhynchites)*
funestus Giles, 1900: *Anopheles (Cellia)*
furfifer (Edwards, 1913): *Diceromyia [Aedes (Diceromyia)]*
furfurea (Enderlein, 1923): *Aedeomyia (Lepiothauma)*
furlongi van Someren, 1954: *Culex (Culiciomyia)*
fusca (Leicester, 1908): *Mimomyia (Ingramia)*
fusca Theobald, 1907: *Uranotaenia (Pseudoficalbia)*
fuscana Wiedemann, 1820: *Lutzia (Metalutzia)*
fuscicinctus King & Hoogstraal, 1946: *Culex (Culiciomyia)*
fuscicolor van Someren, 1947: *Anopheles (Anopheles)*
fuscinerve (Edwards, 1914): *Neomelaniconion [Aedes (Neomelaniconion)]*
fuscipalpis (Belkin, 1962): *Finlaya [Ochlerotatus (Finlaya)]*
fuscipes Edwards, 1922: *Wyeomyia (Phoniomyia)*
fuscipleura Lee, 1946: *Tripteroides (Rachisoura)*
fuscitarsis (Belkin, 1962): *Finlaya [Ochlerotatus (Finlaya)]*
fuscivenosus Leeson, 1930: *Anopheles (Cellia)*
fuscocephala Theobald, 1907: *Culex (Culex)*
fusco pennata (Theobald, 1903): *Coquillettidia (Coquillettidia)*
fuscopter (Theobald, 1911): *Coquillettidia (Coquillettidia)*
fuscus Hutton, 1902: *Opifex (Opifex)*
futunae (Belkin, 1962): *Stegomyia (Zoromorphus) [Aedes (Stegomyia)]*
gabaldoni Cova Garcia, Pulido F., Escalante de Ugueto & Mora R., 1987: *Uranotaenia (Uranotaenia)*
gabaldoni Vargas, 1941: *Anopheles (Anopheles)*
gabriel (Schick, 1970): 'Ochlerotatus (Protomacleaya)'
gaffigani (Reinert, 1990): *Kenknighthia [Ochlerotatus (Kenknighthia)]*
gagnei Evenhuis, 1989: *Culex (Lophoceraomyia)*
gahnicola (Marks, 1947): *Finlaya [Ochlerotatus (Finlaya)]*
gairus Root, 1927: *Culex (Microculex)*
galindoi (Schick, 1970): 'Ochlerotatus (Protomacleaya)'
galindoi Komp & Rozeboom, 1951: *Culex (Melanoconion)*
galliardi Edwards, 1941: *Culex (Eumelanomyia)*
galloisi (Yamada, 1921): *Stegomyia [Aedes (Stegomyia)]*
galloisiodes (Liu & Lu, 1984): *Stegomyia [Aedes (Stegomyia)]*
galvaoi (Correa & Ramalho, 1956): *Wyeomyia (Phoniomyia)*
galvaoi Causey, Deane & Deane, 1943: *Anopheles (Nyssorhynchus)*
galvaoi Duret, 1968: *Culex (Melanoconion)*
gambiae Giles, 1902: *Anopheles (Cellia)*
gameti Bailly-Choumara, 1966: *Culex (Culex)*
gamma Séguy, 1924: *Culex (Neoculex)*
ganapathi (Colless, 1958): *Downsiomyia [Ochlerotatus (Finlaya)]*
ganapathi Colless, 1965: *Culex (Lophoceraomyia)*
gandaensis (Huang, 2004): *Stegomyia (Mukwaya) [Aedes (Stegomyia)]*
gandarai da Cunha Ramos, Capela & Ribeiro, 1995: *Polyleptiomyia [Aedes (Aedimorphus)]*
gani (Bonne-Wepster, 1940): *Finlaya [Ochlerotatus (Finlaya)]*
garcesi Duret, 1968: *Culex (Melanoconion)*
garciai Broche, 2000: *Culex (Culex)*
gardnerii Ludlow, 1905: *Stegomyia [Aedes (Stegomyia)]*
garioui Bailly-Choumara & Rickenbach, 1966: *Culex (Eumelanomyia)*
garnhami Edwards, 1930: *Anopheles (Cellia)*
garnhami van Someren, 1948: *Uranotaenia (Pseudoficalbia)*

gaudeator Dyar & Knab, 1907: **Culex (Microculex)**
gadians Dyar & Nunez Tovar, 1927: **Wyeomyia (Wyeomyia)**
gaufini Belkin, 1962: **Culex (Neoculex)**
gausapata Dyar & Nunez Tovar, 1927: **Wyeomyia (Wyeomyia)**
geberti Grjebine, 1953: **Orthopodomyia**
gelidus Theobald, 1901: **Culex (Culex)**
geminus Colless, 1955: **Culex (Oculeomyia)**
geminus Peus, 1970: **Aedes** [Aedes (Aedes)]
geniculata (Olivier, 1791): **Dahlia** [Ochlerotatus (Finlaya)]
geniculata da Cunha Ramos & Brunhes, 2004: **Uranotaenia (Uranotaenia)**
genurostris Leicester, 1908: **Malaya**
geoffroyi (Reinert, 1999): **Zavortinkius** [Ochlerotatus (Zavortinkius)]
geometrica Theobald, 1901: **Uranotaenia (Uranotaenia)**
georgianus King, 1939: **Anopheles (Anopheles)**
geoskusea (Amos, 1944): **Levua** [Ochlerotatus (Levua)]
gerbergi Belkin, 1977: **Toxorhynchites (Lynchiella)**
gerdae Slooff, 1963: **Uranotaenia (Uranotaenia)**
germaini Geoffroy, 1974: **Culex (Eumelanomyia)**
germaini Rickenbach & Eouzan, 1970: **Eretmapodites**
gibbinsi (Edwards, 1935): **Aedimorphus** [Aedes (Aedimorphus)]
gibbinsi Evans, 1935: **Anopheles (Cellia)**
gibbosa (Delfinado, 1967): **Verrallina (Neomacleaya)**
gibbulus Delfinado, 1966: **Culex (Lophoceraomyia)**
giblini (Taylor, 1914): **Coquillettidia (Coquillettidia)**
gigantea Brug, 1931: **Uranotaenia (Pseudoficalbia)**
giganteus Ventrillon, 1906: **Culex (Oculeomyia)**
gigantulus (Dyar & Shannon, 1925): **Toxorhynchites (Toxorhynchites)**
gigas Giles, 1901: **Anopheles (Anopheles)**
gillcolladoi (Villa, Rodríguez & Llera, 1985): **Dahlia** [Ochlerotatus (Finlaya)]
gilesi (Peryassú, 1908): **Anopheles (Lophopodomyia)**
gilletti van Someren, 1949: **Eretmapodites**
gilli (Barraud, 1924): **Himalia** [Ochlerotatus (Finlaya)]
gilliesi (van Someren, 1962): **Albuginosus** [Aedes (Albuginosus)]
gilliesi Hamon & van Someren, 1961: **Culex (Culiciomyia)**
giveni Edwards, 1926: **Armigeres (Armigeres)**
glaphyoptera (Schiner, 1864): **Culiseta (Culiseta)**
glaucodaemon (Dyar & Shannon, 1925): **Sabethes (Sabethoides)**
globocoxitus Dobrotworsky, 1953: **Culex (Culex)**
glyptosalpinx Harbach, Peyton & Harrison, 1984: **Culex (Melanoconion)**
gnomatos Sallum, Hutchings, Leila & Ferreira, 1997: **Culex (Melanoconion)**
goeldii Rozeboom & Gabaldon, 1941: **Anopheles (Nyssorhynchus)**
gombakensis (Mattingly, 1959): **Christophersiomyia** [Aedes (Christophersiomyia)]
gomezdelatorrei Levi-Castillo, 1955: **Anopheles (Lophopodomyia)**
gonguoensis (Gong & Lu, 1986): **Jihlienius** [Ochlerotatus (Finlaya)]
gonzalezrinconesi Cova Garcia, Pulido F. & Escalante de Ugueto, 1977: **Anopheles (Kerteszia)**
gorgasi Duret, 1971: **Sabethes (Peytonulus)**
gossi Bohart, 1957: **Culex (Lophoceraomyia)**
gouldi Peyton & Klein, 1970: **Uranotaenia (Pseudoficalbia)**
gouldi (Reinert, 1972): **Aedimorphus** [Aedes (Aedimorphus)]
grabhami (Berlin 1969): **Howardina** [Ochlerotatus (Howardina)]
grabhamii Theobald, 1901: **Anopheles (Anopheles)**
gracicornis Sirivanakarn, 1977: **Culex (Lophoceraomyia)**
gracilelineatus (Bonne-Wepster, 1937): 'Ochlerotatus (Finlaya)'
gracilis Leicester, 1908: **Topomyia (Topomyia)**
gracilis Leicester, 1908: **Zeugomyia**
gracilis Theobald, 1905: **Bironella (Bironella)**
grahami Edwards, 1911: **Eretmapodites**
grahamii Theobald, 1909: **Mucidus (Mucidus)** [Ochlerotatus (Mucidus)]
grahamii Theobald, 1910: **Culex (Culex)**
grandidieri (Blanchard, 1905): **Coquillettidia (Coquillettidia)**

grandiosus (Williston, 1900): **Toxorhynchites (Lynchiella)**
grantii Theobald, 1901: **Stegomyia** [Aedes (Stegomyia)]
grassei (Doucet, 1951): **Diceromyia** [Aedes (Diceromyia)]
grassei da Cunha Ramos & Brunhes, 2004: **Uranotaenia (Uranotaenia)**
grassei Grjebine, 1953: **Anopheles (Cellia)**
gravelyi (Edwards, 1921): **Toxorhynchites (Toxorhynchites)**
grayii Theobald, 1901: **Wyeomyia (Wyeomyia)**
greeni Rattanarithikul & Harbach, 1991: **Anopheles (Cellia)**
greenii (Theobald, 1903): **Bruceharrisonius** [Ochlerotatus (Bruceharrisonius)]
greenii (Theobald, 1905): **Heizmannia (Heizmannia)**
grenieri Doucet, 1951: **Uranotaenia (Pseudoficalbia)**
grenieri Eouzan, 1969: **Culex (Culiciomyia)**
grenieri Grjebine, 1964: **Anopheles (Cellia)**
grenieri Hamon & van Someren, 1961: **Eretmapodites**
grenieri (Hamon, Service, Adam & Taufflieb, 1961): **Catageomyia** [Aedes (Aedimorphus)]
gressitti (Bohart, 1947): **Finlaya** [Ochlerotatus (Finlaya)]
gressitti Sirivanakarn, 1968: **Culex (Lophoceraomyia)**
griffithi Thurman, 1954: **Ayurakitia**
griveaudi Grjebine, 1961: **Anopheles (Cellia)**
grjebinei (Brunhes, 1977): **Mimomyia (Ingramia)**
grjebinei da Cunha Ramos & Brunhes, 2004: **Uranotaenia (Pseudoficalbia)**
grjebinei (Hamon, Taufflieb & Maillot, 1957): **Aedimorphus** [Aedes (Aedimorphus)]
grjebinei Ribeiro, 2004: **Toxorhynchites (Afrorhynchus)**
grossbecki (Dyar & Knab, 1906): **Ochlerotatus** (unplaced) [Ochlerotatus (Ochlerotatus)]
guadeloupensis (Dyar & Knab, 1906): **Toxorhynchites (Lynchiella)**
guamensis (Farner & Bohart, 1944): **Stegomyia** [Aedes (Stegomyia)]
guarao Anduze & Capdevielle, 1949: **Anopheles (Anopheles)**
guatemala (Berlin, 1969): **Howardina** [Ochlerotatus (Howardina)]
guatemala Dyar & Knab, 1906: **Wyeomyia (Wyeomyia)**
guayasi Levi-Castillo, 1953: **Culex (Culex)**
guayasi Levi-Castillo, 1954: **Limatus**
gubernatoris (Giles, 1901): **Phagomyia** [Ochlerotatus (Finlaya)]
guedesi da Silva Mattos & Xavier, 1991: **Culex (Melanoconion)**
guerrero (Berlin, 1969): **Howardina** [Ochlerotatus (Howardina)]
guerreroi Cova García, Sutil & Pulido, 1971: **Culex (Carrollia)**
guiarti Blanchard, 1905: **Culex (Culex)**
guizhouensis Chen & Zhao, 1985: **Culex (Culex)**
gurneyi (Belkin, 1962): **Mimomyia (Mimomyia)**
gurneyi (Stone & Bohart, 1944): **Stegomyia** [Aedes (Stegomyia)]
gutierrez Duret, 1971: **Wyeomyia** (subgenus uncertain)
gutzevichi (Dubitsky & Deshevykh, 1978): **Ochlerotatus** (unplaced) [Ochlerotatus (Ochlerotatus)]
guyanensis Clastrier, 1970: **Culex (Aedinus)**
gymnothorax Harbach & Petersen, 1992: **Sabethes (Sabethes)**
habilitator Dyar & Knab, 1906: **Culex (Culex)**
hackeri Edwards, 1921: **Anopheles (Cellia)**
hackeri Edwards, 1923: **Culex (Eumelanomyia)**
haddowi da Cunha Ramos & Brunhes, 2004: **Uranotaenia (Pseudoficalbia)**
haddowi van Someren, 1949: **Eretmapodites**
hadrognathus Harbach, 1995: **Sabethes (Peytonulus)**
haemorrhoidalis (Fabricius, 1787): **Toxorhynchites (Lynchiella)**
hailarensis Xu & Luo, 1998: **Anopheles (Anopheles)**
hainanensis Chen, 1977: **Culex (Culiciomyia)**
hakanssoni (Knight & Hurlbut, 1949): **Stegomyia** [Aedes (Stegomyia)]
hakusanensis (Yamaguti & Tamaboko, 1954): **Ochlerotatus** (unplaced) [Ochlerotatus (Ochlerotatus)]
halifaxii Theobald, 1903: **Lutzia (Metalutzia)**
halophylus Silva do Nascimento & Lourenço-de-Oliveira, 2002: **Anopheles (Nyssorhynchus)**
hamistylus (Laffoon, 1946): **Verrallina (Harbachius)**
hamoni Adam, 1962: **Anopheles (Cellia)**
hamoni Brunhes, Adam & Bailly-Choumara, 1967: **Culex (Eumelanomyia)**

hamoni Grjebine, 1953: **Uranotaenia (Uranotaenia)**
hamoni Grjebine, 1972: **Eretmapodites**
hancocki (van Someren, 1962): **Vansomerenis** [*Ochlerotatus (Finlaya)*]
hancocki Edwards, 1929: **Anopheles (Cellia)**
hancocki Edwards, 1930: **Culex (Culex)**
hansfordi (Huang, 1997): **Stegomyia** [*Aedes (Stegomyia)*]
harbachi (Reinert, 1990): **Kenknightsia** [*Ochlerotatus (Kenknightsia)*]
hardini Miyagi, Toma & Ramalingam, 1989: **Topomyia (Topomyia)**
hargreavesi Evans, 1927: **Anopheles (Cellia)**
harinasutai (Knight, 1978): **Downsiomyia** [*Ochlerotatus (Finlaya)*]
harleyi Peters, 1955: **Culex (Culiciomyia)**
harperi (Knight, 1948): **Danielsia** [*Ochlerotatus (Finlaya)*]
harperi Evans, 1936: **Anopheles (Cellia)**
harperi van Someren, 1949: **Eretmapodites**
harrisoni Harbach & Manguin, 2007: **Anopheles (Cellia)**
harrisoni (Muspratt, 1953): **Ochlerotatus** (unplaced) [*Ochlerotatus (Ochlerotatus)*]
harrisoni Peyton, 1977: **Uranotaenia (Pseudoficalbia)**
harrisoni Sirivanakarn, 1977: **Culex (Culiciomyia)**
harrisonica (Reinert, 1974): **Verrallina (Neomacleaya)**
harveyi (Barraud, 1923): **Hulecoeteomyia** [*Ochlerotatus (Finlaya)*]
hastatus (Dyar, 1922): **Ochlerotatus (Protoculex)** [*Ochlerotatus (Ochlerotatus)*]
hatorii (Yamada, 1921): **Collessius (Collessius)** [*Ochlerotatus (Finlaya)*]
haworthi (Edwards, 1923): **Albuginosus** [*Aedes (Albuginosus)*]
hayashii Yamada, 1917: **Culex (Eumelanomyia)**
haynei Dodge, 1947: **Wyeomyia (Wyeomyia)**
hebes Barraud, 1931: **Uranotaenia (Uranotaenia)**
hebrardi da Cunha Ramos & Brunhes, 2004: **Uranotaenia (Uranotaenia)**
hebridea (Edwards, 1926): **Stegomyia** [*Aedes (Stegomyia)*]
hectoris Giaquinto-Mira, 1931: **Anopheles (Anopheles)**
hedys Root, 1927: **Culex (Microculex)**
heiheensis Ma, 1981: **Anopheles (Anopheles)**
heischi (van Someren, 1951): **Stegomyia** [*Aedes (Stegomyia)*]
heiseri Baisas, 1935: **Uranotaenia (Uranotaenia)**
helenae (Reinert, 1973): **Bothaella** [*Aedes (Bothaella)*]
helenae Brunhes, Adam & Bailly-Choumara, 1967: **Culex (Eumelanomyia)**
helenae Ribeiro, 1992: **Toxorhynchites (Afrorhynchus)**
hemisagnosta Dyar & Knab, 1906: **Wyeomyia (Wyeomyia)**
hendersoni (Cockerell, 1918): '*Ochlerotatus (Protomacleaya)*'
henrardi Edwards, 1935: **Uranotaenia (Pseudoficalbia)**
henriquei da Cunha Ramos, 1993: **Uranotaenia (Pseudoficalbia)**
hensilli (Farner, 1945): **Stegomyia** [*Aedes (Stegomyia)*]
hepperi Casal & García, 1967: **Culex (Phytotelmatomyia)**
hermano (Lane & Coutinho, 1940): **Coquillettidia (Rhynchoaenia)**
hermsi Barr & Guptavanij, 1989: **Anopheles (Anopheles)**
hernandoi Baisas & Feliciano, 1953: **Topomyia (Topomyia)**
herrera Sutil Oramas, Pulido, F. & Amarista, M., 1987: **Culex (Melanoconion)**
hervyi Brunhes, le Goff & Geoffroy, 1999: **Anopheles (Cellia)**
hervyi da Cunha Ramos & Brunhes, 2004: **Uranotaenia (Pseudoficalbia)**
hesperonotius (Marks, 1959): **Ochlerotatus** (unplaced) [*Ochlerotatus (Ochlerotatus)*]
heteropus (Dyar, 1921): '*Ochlerotatus (Protomacleaya)*'
heterospina Gong & Lu, 1986: **Heizmannia (Heizmannia)**
hewitti (Edwards, 1914): **Culex (Lophoceraomyia)**
hexacis (Martini, 1931): **Toxorhynchites (Ankylorhynchus)**
hexodontus (Dyar, 1916): **Ochlerotatus** (unplaced) [*Ochlerotatus (Ochlerotatus)*]
hightoni van Someren, 1947: **Eretmapodites**
hilli (Edwards, 1926): **Culiseta (Neotheobaldia)**
hilli Edwards, 1922: **Culex (Lophoceraomyia)**
hilli Woodhill & Lee, 1944: **Anopheles (Cellia)**
himalayensis Edwards, 1922: **Heizmannia (Heizmannia)**
hinesorum Schmidt, 2001: **Anopheles (Cellia)**

hinglungensis Chu, 1957: *Culex (Eumelanomyia)*
hirsuta (Hill & Hill, 1946): *Wyeomyia (Wyeomyia)*
hirsutifemora Peters, 1964: *Uranotaenia (Pseudoficalbia)*
hirsutus (Theobald, 1901): *Aedimorphus* [*Aedes (Aedimorphus)*]
hirtipalpis Sirivanakarn, 1977: *Culex (Lophoceraomyia)*
hirtusa Gong, 1989: *Topomyia (Topomyia)*
hispida (Delfinado, 1967): *Verrallina (Neomacleaya)*
hispida (Theobald, 1910): *Mimomyia (Mimomyia)*
hodgkini (Marks, 1959): *Ochlerotatus* (unplaced) [*Ochlerotatus (Ochlerotatus)*]
hodgkini (Wharton, 1962): *Coquillettidia (Coquillettidia)*
hodgkini Reid, 1962: *Anopheles (Anopheles)*
hoffmani Root, 1927: *Limatus*
hogsbackensis (Huang, 2004): *Stegomyia* [*Aedes (Stegomyia)*]
hoguei (Belkin, 1962): *Stegomyia* [*Aedes (Stegomyia)*]
hokkaidensis (Tanaka, Mizusawa & Saugstad, 1979): *Ochlerotatus* (unplaced) [*Ochlerotatus (Ochlerotatus)*]
hollandi Taylor, 1934: *Bironella (Brugella)*
hollandia (King & Hoogstraal, 1946): *Patmarksia* [*Ochlerotatus (Finlaya)*]
hollingsheadi (Belkin, 1962): *Finlaya* [*Ochlerotatus (Finlaya)*]
holmbergii Lynch Arribázaga, 1891: *Psorophora (Psorophora)*
holocinctus (Edwards, 1941): *Aedimorphus* [*Aedes (Aedimorphus)*]
homoeopus (Dyar, 1922): '*Ochlerotatus (Protomacleaya)*'
homunculus Komp, 1937: *Anopheles (Kerteszia)*
hongayi Galliard & Ngu, 1947: *Uranotaenia (Pseudoficalbia)*
hoogstraali (Knight & Rozeboom, 1946): *Scutomyia* [*Aedes (Scutomyia)*]
hoogstraali Baisas, 1947: *Tripteroides (Tripteroides)*
hopkinsi Edwards, 1932: *Culex (Culex)*
hopkinsi Edwards, 1932: *Uranotaenia (Uranotaenia)*
hopkinsi (Edwards, 1936): *Catageiomyia* [*Aedes (Aedimorphus)*]
horotoi (Taylor, 1972): *Finlaya* [*Ochlerotatus (Finlaya)*]
horrescens (Edwards, 1935): *Stegomyia* [*Aedes (Stegomyia)*]
horrida (Dyar & Knab, 1908): *Psorophora (Janthinosoma)*
horridus Edwards, 1922: *Culex (Eumelanomyia)*
hortator (Dyar & Knab, 1907): *Sallumia* [*Ochlerotatus (Ochlerotatus)*]
hortensis Ficalbi, 1889: *Culex (Maillotia)*
hosautos Dyar & Knab, 1907: *Wyeomyia (Miamiomyia)*
houghtoni Feng, 1941: *Topomyia (Suaymyia)*
howardi Belkin & Hogue, 1959: *Deinocerites*
howardi Lane & Cerqueira, 1942: *Wyeomyia (Spilonympha)*
howardii Coquillett, 1901: *Psorophora (Psorophora)*
huangae (Reinert, 1999): *Zavortinkius* [*Ochlerotatus (Zavortinkius)*]
huangae Meng, 1958: *Culex (Culex)*
hughi Lambert & Coetzee, 1982: *Anopheles (Cellia)*
hui (Bohart, 1957): *Finlaya* [*Ochlerotatus (Finlaya)*]
humboldtii (Lane & Cerqueira, 1942): *Runchomyia (Runchomyia)*
humeralis (Edwards, 1922): *Macleaya (Chaetocruimyia)* [*Ochlerotatus (Chaetocruimyia)*]
humeralis Dyar & Knab, 1916: *Mansonia (Mansonia)*
hungaricus (Mihalyi, 1955): *Ochlerotatus* (unplaced) [*Ochlerotatus (Ochlerotatus)*]
hunteri (Strickland, 1916): *Anopheles (Anopheles)*
hurlbuti (Lien, 1967): *Bruceharrisonius* [*Ochlerotatus (Bruceharrisonius)*]
hurlbuti Belkin, 1962: *Culex (Lophoceraomyia)*
husaini Qutubuddin, 1947: *Uranotaenia (Pseudoficalbia)*
hutchinsoni Barraud, 1924: *Culex (Culex)*
hybrida (Leicester, 1908): *Mimomyia (Mimomyia)*
hybridus (Leicester, 1908): *Tripteroides (Tripteroides)*
hybridus Edwards, 1914: *Armigeres (Armigeres)*
hypoptes (Knab, 1907): *Toxorhynchites (Lynchiella)*
hyrcanus (Pallas, 1771): *Anopheles (Anopheles)*
hystera Dyar & Knab, 1913: *Uranotaenia (Uranotaenia)*
ibis (Barraud, 1931): *Christophersiomyia* [*Aedes (Christophersiomyia)*]

ichiromiyagii Toma & Higa, 2004: **Ficalbia**
idanus (Schick, 1970): 'Ochlerotatus (*Protomacleaya*)'
identicus Dyar & Knab, 1907: **Sabethes (*Peytonulus*)**
idiogenes Harbach, 1994: **Sabethes (*Sabethinus*)**
idjenensis (Brug, 1934): **Downsiomyia** [*Ochlerotatus* (*Finlaya*)]
idottus Dyar, 1920: **Culex (*Melanoconion*)**
ignotus Harbach, 1995: **Sabethes (*Peytonulus*)**
iguassuensis Barbosa, da Silva & Sallum, 2007: **Mansonia (*Mansonia*)**
ikelos Forattini & Sallum, 1995: **Culex (*Melanoconion*)**
imitata Baisas, 1946: **Kimia**
imitator Theobald, 1903: **Culex (*Microculex*)**
imparis Peyton & Harbach, 2000: **Onirion**
impatibilis (Walker, 1859): **Scutomyia** [*Aedes* (*Scutomyia*)]
impatiens (Walker, 1848): **Culiseta (*Culiseta*)**
imperfectus (Dobrotworsky, 1962): **Ochlerotatus** (unplaced) [*Ochlerotatus* (*Ochlerotatus*)]
impiger (Walker, 1848): **Ochlerotatus** (unplaced) [*Ochlerotatus* (*Ochlerotatus*)]
implexus (Theobald, 1903): **Anopheles (*Anopheles*)**
implicatus (Vockeroth, 1954): **Ochlerotatus** (unplaced) [*Ochlerotatus* (*Ochlerotatus*)]
imposter Sirivanakarn, 1977: **Culex (*Lophoceraomyia*)**
impostor (Schick, 1970): 'Ochlerotatus (*Protomacleaya*)'
imprimens (Walker, 1860): **Edwardsaedes** [*Aedes* (*Edwardsaedes*)]
impudicus Ficalbi, 1890: **Culex (*Neoculex*)**
inadmirabilis Dyar, 1928: **Culex (*Melanoconion*)**
inaequalis Grabham, 1907: **Howardina** [*Ochlerotatus* (*Howardina*)]
inatomii Kamimura & Wada, 1974: **Culex (*Barraudius*)**
incaudata (Root, 1928): **Wyeomyia (*Phoniomyia*)**
incerta (Edwards, 1922): **Verrallina (*Neomacleaya*)**
inchoatus Barraud, 1927: **Armigeres (*Leicesteria*)**
incidens (Thomson, 1869): **Culiseta (*Culiseta*)**
inclinata Thurman, 1959: **Topomyia (*Topomyia*)**
incognita Galindo, Blanton & Peyton, 1954: **Uranotaenia (*Uranotaenia*)**
incognitus Baisas, 1938: **Culex (*Culex*)**
incognitus Brug, 1931: **Anopheles (*Cellia*)**
incomptas Ramalingam & Pillai, 1972: **Malaya**
incomptus (Arnell, 1976): **Ochlerotatus (*Ochlerotatus*)**
incomptus Bram & Rattanarithikul, 1967: **Culex (*Lophoceraomyia*)**
inconspicua (Lee, 1937): **Culiseta (*Culicella*)**
inconspicuosus (Theobald, 1908): **Culex (*Eumelanomyia*)**
increpitus (Dyar, 1916): **Ochlerotatus** (unplaced) [*Ochlerotatus* (*Ochlerotatus*)]
inculus Colless, 1965: **Culex (*Lophoceraomyia*)**
indecorabilis Leicester, 1908: **Verrallina (*Harbachius*)**
indefinitus (Ludlow, 1904): **Anopheles (*Cellia*)**
indeterminatus Baisas & Ubaldo-Pagayon, 1953: **Tripteroides (*Tripteroides*)**
indiana Edwards, 1930: **Mansonia (*Mansonioides*)**
indica (Theobald, 1905): **Heizmannia (*Heizmannia*)**
indica (Theobald, 1907): **Verrallina (*Neomacleaya*)**
indicus (Barraud, 1929): **Tripteroides (*Tripteroides*)**
indicus Evenhuis & Steffan, 1986: **Toxorhynchites (*Toxorhynchites*)**
indonesiae (Mattingly, 1958): **Canraedes** [*Aedes* (*Canraedes*)]
indubitans Dyar & Shannon, 1925: **Mansonia (*Mansonia*)**
inermis (Colless, 1958): **Downsiomyia** [*Ochlerotatus* (*Finlaya*)]
inexpectatus (Bonne-Wepster, 1948): **Ochlerotatus** (unplaced) [*Ochlerotatus* (*Ochlerotatus*)]
infantulus Edwards, 1922: **Culex (*Lophoceraomyia*)**
infinis (Dyar & Knab, 1906): **Psorophora (*Grabhamia*)**
infirmatus (Dyar & Knab, 1906): **Ochlerotatus (*Ochlerotatus*)**
inflictus Theobald, 1901: **Culex (*Culex*)**
infoliatus Bonne-Wepster & Bonne, 1920: **Culex (*Carrollia*)**
infula Theobald, 1901: **Culex (*Oculeomyia*)**
ingrami (Edwards, 1930): **Hopkinsius (*Hopkinsius*)** [*Ochlerotatus* (*Finlaya*)]
ingrami Edwards, 1916: **Culex (*Culex*)**

inhibitor Dyar & Knab, 1906: **Culex (Melanoconion)**
inimitabilis Dyar & Knab, 1906: **Culex (Microculex)**
ininicola Fauran & Pajot, 1974: **Wyeomyia** (subgenus uncertain)
ininii Senevet & Abonnenc, 1938: **Anopheles (Nyssorhynchus)**
innovator Evans, 1924: **Culex (Melanoconion)**
inornata (Theobald, 1905): **Culex** (subgenus uncertain)
inornata (Williston, 1893): **Culiseta (Culiseta)**
inornatus (Walker, 1865): **Toxorhynchites (Toxorhynchites)**
inornatus Newstead, 1907: **Eretmapodites**
inquinata (Edwards, 1922): **Phagomyia [Ochlerotatus (Finlaya)]**
insequens Marks, 1989: **Culex (Lophoceraomyia)**
insigniforceps Clastrier & Claustre, 1978: **Culex (Carrollia)**
insignis (Carter, 1911): **Culex (Eumelanomyia)**
insolens (Edwards, 1936): **Catageiomyia [Aedes (Aedimorphus)]**
insolitus (Coquillett, 1906): 'Ochlerotatus (Protomacleaya)'
insulaeflorum (Swelengrebel & Swelengrebel de Graaf, 1920): **Anopheles (Anopheles)**
insularia (Dyar & Knab, 1906): **Psorophora (Grabhamia)**
insularis Sirivanakarn, 1968: **Culex (Lophoceraomyia)**
interfor Dyar, 1928: **Culex (Culex)**
intermedia (Barraud, 1929): **Mimomyia (Mimomyia)**
intermediatus Baisas & Ubaldo-Pagayon, 1953: **Tripteroides (Tripteroides)**
intermedius (Danilov & Gornostaeva, 1987): **Ochlerotatus** (unplaced) [**Ochlerotatus (Ochlerotatus)**]
intermedius (Lutz, 1904): **Sabethes (Sabethinus)**
intermedius (Peryassú, 1908): **Anopheles (Anopheles)**
intermedius Edwards, 1936: **Eretmapodites**
intermedius Lane & Whitman, 1951: **Culex (Microculex)**
interrogator Dyar & Knab, 1906: **Culex (Culex)**
interruptus (Reinert, 1999): **Zavortinkius [Ochlerotatus (Zavortinkius)]**
interruptus Puri, 1929: **Anopheles (Anopheles)**
intonca Dyar & Knab, 1910: **Wyeomyia (Hystatomyia)**
intonsus Galindo & Blanton, 1954: **Culex (Melanoconion)**
intrincatus Brethés, 1916: **Culex (Melanoconion)**
introlatus Colless, 1957: **Anopheles (Cellia)**
intrudens (Dyar, 1919): **Ochlerotatus (Woodius) [Ochlerotatus (Ochlerotatus)]**
inundatus Reinert, 1997: **Anopheles (Anopheles)**
invidiosus Theobald, 1901: **Culex (Culex)**
invocator Pazos, 1908: **Culex (Melanoconion)**
iolambdis Dyar, 1918: **Culex (Melanoconion)**
ioliota (Dyar & Knab, 1913): **Howardina [Ochlerotatus (Howardina)]**
iphis Barraud, 1924: **Culex (Eumelanomyia)**
iracunda (Walker, 1848): **Coquillettida (Coquillettida)**
irenicus Schmidt, 2003: **Anopheles (Cellia)**
irianensis Miyagi & Toma, 1997: **Topomyia (Topomyia)**
iriartei Cova Garcia, Pulido F., Escalante de Ugueto & Mora R., 1987: **Uranotaenia (Uranotaenia)**
iridescens (Lutz, 1905): **Culex (Carrollia)**
iridicolor Dyar, 1921: **Haemagogus (Haemagogus)**
iriomotensis (Tanaka & Mizusawa, 1973): **Verrallina (Verrallina)**
irritans (Theobald, 1901): **Catageiomyia [Aedes (Aedimorphus)]**
isabelae Duret, 1968: **Culex (Melanoconion)**
iwi (Marks, 1955): **Phagomyia [Ochlerotatus (Finlaya)]**
iyengari (Edwards, 1923): **Petermattinglyius [Aedes (Diceromyia)]**
iyengari Mattingly & Rageau, 1958: **Culex (Culex)**
jacksoni Edwards, 1934: **Culex (Culex)**
jacksoni Edwards, 1935: **Uranotaenia (Pseudoficalbia)**
jacksoni Mattingly, 1949: **Ficalbia**
jacobinae (Serafim & Davis, 1933): **Ochlerotatus** (unplaced) [**Ochlerotatus (Ochlerotatus)**]
jacobsoni (Edwards, 1930): **Malaya**
jalisco Berlin, 1974: **Culex (Micraedes)**
jamaicensis Theobald, 1901: **Psorophora (Grabhamia)**
jamesi (Edwards, 1914): **Aedimorphus [Aedes (Aedimorphus)]**

jamesii Theobald, 1901: *Anopheles (Cellia)*
jamoti (Hamon & Rickenbach, 1954): *Neomelaniconion* [*Aedes (Neomelaniconion)*]
janconnae Wilkerson & Sallum, 2009: *Anopheles (Nyssorhynchus)*
jani Rickenbach & Lombrici, 1976: *Eretmapodites*
janitor Theobald, 1903: *Culex (Culex)*
janthinomys Dyar, 1921: *Haemagogus (Haemagogus)*
japonica (Theobald, 1901): *Hulecoeteomyia* [*Ochlerotatus (Finlaya)*]
javaensis Miyagi & Toma, 1995: *Topomyia (Topomyia)*
javanensis Bonne-Wepster, 1934: *Culex (Culiciomyia)*
jeansottei (Doucet, 1950): *Mimomyia (Ingramia)*
jebudensis Froud, 1944: *Anopheles (Cellia)*
jefferyi Sirivanakarn, 1977: *Culex (Eumelanomyia)*
jenningsi Dyar & Knab, 1907: *Culex (Microculex)*
jenseni (de Meijere, 1910): *Culex (Lophoceraomyia)*
jeyporiensis James, 1902: *Anopheles (Cellia)*
jinhangensis Dong, Dong & Zhou, 2003: *Uranotaenia (Pseudoficalbia)*
jocasta Komp & Rozeboom, 1951: *Culex (Melanoconion)*
jocosa (Dyar & Knab, 1908): *Wyeomyia (Dendromyia)*
johni Cova García, Pulido F. & Escalante de Ugueto, 1979: *Culex (Neoculex)*
johnnyi Duret, 1968: *Culex (Melanoconion)*
johnsoni (Laffoon, 1946): *Verrallina (Neomacleaya)*
johnsoni Galindo & Mendez, 1961: *Culex (Melanoconion)*
johnstonii (Grabham, 1905): *Psorophora (Janthinosoma)*
johorensis (Reinert, 1974): *Verrallina (Neomacleaya)*
joloensis (Ludlow, 1904): *Armigeres (Armigeres)*
jorgi (Carpintero & Leguizamón, 2000): *Ochlerotatus (Chrysoconops)* [*Ochlerotatus (Ochlerotatus)*]
josephinae (Marks, 1958): *Finlaya* [*Ochlerotatus (Finlaya)*]
josephineae Baisas, 1935: *Culex (Lophoceraomyia)*
josiahae (Huang, 1988): *Stegomyia (Mukwaya)* [*Aedes (Stegomyia)*]
joucouri da Cunha Ramos & Brunhes, 2004: *Uranotaenia (Uranotaenia)*
joyoni Brunhes, 1977: *Orthopodomyia*
jubifer Komp & Brown, 1935: *Culex (Melanoconion)*
judaicus Edwards, 1926: *Culex (Neoculex)*
judithae Zavortink, 1969: *Anopheles (Anopheles)*
jugraensis (Leicester, 1908): *Armigeres (Armigeres)*
jugraensis Leicester, 1908: *Hulecoeteomyia* [*Ochlerotatus (Finlaya)*]
juppi (McIntosh, 1973): *Ochlerotatus (Juppius)* [*Ochlerotatus (Ochlerotatus)*]
juxtahirsuta Belkin, Heinemann & Page, 1970: *Wyeomyia (Wyeomyia)*
juxtamansonii (Chagas, 1907): *Coquillettidia (Rhynchotaenia)*
kabaenensis (Brug, 1939): *Geoskusea* [*Ochlerotatus (Geoskusea)*]
kaimosi (van Someren, 1946): *Toxorhynchites (Afrorhynchus)*
kana Tanaka, Mizusawa & Saugstad, 1979: *Heizmannia (Heizmannia)*
kanarensis (Edwards, 1934): *Dendroskusea* [*Aedes (Diceromyia)*]
kanhsienensis Tung, 1955: *Heizmannia (Heizmannia)*
kanyamwerima van Someren, 1951: *Culex (Eumelanomyia)*
kapretwae (Edwards, 1941): *Albuginosus* [*Aedes (Albuginosus)*]
karandalaensis (Wolfs, 1951): *Coquillettidia (Coquillettidia)*
karooensis (Muspratt, 1961): *Aedimorphus* [*Aedes (Aedimorphus)*]
karwari (Barraud, 1924): *Kenknightsia* [*Ochlerotatus (Kenknightsia)*]
karwari (James, 1903): *Anopheles (Cellia)*
kasachstanicus (Gutsevich, 1962): *Ochlerotatus* (unplaced) [*Ochlerotatus (Ochlerotatus)*]
katherinensis (Woodhill, 1949): *Stegomyia* [*Aedes (Stegomyia)*]
kaviengensis Sirivanakarn, 1968: *Culex (Lophoceraomyia)*
keefei (King & Hoogstraal, 1946): '*Ochlerotatus (Finlaya)*'
kempi (Edwards, 1921): *Toxorhynchites (Toxorhynchites)*
keniensis (van Someren, 1946): *Stegomyia* [*Aedes (Stegomyia)*]
keniensis Evans, 1931: *Anopheles (Cellia)*
kennethi (Muspratt, 1956): *Albuginosus* [*Aedes (Albuginosus)*]
kenyae (van Someren, 1946): *Stegomyia* [*Aedes (Stegomyia)*]
kesseli (Huang & Hitchcock, 1980): *Stegomyia* [*Aedes (Stegomyia)*]

kesseli Belkin, 1962: **Culex (Culex)**
kesseli Ramalingam, 1987: **Armigeres (Armigeres)**
khazani (Edwards, 1922): **Phagomyia** [*Ochlerotatus (Finlaya)*]
khazani Edwards, 1922: **Culex (Eumelanomyia)**
kiangsiensis (Tung, 1955): **Phagomyia** [*Ochlerotatus (Finlaya)*]
kilara van Someren, 1951: **Culex (Eumelanomyia)**
killertonis (Huang, 1968): **Verrallina (Verrallina)**
kinabaluensis Ramalingam, 1972: **Armigeres (Armigeres)**
kinabaluensis Sirivanakarn, 1976: **Culex (Oculeomyia)**
kingi Christophers, 1923: **Anopheles (Cellia)**
kingi Lee, 1946: **Tripteroides (Rachisoura)**
kingianus Edwards, 1922: **Culex (Eumelanomyia)**
kiriensis Klein & Sirivanakarn, 1970: **Culex (Eumelanomyia)**
kiriromi (Klein, 1969): **Mimomyia (Ingramia)**
kivuwensis (Edwards, 1941): **Stegomyia (Mukwaya)** [*Aedes (Stegomyia)*]
kleini (Reinert, 1973): **Bothaella** [*Aedes (Bothaella)*]
kleini Rueda, 2005: **Anopheles (Anopheles)**
klossi (Edwards, 1921): **Toxorhynchites (Toxorhynchites)**
knabi (Coquillett, 1906): '*Ochlerotatus (Protomacleaya)*'
knabi Lane & Cerqueira, 1942: **Wyeomyia** (subgenus uncertain)
knighiti (Stone & Bohart, 1944): **Finlaya** [*Ochlerotatus (Finlaya)*]
knighiti Baisas & Ubaldo-Pagayon, 1953: **Tripteroides (Tripteroides)**
kochi (Dönitz, 1901): **Finlaya** [*Ochlerotatus (Finlaya)*]
kochi Dönitz, 1901: **Anopheles (Cellia)**
kohkutensis (Mattingly, 1958): **Canraedes** [*Aedes (Canraedes)*]
kokhani Vythilingam, Jeffery & Harbach, 2007: **Anopheles (Cellia)**
kolambuganensis Baisas, 1932: **Anopheles (Cellia)**
kolhapuriensis Sathe & Girhe, 2002: '*Aedes*'
koli Peyton & Klein, 1970: **Uranotaenia (Pseudoficalbia)**
koliensis Owen, 1945: **Anopheles (Cellia)**
kompí (Vargas & Downs, 1950): '*Ochlerotatus (Protomacleaya)*'
kompí Edwards, 1930: **Anopheles (Stethomyia)**
kompí Valencia, 1973: **Culex (Carrollia)**
komponga (Klein, 1973): **Verrallina (Neomacleaya)**
konderi Galvão & Damasceno, 1942: **Anopheles (Nyssorhynchus)**
koreica (Edwards, 1917): **Hulecoeteomyia** [*Ochlerotatus (Finlaya)*]
koreicoides (Sasa, Kano & Hayashi, 1950): '*Ochlerotatus (Finlaya)*'
koreicus Yamada & Watanabe, 1918: **Anopheles (Anopheles)**
kosiensis Coetzee, Segerman & Hunt, 1987: **Anopheles (Cellia)**
kowiroensis Sirivanakarn, 1968: **Culex (Lophoceraomyia)**
kraussi Grjebine, 1953: **Uranotaenia (Pseudoficalbia)**
krombeini (Huang, 1975): **Stegomyia** [*Aedes (Stegomyia)*]
krymmontanus (Alekseev, 1989): **Ochlerotatus (Rusticoidus)**
kuchingensis Edwards, 1915: **Armigeres (Armigeres)**
kuhnsi King & Hoogstraal, 1955: **Culex (Lophoceraomyia)**
kukenan Anduze, 1942: **Culex (Microculex)**
kummi (Edwards, 1930): **Pseudarmigeres** [*Aedes (Pseudarmigeres)*]
kummi Edwards, 1939: **Orthopodomyia**
kummi Komp & Rozeboom, 1951: **Culex (Melanoconion)**
kummi Lane & Cerqueira, 1942: **Wyeomyia (Cruzmyia)**
kusaiensis Bohart, 1957: **Culex (Lophoceraomyia)**
kweiyangensis Yao & Wu, 1944: **Anopheles (Anopheles)**
kyondawensis Abraham, 1947: **Anopheles (Baimaia)**
kyotoensis Yamaguti & LaCasse, 1952: **Culex (Culiciomyia)**
labesba Howard, Dyar & Knab, 1913: **Wyeomyia (Wyeomyia)**
labranchiae Falleroni, 1926: **Anopheles (Anopheles)**
lacani Grjebine, 1953: **Anopheles (Cellia)**
lacani Rickenbach & Eouzan, 1970: **Eretmapodites**
lactosus Komp & Rozeboom, 1951: **Culex (Melanoconion)**
lactator Dyar & Knab, 1906: **Culex (Phenacomyia)**

lactea (Knight, 1946): *Downsiomyia* [*Ochlerotatus* (*Finlaya*)]
lacustris (Edwards, 1935): *Mimomyia* (*Mimomyia*)
lacuum Edwards, 1922: *Armigeres* (*Armigeres*)
laffooni (Knight & Rozeboom, 1946): *Scutomyia* [*Aedes* (*Scutomyia*)]
laffooni Belkin, 1962: *Culex* (*Lophoceraomyia*)
laffosseae da Cunha Ramos & Brunhes, 2004: *Uranotaenia* (*Pseudoficalbia*)
laguna (Arnell & Nielsen, 1972): *Jarnellius* (*Jarnellius*) [*Ochlerotatus* (*Ochlerotatus*)]
lahillei Bachmann & Casal, 1962: *Culex* (*Culex*)
lairdi Belkin, 1962: *Culex* (*Lophoceraomyia*)
lakei Sirivanakarn, 1968: *Culex* (*Lophoceraomyia*)
lamberti (Ventrillon, 1904): *Stegomyia* [*Aedes* (*Stegomyia*)]
lamborni (Edwards, 1923): *Bifidistylus* [*Aedes* (*Aedimorphus*)]
lambrechti (van Someren, 1971): *Skusea* [*Aedes* (*Skusea*)]
lamellata (Bonne-Wepster & Bonne, 1920): *Wyeomyia* (*Hystatomyia*)
lamellifera (Bohart & Ingram, 1946): *Lorrainea* [*Aedes* (*Lorrainea*)]
lampangensis Sirivanakarn, 1973: *Culex* (*Culiciomyia*)
lampangensis Thurman, 1959: *Hodgesia*
lampropus (Howard, Dyar & Knab, 1913: *Trichoprosopon*
laneanus Corrêa & Cerqueira, 1944: *Anopheles* (*Kerteszia*)
lanei (Antunes, 1937): *Trichoprosopon*
lanei Cerqueira, 1961: *Sabethes* (*Sabethes*)
lanei de Oliveira Coutinho & Forattini, 1962: *Culex* (*Microculex*)
lanei Galvão & Amaral, 1938: *Anopheles* (*Nyssorhynchus*)
lanei Martinez & Prosen, 1953: *Uranotaenia* (*Uranotaenia*)
lanei Shannon & Cerqueira, 1943: *Psorophora* (*Janthinosoma*)
langata (van Someren, 1946): *Stegomyia* [*Aedes* (*Stegomyia*)]
laniger (Wiedemann, 1820): *Mucidus* (*Mucidus*) [*Ochlerotatus* (*Mucidus*)]
lankaensis (Stone & Knight, 1958): *Verrallina* (*Neomacleaya*)
lanyuensis Lien, 1968: *Orthopodomyia*
laoagensis (Knight, 1946): *Downsiomyia* [*Ochlerotatus* (*Finlaya*)]
laoensis Toma & Miyagi, 2003: *Armigeres* (*Armigeres*)
laplantei Hamon, Adam & Mouchet, 1955: *Culex* (*Eumelanomyia*)
lasaensis (Meng, 1962): *Ochlerotatus* (unplaced) [*Ochlerotatus* (*Ochlerotatus*)]
lasiopalpis Sirivanakarn, 1977: *Culex* (*Lophoceraomyia*)
lassalli (Bonne-Wepster & Bonne, 1921): *Wyeomyia* (*Phoniomyia*)
latens Sallum & Peyton, 2005: *Anopheles* (*Cellia*)
lateralis Ludlow, 1905: *Uranotaenia* (*Uranotaenia*)
lateralis Petrocchi, 1927: *Wyeomyia* (*Nunezia*)
laticinctus Edwards, 1913: *Culex* (*Culex*)
laticlasper Galindo & Blanton, 1954: *Culex* (*Culex*)
latifolius Delfinado, 1966: *Culex* (*Eumelanomyia*)
latipennis (Delfinado, 1967): *Verrallina* (*Neomacleaya*)
latispinus Gong & Ji, 1989: *Tripterooides* (*Tripterooides*)
latisquama (Coquillett, 1906): *Culex* (*Tinolestes*)
latisquama (Edwards, 1927): *Tripterooides* (*Rachisoura*)
latus Dobrotworsky, 1956: *Culex* (*Neoculex*)
laureli Baisas, 1935: *Culex* (*Eumelanomyia*)
lauriei Carter, 1920: '*Ochlerotatus* (*Finlaya*)'
lavatae Stone & Bohart, 1944: *Culex* (*Lophoceraomyia*)
lavieri Doucet, 1950: *Uranotaenia* (*Pseudoficalbia*)
lawtoni Baisas, 1946: *Zeugomyia*
leberi Boreham, 1970: *Mansonia* (*Mansonia*)
lebedi da Cunha Ramos & Brunhes, 2004: *Uranotaenia* (*Uranotaenia*)
ledgeri (Huang, 1981): *Stegomyia* [*Aedes* (*Stegomyia*)]
leei (Berlin, 1969): *Howardina* [*Ochlerotatus* (*Howardina*)]
leei (Wharton, 1947): *Malaya*
leei King & Hoogstraal, 1955: *Culex* (*Lophoceraomyia*)
leei Peters, 1959: *Tripterooides* (*Rachisoura*)
leei Stone & Barreto, 1969: *Galindomyia*
leesoni (Edwards, 1932): *Aedimorphus* [*Aedes* (*Aedimorphus*)]

leesoni Evans, 1931: **Anopheles (Cellia)**
legoffi da Cunha Ramos & Brunhes, 2004: **Uranotaenia (Pseudoficalbia)**
lehcharlesi Miyagi & Toma, 2008: **Topomyia (Suaymyia)**
leiboensis Chu, 1981: **Uranotaenia (Pseudoficalbia)**
leicesteri (Edwards, 1917): **Verrallina (Neomacleaya)**
leicesteri Theobald, 1904: **Toxorhynchites (Toxorhynchites)**
leilae (King & Hoogstraal, 1947): **Verrallina (Verrallina)**
lemuriae Ribeiro, 2004: **Toxorhynchites (Afrorhynchus)**
leonardi Belkin, 1962: **Culex (Neoculex)**
leonis (Colless, 1958): **Downsiomyia [Ochlerotatus (Finlaya)]**
lepchana (Barraud, 1923): **Danielsia [Ochlerotatus (Finlaya)]**
lepidocoxitus Dong, Zhou & Dong, 1995: **Armigeres (Leicesteria)**
lepidonotus (Edwards, 1920): **Ochlerotatus (Rusticoidus)**
lepidotus Zavortink, 1973: **Anopheles (Kerteszia)**
lepidus (Cerqueira & Paraense, 1945): **Ochlerotatus (unplaced) [Ochlerotatus (Ochlerotatus)]**
leptolabis (Edwards, 1936): **Aedimorphus [Aedes (Aedimorphus)]**
lerozeboomi (Reinert, 1990): **Kenknightsia [Ochlerotatus (Kenknightsia)]**
lesteri Baisas & Hu, 1936: **Anopheles (Anopheles)**
letabensis Lambert & Coetzee, 1982: **Anopheles (Cellia)**
letifer Sandosham, 1944: **Anopheles (Anopheles)**
leucarthritis (Speiser, 1909): **Aedimorphus [Aedes (Aedimorphus)]**
leucocelaenus (Dyar & Shannon, 1924): **Haemagogus (Conopostegus)**
leucocnemis Martini, 1931: **Psorophora (Grabhamia)**
leucomelas (Meigen, 1804): **Ochlerotatus (unplaced) [Ochlerotatus (Ochlerotatus)]**
leucomeres (Giles, 1904): **Kenknightsia [Ochlerotatus (Kenknightsia)]**
leucophoebus (Galindo, Carpenter & Trapido, 1953): **Haemagogus (Conopostegus)**
leucopous Graham, 1909: **Eretmapodites**
leucoptera (Theobald, 1907): **Uranotaenia (Uranotaenia)**
leucopus (Dyar & Knab, 1906): **Johnbelkinia**
leucosphyrus Dönitz, 1901: **Anopheles (Cellia)**
leucostigma Lutz, 1904: **Wyeomyia (Menolepis)**
leucotaeniatus (Komp, 1938): **Haemagogus (Conopostegus)**
leucotarsis Thurman, 1959: **Topomyia (Suaymyia)**
levicastilloi Grjebine, 1986: **Mimomyia (Ingramia)**
levicastilloi Lane, 1945: **Culex (Culex)**
lewelleni (Starkey & Webb, 1946): **Finlaya [Ochlerotatus (Finlaya)]**
lewisi Ludlow, 1920: **Anopheles (Anopheles)**
lewisi Ribeiro, 1991: **Toxorhynchites (Toxorhynchites)**
liangshanensis Kang, Tan, Cao, Cheng, Yang & Huang, 1984: **Anopheles (Anopheles)**
liberiensis Peters, 1955: **Culex (Culiciomyia)**
lii Wu, 1936: **Heizmannia (Heizmannia)**
lilii Theobald, 1910: **Stegomyia (Mukwaya) [Aedes (Stegomyia)]**
limacifer Komp, 1936: **Culex (Melanoconion)**
limai Lane & Cerqueira, 1942: **Wyeomyia (Miamiya)**
limosus King, 1932: **Anopheles (Cellia)**
lindesayi Giles, 1900: **Anopheles (Anopheles)**
lindsayi Thurman, 1959: **Topomyia (Topomyia)**
linealis (Skuse, 1889): **Coquillettidia (Coquillettidia)**
lineata (Taylor, 1914): **Verrallina (Verrallina)**
lineata (von Humboldt, 1819): **Psorophora (Psorophora)**
lineatopenne (Ludlow, 1905): **Neomelaniconion [Aedes (Neomelaniconion)]**
lineatus (Theobald, 1912): **Culex (Afroculex)**
linesi (Marks, 1964): **Ochlerotatus (unplaced) [Ochlerotatus (Ochlerotatus)]**
lipovskyi Belkin, 1950: **Tripteroides (Tripteroides)**
listeri de Meillon, 1931: **Anopheles (Cellia)**
litoralis Bohart, 1946: **Culex (Culex)**
litoralis King, 1932: **Anopheles (Cellia)**
litorea (Colless, 1958): **Downsiomyia [Ochlerotatus (Finlaya)]**
litorea (Shute, 1928): **Culiseta (Culicella)**
littlechildi (Edwards, 1930): **Tripteroides (Tripteroides)**

littlechildi (Taylor, 1933): ***Macleaya (Macleaya)*** [*Ochlerotatus (Macleaya)*]
littleri (Taylor, 1914): ***Culiseta (Austrotheobaldia)***
litwakae (Reinert, 1990): ***Kenknightsia*** [*Ochlerotatus (Kenknightsia)*]
litwakae Harbach, 1985: ***Culex (Culex)***
lloreti Gil Collado, 1936: ***Anopheles (Cellia)***
lokojoensis (Service, 1959): ***Catageomyia*** [*Aedes (Aedimorphus)*]
longiareolata (Macquart, 1838): ***Culiseta (Allotheobaldia)***
longicornis Grjebine, 1986: ***Mimomyia (Ingramia)***
longicornis Sirivanakarn, 1976: ***Culex (Oculeomyia)***
longifilamentus (Su & Zhang, 1988): ***Ochlerotatus*** (unplaced) [*Ochlerotatus (Ochlerotatus)*]
longiforceps (Edwards, 1929): ***Geoskusea*** [*Ochlerotatus (Geoskusea)*]
longipalpatus Lee, 1946: ***Tripteroides (Rachisoura)***
longipalpis (Grünberg, 1905): ***Zavortinkius*** [*Ochlerotatus (Zavortinkius)*]
longipalpis (Leicester, 1904): ***Armigeres (Leicesteria)***
longipalpis (Theobald, 1903): ***Anopheles (Cellia)***
longipalpis Dong, Zhou & Dong, 1997: ***Tripteroides (Rachionotomyia)***
longipalpus Randolph & O'Neill, 1944: ***Psorophora (Janthinosoma)***
longipes (Fabricius, 1805): ***Johnbelkinia***
longirostris (Leicester, 1908): ***Rhinoskusea*** [*Ochlerotatus (Rhinoskusea)*]
longirostris Brug, 1928: ***Anopheles (Cellia)***
longirostris Leicester, 1908: ***Uranotaenia (Uranotaenia)***
longirostris Theobald, 1901: ***Wyeomyia (Phoniomyia)***
longisetata (Edwards, 1936): ***Aedimorphus*** [*Aedes (Aedimorphus)*]
longisetosa Gong, 1994: ***Topomyia (Topomyia)***
longisiphonus Dong, Zhou & Don, 2001: ***Tripteroides (Tripteroides)***
longitubus da Cunha Ramos & Brunhes, 2004: ***Uranotaenia (Pseudoficalbia)***
lopesi (Correa & Ramalho, 1956): ***Wyeomyia (Phoniomyia)***
lopesi Sirivanakarn & Jakob, 1979: ***Culex (Melanoconion)***
lopezii Cova Garcia, Sutil Oramas & Pulido F., 1974: ***Wyeomyia (Hystatomyia)***
lophoventralis (Theobald, 1910): ***Phagomyia*** [*Ochlerotatus (Finlaya)*]
lorengauai Peters, 1963: ***Tripteroides (Tripteroides)***
lorrainae (Berlin, 1969): ***Howardina*** [*Ochlerotatus (Howardina)*]
lottei (Hamon & Brengues, 1965): ***Catageomyia*** [*Aedes (Aedimorphus)*]
lounibosi Gillies & Coetzee, 1987: ***Anopheles (Cellia)***
lovettae Evans, 1934: ***Anopheles (Cellia)***
lowii Theobald, 1901: ***Uranotaenia (Uranotaenia)***
lowisii (Theobald, 1910): ***Aedimorphus*** [*Aedes (Aedimorphus)*]
lucaris Colless, 1965: ***Culex (Lophoceraomyia)***
lucaris Macdonald & Mattingly, 1960: ***Udaya***
lucianus (Muspratt, 1959): ***Mucidus (Mucidus)*** [*Ochlerotatus (Mucidus)*]
lucifer (Howard, Dyar & Knab, 1913): ***Haemagogus (Haemagogus)***
lucifugus Komp, 1936: ***Culex (Melanoconion)***
lucyae van Someren, 1954: ***Uranotaenia (Pseudoficalbia)***
ludlowae (Theobald, 1903): ***Anopheles (Cellia)***
ludlowae Brunetti, 1920: ***Ficalbia***
ludlowae Dyar & Shannon, 1925: ***Uranotaenia (Uranotaenia)***
lugubris (Barraud, 1928): ***Verrallina (Verrallina)***
lui Long & Li, 1999: ***Heizmannia (Mattinglyia)***
lui Lien, 1968: ***Uranotaenia (Pseudoficalbia)***
luna Belkin, Heinemann & Page, 1970: ***Wyeomyia (Wyeomyia)***
lunata (Theobald, 1901): ***Isostomyia***
lunda da Cunha Ramos, 1993: ***Uranotaenia (Pseudoficalbia)***
lungae Belkin & Schlosser, 1944: ***Anopheles (Cellia)***
lunulata (King & Hoogstraal, 1946): ***Geoskusea*** [*Ochlerotatus (Geoskusea)*]
luridum (McIntosh, 1971): ***Neomelaniconion*** [*Aedes (Neomelaniconion)*]
lutea (Belkin, 1962): ***Coquillettidia (Coquillettidia)***
lutea (Ludlow, 1905): ***Finlaya*** [*Ochlerotatus (Finlaya)*]
luteifemur (Edwards, 1926): ***Ochlerotatus*** (unplaced) [*Ochlerotatus (Ochlerotatus)*]
luteocephala Newstead, 1907: ***Stegomyia*** [*Aedes (Stegomyia)*]
luteola Edwards, 1934: ***Uranotaenia (Pseudoficalbia)***

luteolaterale (Theobald, 1901): **Neomelaniconion** [*Aedes* (*Neomelaniconion*)]
luteopleurus (Theobald, 1903): **Culex** (*Anoedioporpa*)
luteostriata (Robinson, 1950): **Vansomerenis** [*Ochlerotatus* (*Finlaya*)]
luteoventralis Theobald, 1901: **Wyeomyia** (*Dendromyia*)
lutescens (Theobald, 1901): **Toxorhynchites** (*Afrorhynchus*)
lutescens Leicester, 1908: **Uranotaenia** (*Pseudoficalbia*)
lutzi (da Costa Lima, 1930): **Wyeomyia** (*Miamyia*)
lutzii (Theobald, 1901): **Psorophora** (*Janthinosoma*)
lutzii Cruz, 1901: **Anopheles** (*Nyssorhynchus*)
luxodens Hall, Howard & Harbach, 1999: **Sabethes** (*Peytonulus*)
luzonensis (Ludlow, 1905): **Mimomyia** (*Etorleptiomyia*)
luzonensis (Rozeboom, 1946): **Kenknightia** [*Ochlerotatus* (*Kenknightia*)]
luzonensis Sirivanakarn, 1976: **Culex** (*Oculeomyia*)
lygrus Root, 1927: **Culex** (*Culex*)
lynchi (Shannon, 1931): **Coquillettidia** (*Rhynchotaenia*)
mabinii Baisas & Ubaldo-Pagayon, 1953: **Tripteroides** (*Tripteroides*)
macaensis Ribeiro, 1997: **Toxorhynchites** (*Toxorhynchites*)
macarthuri Colless, 1956: **Anopheles** (*Cellia*)
macdonaldi Colless, 1965: **Culex** (*Lophoceraomyia*)
macdonaldi Mattingly, 1957: **Heizmannia** (*Heizmannia*)
macdougalli (Edwards, 1922): **Collessius** (*Collessius*) [*Ochlerotatus* (*Finlaya*)]
macfarlanei (Edwards, 1914): **Collessius** (*Collessius*) [*Ochlerotatus* (*Finlaya*)]
macfarlanei Edwards, 1914: **Uranotaenia** (*Uranotaenia*)
macfieii Edwards, 1923: **Culex** (*Culiciomyia*)
machadoi da Cunha Ramos, 1986: **Uranotaenia** (*Uranotaenia*)
machadoi Mattos, Guedes & Xavier, 1978: **Culex** (*Phytotelmatomyia*)
machardy Edwards, 1930: **Anopheles** (*Cellia*)
macintoshi (Marks, 1959): **Ochlerotatus** (unplaced) [*Ochlerotatus* (*Ochlerotatus*)]
mackerrasi (Taylor, 1927): **Patmarksia** [*Ochlerotatus* (*Finlaya*)]
macmillani (Marks, 1964): **Macleaya** (*Chaetocruimyia*) [*Ochlerotatus* (*Chaetocruimyia*)]
macrodixoa (Dyar & Shannon, 1925): **Verrallina** (*Neomacleaya*)
macrostylus Sirivanakarn & Ramalingam, 1976: **Culex** (*Eumelanomyia*)
maculatus Theobald, 1901: **Anopheles** (*Cellia*)
maculipalpis Giles, 1902: **Anopheles** (*Cellia*)
maculipennis (Theobald, 1911): **Coquillettidia** (*Coquillettidia*)
maculipennis Meigen, 1818: **Anopheles** (*Anopheles*)
maculipes (Theobald, 1903): **Anopheles** (*Anopheles*)
maculipleura Leicester, 1908: **Uranotaenia** (*Pseudoficalbia*)
madagascarensis (van Someren, 1949): **Diceromyia** [*Aedes* (*Diceromyia*)]
madagascarensis da Cunha Ramos & Brunhes, 2004: **Uranotaenia** (*Pseudoficalbia*)
madagascarensis Ribeiro, 2004: **Toxorhynchites** (*Afrorhynchus*)
madagascarica da Cunha Ramos & Brunhes, 2004: **Uranotaenia** (*Uranotaenia*)
madecassorum Rodhain & Boutonnier, 1984: **Orthopodomyia**
madininensis Senevet, 1936: **Culex** (*Melanoconion*)
madrensis Baisas, 1946: **Orthopodomyia**
maehleri (Bohart, 1957): **Stegomyia** [*Aedes* (*Stegomyia*)]
maffii (Taylor & Tenorio, 1974): **Finlaya** [*Ochlerotatus* (*Finlaya*)]
magna (Theobald, 1905): **Runchomyia** (*Ctenogoeldia*)
magnesianus (Edwards, 1924): **Tripteroides** (*Tripteroides*)
magnificus (Leicester, 1908): **Toxorhynchites** (*Toxorhynchites*)
magnus (Theobald, 1901): **Deinocerites**
magnus (Theobald, 1908): **Armigeres** (*Leicesteria*)
mahaffyi van Someren, 1949: **Eretmapodites**
mahantai Bhattacharyya, Prakash, Mohapatra & Sarma, 2009: **Armigeres** (*Armigeres*)
maiae (Edwards, 1917): **Armigeres** (*Armigeres*)
majidi Young & Majid, 1928: **Anopheles** (*Cellia*)
malayensis (Colless, 1962): **Stegomyia** [*Aedes* (*Stegomyia*)]
malayensis Sirivanakarn, 1972: **Culex** (*Eumelanomyia*)
malayi (Leicester, 1908): **Culex** (*Eumelanomyia*)
malayi (Theobald, 1901): **Armigeres** (*Armigeres*)

malayi Delfinado & Hodges, 1968: *Tripteroides (Tripteroides)*
malayi Leicester, 1908: *Hodgesia*
malaysiensis Ramalingam & Banu, 1987: *Topomyia (Topomyia)*
malefactor Dyar & Knab, 1907: *Anopheles (Anopheles)*
malfeyti (Newstead, 1907): *Ficalbia*
maliensis Bailly-Choumara & Adam, 1959: *Anopheles (Cellia)*
malikuli (Huang, 1973): *Stegomyia (Huangmyia)* [*Aedes (Stegomyia)*]
mallochii (Taylor, 1944): '*Ochlerotatus (Finlaya)*'
malvari Baisas & Ubaldo-Pagayon, 1953: *Tripteroides (Tripteroides)*
mammilifer (Leicester, 1908): *Culex (Lophoceraomyia)*
mamoedjoensis (Mattingly, 1958): *Canraedes* [*Aedes (Canraedes)*]
manakaraensis da Cunha Ramos & Brunhes, 2004: *Uranotaenia (Pseudoficalbia)*
manalangi Baisas, 1935: *Armigeres (Armigeres)*
manalangi Mendoza, 1940: *Anopheles (Anopheles)*
mangyanus (Banks, 1906): *Anopheles (Cellia)*
manicatus (Edwards, 1921): *Toxorhynchites (Toxorhynchites)*
manopi Thurman, 1959: *Toxorhynchites (Toxorhynchites)*
mansouri (Qutubuddin, 1959): *Aedimorphus* [*Aedes (Aedimorphus)*]
manusensis Sirivanakarn, 1975: *Culex (Eumelanomyia)*
maplei Knight & Hurlbut, 1949: *Culex (Culiciomyia)*
maracayensis Evans, 1923: *Culex (Culex)*
marajoara Galvão & Damasceno, 1942: *Anopheles (Nyssorhynchus)*
marceli (Mattingly, 1953): *Malaya*
marcellei Adam & Hamon, 1959: *Eretmapodites*
marchettei Garcia, Jeffery & Rudnick, 1969: *Culiseta (Climacura)*
margarsen (Dyar & Shannon, 1925): *Verrallina (Neomacleaya)*
margina Gong & Lu, 1995: *Topomyia (Topomyia)*
mariae (Bourroul, 1904): *Toxorhynchites (Lynchiella)*
mariae (Sergent & Sergent, 1903): *Acartomyia* [*Ochlerotatus (Ochlerotatus)*]
marinkellei (Berlin, 1969): *Howardina* [*Ochlerotatus (Howardina)*]
marksae Dobrotworsky, 1965: *Tripteroides (Polylepidomyia)*
marksae Grjebine, 1986: *Mimomyia (Ingramia)*
marksae King & Hoogstraal, 1955: *Culex (Lophoceraomyia)*
marquesensis Stone & Rosen, 1953: *Culex (Culex)*
marshallensis (Stone & Bohart, 1944): *Stegomyia* [*Aedes (Stegomyia)*]
marshallii (Theobald, 1901): *Albuginosus* [*Aedes (Albuginosus)*]
marshallii (Theobald, 1903): *Anopheles (Cellia)*
marteri Senevet & Prunnelle, 1927: *Anopheles (Anopheles)*
martiali Senevet & Abonnenc, 1939: *Limatus*
martinei (Doucet, 1951): *Mimomyia (Etorleptiomyia)*
martineti (Senevet, 1937): *Ochlerotatus* (unplaced) [*Ochlerotatus (Ochlerotatus)*]
martinezi (Berlin, 1969): *Howardina* [*Ochlerotatus (Howardina)*]
martinezi Casal & García, 1968: *Culex (Melanoconion)*
martinii Medschid, 1930: *Culex (Neoculex)*
martinius Shingarev, 1926: *Anopheles (Anopheles)*
mascarensis (MacGregor, 1924): *Stegomyia (Stegomyia)* [*Aedes (Stegomyia)*]
mascarensis de Meillon, 1947: *Anopheles (Cellia)*
masculinus (Mattingly, 1958): *Canraedes* [*Aedes (Canraedes)*]
mashonaensis Theobald, 1901: *Uranotaenia (Pseudoficalbia)*
masoalensis (Fontenille & Brunhes, 1985): *Aedimorphus* [*Aedes (Aedimorphus)*]
masseyi (Edwards, 1923): *Stegomyia* [*Aedes (Stegomyia)*]
mathesoni Belkin & Heinemann, 1975: *Psorophora (Janthinosoma)*
mathesoni Belkin & Hogue, 1959: *Deinocerites*
mathesoni Belkin, 1950: *Tripteroides (Rachisoura)*
mathesoni Lane, 1943: *Uranotaenia (Uranotaenia)*
mathioti (Fontenille & Brunhes, 1985): *Aedimorphus* [*Aedes (Aedimorphus)*]
mattinglyi Grjebine, 1986: *Mimomyia (Ingramia)*
mattinglyi (Hamon & Rickenbach, 1954): *Aedimorphus* [*Aedes (Aedimorphus)*]
mattinglyi Hamon & van Someren, 1961: *Eretmapodites*
mattinglyi Knight, 1953: *Culex (Culex)*

mattinglyi Lane, 1953: *Wyeomyia* (*Cruzmyia*)
mattinglyi Qutubuddin, 1951: *Uranotaenia* (*Pseudoficalbia*)
mattinglyi Thurman, 1959: *Heizmannia* (*Heizmannia*)
mattinglyorum (Huang, 1994): *Stegomyia* [*Aedes* (*Stegomyia*)]
matto grossensis Lutz & Neiva, 1911: *Anopheles* (*Anopheles*)
mauesensis Lane, 1945: *Culex* (*Culex*)
maverlius Reinert, 1997: *Anopheles* (*Anopheles*)
maxgermaini (Huang, 1990): *Stegomyia* [*Aedes* (*Stegomyia*)]
maxi Dyar, 1928: *Culex* (*Culex*)
maxima Leicester, 1908: *Uranotaenia* (*Pseudoficalbia*)
maximalepido Dong, Zhou & Gong, 2004: *Heizmannia* (*Heizmannia*)
maximus Edwards, 1922: *Armigeres* (*Armigeres*)
maxinocca Dyar, 1920: *Culex* (*Melanoconion*)
mayeri Edwards, 1912: *Uranotaenia* (*Uranotaenia*)
mayerottensis Brunhes, 1977: *Uranotaenia* (*Uranotaenia*)
mccormicki (Belkin, 1962): *Verrallina* (*Verrallina*)
mcdonaldi (Belkin, 1962): *Ochlerotatus* (*Gilesia*) [*Ochlerotatus* (*Ochlerotatus*)]
mcdonaldi Belkin & Hogue, 1959: *Deinocerites*
mcintoshii (Huang, 1985): *Neomelaniconion* [*Aedes* (*Neomelaniconion*)]
medialis (Brug, 1932): *Huaedes* [*Aedes* (*Huaedes*)]
medioalbipes Lutz, 1904: *Wyeomyia* (*Wyeomyia*)
mediolineata (Theobald, 1904): *Mimomyia* (*Etorleptomyia*)
mediolineatus (Theobald, 1901): *Aedimorphus* [*Aedes* (*Aedimorphus*)]
mediopunctata Theobald, 1905: *Stegomyia* (*Huangmyia*) [*Aedes* (*Stegomyia*)]
mediopunctatus Lutz, 1903: *Anopheles* (*Anopheles*)
mediovittata (Coquillett, 1906): *Gymnometopa* [*Ochlerotatus* (*Gymnometopa*)]
medleri (Knight & Laffoon, 1946): *Finlaya* [*Ochlerotatus* (*Finlaya*)]
mefouensis (Ferrara, 1974): *Diceromyia* [*Aedes* (*Diceromyia*)]
megafolius Chen & Dong, 1992: *Culex* (*Eumelanomyia*)
megaloba Luh, Chao & Heu, 1974: *Culiseta* (*Culiseta*)
megaonychus Yang, Li & Chen, 1993: *Culex* (*Culiciomyia*)
melanesiensis Belkin, 1955: *Tripteroidea* (*Polylepidomyia*)
melanesiensis Belkin, 1962: *Mansonia* (*Mansonioides*)
melanimon (Dyar, 1924): *Ochlerotatus* (unplaced) [*Ochlerotatus* (*Ochlerotatus*)]
melanocephala Dyar & Knab, 1906: *Wyeomyia* (subgenus uncertain)
melanonymphe Dyar, 1924: *Sabethes* (*Sabethinus*)
melanoon Hackett, 1934: *Anopheles* (*Anopheles*)
melanophylum Dyar & Knab, 1907: *Deinocerites*
melanopous Graham, 1909: *Eretmapodites*
melanoptera (Giles, 1904): *Phagomyia* [*Ochlerotatus* (*Finlaya*)]
melanopus Dyar, 1919: *Wyeomyia* (*Wyeomyia*)
melanota Cerqueira, 1943: *Psorophora* (*Janthinosoma*)
melanura (Coquillett, 1902): *Culiseta* (*Climacura*)
melas Theobald, 1903: *Anopheles* (*Cellia*)
memorans (Bonne-Wepster, 1930): *Coquillettia* (*Coquillettia*)
mendacis (Daniels, 1908): *Tripteroidea* (*Tripteroidea*)
mendiolai Baisas, 1935: *Uranotaenia* (*Uranotaenia*)
mengalagensis Ma, 1981: *Anopheles* (*Anopheles*)
mengi Chen, Wang & Zhao, 1989: *Uranotaenia* (*Pseudoficalbia*)
mengi Dong, Wang & Lu, 1990: *Topomyia* (*Suaymyia*)
menglaensis Dong, Zhou & Dong, 2002: *Armigeres* (*Leicesteria*)
menglianensis Lu & Gong, 1986: *Heizmannia* (*Heizmannia*)
menglianeroides Dong, Dong & Zhou, 2003: *Heizmannia* (*Heizmannia*)
menoni (Mattingly, 1958): *Paraedes* [*Aedes* (*Paraedes*)]
meprai (Martinez & Prosen, 1953): *Ochlerotatus* (*Ochlerotatus*)
meraukensis Venhuis, 1932: *Anopheles* (*Cellia*)
mercurator (Dyar, 1920): *Ochlerotatus* (unplaced) [*Ochlerotatus* (*Ochlerotatus*)]
meronephada Dyar & Shannon, 1925: *Catantassomyia* [*Aedes* (*Diceromyia*)]
merus Dönitz, 1902: *Anopheles* (*Cellia*)
mesodontatus Komp & Kumm, 1938: *Haemagogus* (*Haemagogus*)

mesodenticulatus Galindo & Mendez, 1961: **Culex (Melanoconion)**
messeae Falleroni, 1926: **Anopheles (Anopheles)**
metallica (Edwards, 1912): **Stegomyia [Aedes (Stegomyia)]**
metallica (Theobald, 1901): **Coquillettidia (Coquillettidia)**
metallicus Leicester, 1904: **Toxorhynchites (Toxorhynchites)**
metatarsata Edwards, 1914: **Uranotaenia (Uranotaenia)**
metempsytus Dyar, 1921: **Culex (Carrollia)**
metoecopus (Dyar, 1925): 'Ochlerotatus (Protomacleaya)'
mexicana (Bellardi, 1859): **Psorophora (Janthinosoma)**
miaolingensis Chen, 1982: **Culex (Eumelanomyia)**
micans Leicester, 1908: **Uranotaenia (Uranotaenia)**
michaelikati (van Someren, 1946): **Pseudarmigeres [Aedes (Pseudarmigeres)]**
mickevichae (Huang, 1988): **Stegomyia [Aedes (Stegomyia)]**
micolo Ribeiro, da Cunha Ramos, Capela & Pires, 1998: **Culex (Eumelanomyia)**
microannulata (Theobald, 1911): **Coquillettidia (Coquillettidia)**
microcala (Dyar, 1929): **Tripteroides (Tricholeptomysia)**
microlepis (Edwards, 1927): **Tripteroides (Polylepidomyia)**
micromelas Edwards, 1934: **Uranotaenia (Pseudoficalbia)**
microphyllus Root, 1927: **Culex (Microculex)**
micropterus (Giles, 1901): **Dendroskusea [Aedes (Diceromyia)]**
microsticta (Edwards, 1936): **Catageiomyia [Aedes (Aedimorphus)]**
mijanae Brunhes, Adam & Bailly-Choumara, 1967: **Culex (Eumelanomyia)**
mikrokopion (Knight & Harrison, 1988): **Downsiomyia [Ochlerotatus (Finlaya)]**
millecampsi Lips, 1960: **Anopheles (Cellia)**
milleri (Dyar, 1922): **Ochlerotatus** (unplaced) [**Ochlerotatus (Ochlerotatus)**]
millironi Belkin, 1962: **Culex (Neoculex)**
milloti Doucet, 1949: **Culex (Culiciomyia)**
milloti Doucet, 1951: **Orthopodomysia**
milloti Grjebine & Lacan, 1953: **Anopheles (Cellia)**
milloti Grjebine, 1986: **Mimomyia (Ingramia)**
milnensis (King & Hoogstraal, 1947): **Verrallina (Verrallina)**
milnensis Lee, 1944: **Armigeres (Armigeres)**
milsoni (Taylor, 1915): **Dobrotworskyius [Ochlerotatus (Finlaya)]**
milwardi Xavier & da Silva Mattos, 1972: **Culex (Melanoconion)**
mimeticus Noè, 1899: **Culex (Culex)**
mimomyiaformis (Newstead, 1907): **Mimomyia (Mimomyia)**
mimuloides Barraud, 1924: **Culex (Culex)**
mimulus Edwards, 1915: **Culex (Culex)**
minima (Theobald, 1901): **Ficalbia**
minimus (Theobald, 1905): **Toxorhynchites (Toxorhynchites)**
minimus Theobald, 1901: **Anopheles (Cellia)**
minjensis Sirivanakarn, 1968: **Culex (Lophoceraomyia)**
minnesotae Barr, 1957: **Culiseta (Culicella)**
minor (Leicester, 1908): **Culex (Lophoceraomyia)**
minor da Costa Lima, 1929: **Anopheles (Anopheles)**
minor Leicester, 1908: **Topomyia (Topomyia)**
minutissimus (Theobald, 1907): **Culex (Lophoceraomyia)**
minuta (Theobald, 1901): **Catageiomyia [Aedes (Aedimorphus)]**
miraculosus Bonne-Wepster, 1937: **Culex (Culex)**
mirans Sallum & Peyton, 2005: **Anopheles (Cellia)**
mirificus Edwards, 1913: **Culex (Culex)**
misionensis Duret, 1953: **Culex (Melanoconion)**
mistura Komp & Rozeboom, 1951: **Culex (Melanoconion)**
mitchellae (Dyar, 1905): **Ochlerotatus (Culicelsa) [Ochlerotatus (Ochlerotatus)]**
mitchellii (Theobald, 1905): **Wyeomyia (Wyeomyia)**
mixta (Edwards, 1936): **Catageiomyia [Aedes (Aedimorphus)]**
miyagii Mogi & Toma, 1999: **Culex (Acallyntrum)**
miyagii Toma & Mogi, 2003: **Kimia**
mjobergi (Edwards, 1926): **Downsiomyia [Ochlerotatus (Finlaya)]**
moctezuma (Dyar & Knab, 1906): **Toxorhynchites (Lynchiella)**

modesta (King & Hoogstraal, 1946): *Mimomyia* (*Mimomyia*)
modesta Leicester, 1908: *Uranotaenia* (*Pseudoficalbia*)
modestus Ficalbi, 1890: *Culex* (*Barraudius*)
moerbista (Dyar & Knab, 1919): *Wyeomyia* (subgenus uncertain)
moghulensis Christophers, 1924: *Anopheles* (*Cellia*)
mogii Miyagi, Toma & Higa, 2004: *Mimomyia* (*Ingramia*)
mohani (Knight, 1969): *Downsiomyia* [*Ochlerotatus* (*Finlaya*)]
mohani Sirivanakarn, 1977: *Culex* (*Eumelanomyia*)
mollis Dyar & Knab, 1906: *Culex* (*Culex*)
moloiensis (Taylor, 1929): *Macleaya* (*Chaetocruimyia*) [*Ochlerotatus* (*Chaetocruimyia*)]
monetifer (Dyar, 1920): *Tripteroides* (*Tripteroides*)
monetus (Edwards, 1935): *Zavortinkius* [*Ochlerotatus* (*Zavortinkius*)]
mongiro van Someren, 1951: *Culex* (*Culiciomyia*)
monocellatus (Marks, 1948): '*Ochlerotatus* (*Finlaya*)'
montrichus (Edwards, 1936): *Neomelaniconion* [*Aedes* (*Neomelaniconion*)]
montana Ingram & de Meillon, 1927: *Uranotaenia* (*Pseudoficalbia*)
montanus Stanton & Wacker, 1917: *Anopheles* (*Anopheles*)
montchadskyi (Dubitsky, 1968): *Ochlerotatus* (unplaced) [*Ochlerotatus* (*Ochlerotatus*)]
monticola (Belkin & McDonald, 1957): *Jarnellius* (*Jarnellius*) [*Ochlerotatus* (*Ochlerotatus*)]
moralesi (Dyar & Knab, 1919): *Shannoniana*
moramangae da Cunha Ramos & Brunhes, 2004: *Uranotaenia* (*Uranotaenia*)
moresbyensis Peters, 1963: *Uranotaenia* (*Uranotaenia*)
morsitans (Theobald, 1901): *Culiseta* (*Culicella*)
mortiauxi Cunha Ramos & Ribeiro, 1990: *Eretmapodites*
mortiauxi Edwards, 1938: *Anopheles* (*Cellia*)
moucheti (Hamon & Adam, 1955): *Malaya*
moucheti (Ravaonjanahary & Brunhes, 1977): *Skusea* [*Aedes* (*Skusea*)]
moucheti Evans, 1923: *Culex* (*Kitzmilleria*)
moucheti Evans, 1925: *Anopheles* (*Cellia*)
moufiedi Peyton, 1977: *Uranotaenia* (*Pseudoficalbia*)
moultoni Edwards, 1914: *Armigeres* (*Armigeres*)
moultoni Edwards, 1914: *Uranotaenia* (*Pseudoficalbia*)
mousinhoi de Meillon & Pereira, 1940: *Anopheles* (*Cellia*)
mpusiensis (Huang, 2004): *Stegomyia* [*Aedes* (*Stegomyia*)]
mubiensis Luh & Shih, 1958: *Aedes* [*Aedes* (*Aedes*)]
mucidus (Karsch, 1887): *Mucidus* (*Mucidus*) [*Ochlerotatus* (*Mucidus*)]
muehlensi Petrocchi, 1927: *Wyeomyia* (*Phoniomyia*)
muelleri (Dyar, 1920): *Lewnielsenius* [*Ochlerotatus* (*Ochlerotatus*)]
mulrennani Basham, 1948: *Culex* (*Melanoconion*)
multicinctus Edwards, 1930: *Anopheles* (*Cellia*)
multicolor Cambouliu, 1902: *Anopheles* (*Cellia*)
multifolium (King & Hoogstraal, 1947): *Verrallina* (*Verrallina*)
multiplax (Theobald, 1903): *Ochlerotatus* (*Pseudoskusea*)
mundulus Grünberg, 1905: *Culex* (*Eumelanomyia*)
muroafcete (Huang, 1997): *Stegomyia* [*Aedes* (*Stegomyia*)]
murphyi Gillies & de Meillon, 1968: *Anopheles* (*Cellia*)
murrelli Lien, 1968: *Culex* (*Culex*)
muruae Sirivanakarn, 1968: *Culex* (*Lophoceraomyia*)
musarum Edwards, 1932: *Culex* (*Culex*)
musarum Edwards, 1936: *Uranotaenia* (*Pseudoficalbia*)
muspratti Hamon & Lambrecht, 1959: *Culex* (*Culiciomyia*)
mutator Dyar & Knab, 1906: *Culex* (*Melanoconion*)
mutila (Edwards, 1936): *Catageiomyia* [*Aedes* (*Aedimorphus*)]
mystes Dyar, 1924: *Wyeomyia* (*Spilonympha*)
mzooi (van Someren, 1962): *Zavortinkius* [*Ochlerotatus* (*Zavortinkius*)]
nailoni King & Hoogstraal, 1946: *Culex* (*Culiciomyia*)
nairobiensis (van Someren, 1946): *Toxorhynchites* (*Afrorhynchus*)
nakuruensis Mattingly, 1951: *Culex* (*Culex*)
namibiensis Coetzee, 1984: *Anopheles* (*Anopheles*)
natalensis (Edwards, 1930): *Pseudarmigeres* [*Aedes* (*Pseudarmigeres*)]

natalensis (Hill & Haydon, 1907): **Anopheles (Cellia)**
nataliae Belkin, 1945: **Anopheles (Cellia)**
nataliae Gornostaeva, 2005: **Aedes** [Aedes (Aedes)]
nataliae Lynch Arribálzaga, 1891: **Uranotaenia (Uranotaenia)**
natronius (Edwards, 1932): **Aedimorphus** [Aedes (Aedimorphus)]
navalis Edwards, 1926: **Culex (Lophoceraomyia)**
neavei Theobald, 1906: **Culex (Culex)**
nebulosus Arnell, 1973: **Haemagogus (Haemagogus)**
nebulosus Theobald, 1901: **Culex (Culiciomyia)**
neglectus Lutz, 1904: **Culex (Microculex)**
negrensis Gordon & Evans, 1922: **Wyeomyia** (subgenus uncertain)
neireti Edwards, 1920: **Uranotaenia (Uranotaenia)**
neivai (Lane & Coutinho, 1940): **Coquillettidia (Rhynchotaenia)**
neivai Howard, Dyar & Knab, 1913: **Anopheles (Kerteszia)**
nemophilous Peyton & Ramalingam, 1988: **Anopheles (Cellia)**
nemorosa Gong, 1996: **Kimia**
neoafricana (Cornet, Valade & Dieng, 1978): **Stegomyia** [Aedes (Stegomyia)]
neogalloisi (Chen & Chen, 2000): **Stegomyia** [Aedes (Stegomyia)]
neogeorgiana (Belkin, 1962): **Finlaya** [Ochlerotatus (Finlaya)]
neomacrodixoa (King & Hoogstraal, 1947): **Verrallina (Neomacleaya)**
neomaculipalpus Curry, 1931: **Anopheles (Anopheles)**
neopandani (Bohart, 1957): **Stegomyia (Bohartius)** [Aedes (Stegomyia)]
neotibialis King & Hoogstraal, 1947: **Uranotaenia (Uranotaenia)**
nepenthes (Theobald, 1912): **Uranotaenia (Pseudoficalbia)**
nepenthicola (Banks, 1909): **Tripteroides (Tricholeptomyia)**
nepenthicola Miyagi & Toma, 2007: **Topomyia (Suaymyia)**
nepenthicola Steffan & Evenhuis, 1982: **Toxorhynchites (Toxorhynchites)**
nepenthis (Dyar & Shannon, 1925): **Toxorhynchites (Toxorhynchites)**
nepenthis (Edwards, 1915): **Tripteroides (Rachionotomyia)**
nepenthisimilis Mattingly, 1981: **Tripteroides (Rachionotomyia)**
nevadensis (Chapman & Barr, 1964): **Ochlerotatus** (unplaced) [Ochlerotatus (Ochlerotatus)]
ngong (van Someren, 1950): **Albuginosus** [Aedes (Albuginosus)]
nicaroensis Duret, 1967: **Culex (Nicaromyia)**
nicceriensis Bonne-Wepster & Bonne, 1920: **Culex (Melanoconion)**
nicoyae Adames & Hogue, 1970: **Deinocerites**
niger (Leicester, 1908): **Culex (Lophoceraomyia)**
nigeriae Edwards, 1930: **Hodgesia**
nigeriensis Ribeiro, 2005: **Toxorhynchites (Afrorhynchus)**
nigerrimus Giles, 1900: **Anopheles (Anopheles)**
nigerrimus Theobald, 1913: **Mucidus (Mucidus)** [Ochlerotatus (Mucidus)]
nigerrimus Dong, Zhou & Gong, 2004: **Toxorhynchites (Toxorhynchites)**
nigra (Theobald, 1901): **Ficalbia**
nigra Leicester, 1908: **Topomyia (Topomyia)**
nigricans (Coquillett, 1904): **Coquillettidia (Rhynchotaenia)**
nigricephala Clastrier & Claustre, 1978: **Wyeomyia** (subgenus uncertain)
nigricephala da Cunha Ramos & Brunhes, 2004: **Uranotaenia (Pseudoficalbia)**
nigricephalus (Theobald, 1901): **Aedimorphus** [Aedes (Aedimorphus)]
nigrimacula Lane & Whitman, 1943: **Culex** (subgenus uncertain)
nigrinus (Eckstein, 1918): **Ochlerotatus** (unplaced) [Ochlerotatus (Ochlerotatus)]
nigripalpus Theobald, 1901: **Culex (Culex)**
nigripes (Edwards, 1935): **Toxorhynchites (Toxorhynchites)**
nigripes (Theobald, 1905): **Uranotaenia (Pseudoficalbia)**
nigripes (Zetterstedt, 1838): **Ochlerotatus** (unplaced) [Ochlerotatus (Ochlerotatus)]
nigripleura da Cunha Ramos & Brunhes, 2004: **Uranotaenia (Pseudoficalbia)**
nigritarsis (Chagas, 1907): **Anopheles (Nyssorhynchus)**
nigritarsis (Wolfs, 1958): **Coquillettidia (Coquillettidia)**
nigrithorax (Macquart, 1847): **Ochlerotatus** (unplaced) [Ochlerotatus (Ochlerotatus)]
nigrithorax (Theobald, 1910): **Coquillettidia (Coquillettidia)**
nigritubus Galindo, Carpenter & Trapido, 1951: **Wyeomyia (Wyeomyia)**
nigrocaneus (Martini, 1927): **Ochlerotatus** (unplaced) [Ochlerotatus (Ochlerotatus)]

nigrochracea (Bonne-Wepster, 1930): *Coquillettidia* (*Coquillettidia*)
nigromaculata Edwards, 1941: *Uranotaenia* (*Pseudoficalbia*)
nigromaculis (Ludlow, 1906): *Ochlerotatus* (*Culicelsa*) [*Ochlerotatus* (*Ochlerotatus*)]
nigropterum le Goff, Boussés & Brunhes, 2007: *Neomelaniconion*
nigropunctatus Edwards, 1926: *Culex* (*Culiciomyia*)
nigrorhynchus (Brug, 1931): *Hulecoeteomyia* [*Ochlerotatus* (*Finlaya*)]
nigrosignata (Edwards, 1917): *Coquillettidia* (*Coquillettidia*)
nigrostriatus Barraud, 1927: *Aedimorphus* [*Aedes* (*Aedimorphus*)]
nigrotarsis (Ludlow, 1908): *Verrallina* (*Neomacleaya*)
nilgiricus Christophers, 1924: *Anopheles* (*Anopheles*)
nilgiricus Edwards, 1916: *Culex* (*Culex*)
nili (Theobald, 1904): *Anopheles* (*Cellia*)
nimbus (Theobald, 1902): *Anopheles* (*Stethomyia*)
nimpe Nguyen, Tran & Harbach, 2000: *Anopheles* (*Anopheles*)
ninagongoensis Edwards, 1928: *Culex* (*Culex*)
ninghensis (Lei, 1989): *Collessius* (*Collessius*) [*Ochlerotatus* (*Finlaya*)]
niphadopsis (Dyar & Knab, 1918): *Ochlerotatus* (unplaced) [*Ochlerotatus* (*Ochlerotatus*)]
nippononivea (Sasa & Nakahashi, 1952): *Downsiomyia* [*Ochlerotatus* (*Finlaya*)]
nipponica (LaCasse & Yamaguti, 1948): *Downsiomyia* [*Ochlerotatus* (*Finlaya*)]
nipponica LaCasse & Yamaguti, 1950: *Culiseta* (*Culicella*)
nishikawai (Tanaka, Mizusawa & Saugstad, 1979): *Downsiomyia* [*Ochlerotatus* (*Finlaya*)]
nissanensis Lee, 1946: *Tripteroides* (*Tripteroides*)
nitens (Cerqueira, 1943): *Coquillettidia* (*Rhynchotaenia*)
nitidoventer (Giles, 1904): *Tripteroides* (*Tripteroides*)
nitidus Harrison, Scanlon & Reid, 1973: *Anopheles* (*Anopheles*)
nitidus Theobald, 1901: *Sabethes* (*Sabethes*)
nivalis (Edwards, 1926): *Ochlerotatus* (unplaced) [*Ochlerotatus* (*Ochlerotatus*)]
nivea (Ludlow, 1903): *Downsiomyia* [*Ochlerotatus* (*Finlaya*)]
nivea Leicester, 1908: *Uranotaenia* (*Uranotaenia*)
niveitaeniata (Theobald, 1907): *Culiseta* (*Culiseta*)
niveoides (Barraud, 1934): *Downsiomyia* [*Ochlerotatus* (*Finlaya*)]
niveoscutum (Zavortink, 1972): '*Ochlerotatus* (*Protomacleaya*)'
nivipes (Theobald, 1903): *Anopheles* (*Cellia*)
nivipes (Theobald, 1905): *Uranotaenia* (*Uranotaenia*)
nivipleura Leicester, 1908: *Uranotaenia* (*Pseudoficalbia*)
nivipous Theobald, 1912: *Uranotaenia* (*Pseudoficalbia*)
njombiensis (Huang, 1997): *Stegomyia* [*Aedes* (*Stegomyia*)]
njombiensis Peters, 1955: *Anopheles* (*Cellia*)
nkolbissonensis Rickenbach & Hamon, 1966: *Orthopodomyia*
nobukonis (Yamada, 1932): *Verrallina* (*Harbachius*)
nocticola Peyton, 1977: *Uranotaenia* (*Pseudoficalbia*)
noniae Reid, 1963: *Anopheles* (*Anopheles*)
normanensis (Taylor, 1915): *Ochlerotatus* (unplaced) [*Ochlerotatus* (*Ochlerotatus*)]
notabilis (Delfinado, 1967): *Verrallina* (*Neomacleaya*)
notanandai Rattanarithikul & Green, 1987: *Anopheles* (*Cellia*)
notleyi van Someren, 1949: *Anopheles* (*Cellia*)
notoscripta (Skuse, 1889): *Rampamyia* [*Ochlerotatus* (*Finlaya*)]
novaezealandiae Pillai, 1966: *Culiseta* (*Climacura*)
novaguinensis Peters, 1963: *Uranotaenia* (*Uranotaenia*)
novaguinensis Venhuis, 1933: *Anopheles* (*Cellia*)
novalbitarsis (King & Hoogstraal, 1946): *Patmarksia* [*Ochlerotatus* (*Finlaya*)]
novalbopicta (Barraud, 1931): *Stegomyia* [*Aedes* (*Stegomyia*)]
novobscura Barraud, 1934: *Uranotaenia* (*Pseudoficalbia*)
novochracea (Barraud, 1927): *Coquillettidia* (*Coquillettidia*)
novohanoverae Peters, 1963: *Tripteroides* (*Tripteroides*)
novonivea (Barraud, 1934): *Downsiomyia* [*Ochlerotatus* (*Finlaya*)]
nubicola (Laffoon, 1946): *Verrallina* (*Neomacleaya*)
nubilis (Theobald, 1903): *Ochlerotatus* (*Protoculex*) [*Ochlerotatus* (*Ochlerotatus*)]
nummatus (Edwards, 1923): *Tewarius* [*Aedes* (*Diceromyia*)]
nuneztovari Gabaldon, 1940: *Anopheles* (*Nyssorhynchus*)

nyasae (Edwards, 1930): *Hopkinsius (Hopkinsius)* [*Ochlerotatus (Finlaya)*]
nyounae (Hamon & Adam, 1959): *Catageomyia* [*Aedes (Aedimorphus)*]
oakleyi (Stone, 1939): *Aedimorphus* [*Aedes (Aedimorphus)*]
oblita (Lutz, 1904): *Wyeomyia (Miamiya)*
obscura Edwards, 1915: *Uranotaenia (Pseudoficalbia)*
obscura Tenorio, 1975: *Bironella (Brugella)*
obscurum Lane & Cerqueira, 1942: *Trichoprosopon*
obscurus (Grünberg, 1905): *Anopheles (Anopheles)*
obscurus (Leicester, 1908): *Culex (Acalleoemyia)*
obscurus Brug, 1934: *Tripteroides (Rachisoura)*
obsoleta (Huang, 1968): *Verrallina (Verrallina)*
obturbans (Walker, 1859): *Armigeres (Armigeres)*
obturbator (Dyar & Knab, 1907): *Ochlerotatus (Ochlerotatus)*
occidentalis (Skuse, 1889): *Dobrotworskyius* [*Ochlerotatus (Finlaya)*]
occidentalis Dyar & Knab, 1906: *Anopheles (Anopheles)*
occidentayunnana (Gong & Lu, 1991): *Heizmannia (Mattinglyia)*
occulta Bonne-Wepster & Bonne, 1919: *Wyeomyia* (subgenus uncertain)
oceanica (Belkin, 1962): *Finlaya* [*Ochlerotatus (Finlaya)*]
ocellatus Theobald, 1903: *Culex* (subgenus uncertain)
ochracea (Theobald, 1903): *Coquillettidia (Coquillettidia)*
ochraceus (Theobald, 1901): *Aedimorphus* [*Aedes (Aedimorphus)*]
ochripes (Macquart, 1850): *Psorophora (Psorophora)*
ochroptera (Peus, 1935): *Culiseta (Culicella)*
ocossa Dyar & Knab, 1919: *Culex (Melanoconion)*
oedipodeios Graham, 1909: *Eretmapodites*
oedipus Root, 1927: *Culex (Melanoconion)*
ohamai Tanaka, Mizusawa & Saugstad, 1975: *Uranotaenia (Pseudoficalbia)*
oikitorakras Osorno-Mesa, 1947: *Anopheles (Lophopodomyia)*
okinawae Bohart, 1953: *Culex (Eumelanomyia)*
okinawanus (Bohart, 1946): *Bruceharrisonius* [*Ochlerotatus (Bruceharrisonius)*]
okinawensis Toma, Miyagi & Tanaka, 1990: *Toxorhynchites (Toxorhynchites)*
okuensis Brunhes, le Goff & Geoffroy, 1997: *Anopheles (Anopheles)*
oligopistus (Dyar, 1918): *Ochlerotatus (Protoculex)* [*Ochlerotatus (Ochlerotatus)*]
olimpioi Xavier, da Silva & da Silva Mattos, 1970: *Culex (Melanoconion)*
omani Belkin, 1962: *Culex (Culex)*
omissus (Edwards, 1914): *Armigeres (Leicesteria)*
omorii (Lien, 1968): *Downsiomyia* [*Ochlerotatus (Finlaya)*]
omorii Sakakibara, 1959: *Anopheles (Anopheles)*
opok (Corbet & van Someren, 1962): *Stegomyia* [*Aedes (Stegomyia)*]
orbitae (Edwards, 1922): *Aedimorphus* [*Aedes (Aedimorphus)*]
orbostiensis Dobrotworsky, 1958: *Culex (Lophoceraomyia)*
oreophilus Edwards, 1916: '*Ochlerotatus (Finlaya)*'
oresbius Harbach & Rattanarithikul, 1988: *Culex (Eumelanomyia)*
orfilai Duret, 1953: *Culex (Melanoconion)*
orientalis Barraud, 1926: *Uranotaenia (Uranotaenia)*
orientalis Edwards, 1921: *Culex (Culex)*
originator Gordon & Evans, 1922: *Culex (Anoedioporpa)*
ornata Theobald, 1909: *Uranotaenia (Pseudoficalbia)*
ornatothoracis Theobald, 1909: *Culex (Culex)*
orstom Brunhes, Adam & Bailly-Choumara, 1967: *Culex (Eumelanomyia)*
orthodoxa Dyar, 1921: *Uranotaenia (Uranotaenia)*
ortizi Vargas & Diaz Nájera, 1961: *Sabethes (Sabethes)*
oryzalimnetes Wilkerson & Motoki, 2009: *Anopheles (Nyssorhynchus)*
osornoi (Berlin, 1969): *Howardina* [*Ochlerotatus (Howardina)*]
ostentatio (Leicester, 1908): *Paraedes* [*Aedes (Paraedes)*]
oswaldoi (Peryassú, 1922): *Anopheles (Nyssorhynchus)*
otachati Klein & Sirivanakarn, 1970: *Culex (Eumelanomyia)*
oteizai Perez Viguera, 1956: *Uranotaenia (Uranotaenia)*
ototomo da Cunha Ramos, 1993: *Uranotaenia (Pseudoficalbia)*
otwayensis (Dobrotworsky, 1960): *Culiseta (Culicella)*

ousqua Dyar, 1918: **Culex (Culex)**
ovazzai (Hamon & Adam, 1959): **Aedimorphus** [*Aedes (Aedimorphus)*]
ovengensis Awono-Ambene, Simard, Antonio-Nkonkjo & Fontenille, 2004: **Anopheles (Cellia)**
oweni Belkin, 1962: **Culex (Lophoceraomyia)**
pachyurus (Edwards, 1936): **Aedimorphus** [*Aedes (Aedimorphus)*]
pacificus Edwards, 1916: **Culex (Culex)**
pagei (Ludlow, 1911): **Paraedes** [*Aedes (Paraedes)*]
pahangi (Delfinado, 1968): **Verrallina (Harbachius)**
painei (Knight, 1948): **Mucidus (Pardomyia)** [*Ochlerotatus (Mucidus)*]
painei Edwards, 1935: **Uranotaenia (Pseudoficalbia)**
pairoji Sirivanakarn, 1977: **Culex (Lophoceraomyia)**
pajoti Ramos & Ribeiro, 1982: **Culex (Culex)**
palaciosi Duret, 1968: **Culex (Melanoconion)**
palauensis (Bohart, 1957): **Stegomyia** [*Aedes (Stegomyia)*]
palawanicus (Mattingly, 1958): **Canraedes** [*Aedes (Canraedes)*]
pallescens Edwards, 1922: **Psorophora (Psorophora)**
pallida Edwards, 1925: **Mimomyia (Mimomyia)**
pallidabdomen Dong, Zhou & Gong, 2004: **Armigeres (Armigeres)**
pallidiceps (Theobald, 1905): **Culex (Acallyntrum)**
pallidipleura da Cunha Ramos & Brunhes, 2004: **Uranotaenia (Pseudoficalbia)**
pallidiventer (Lutz, 1905): **Trichoprosopon**
pallidocephala Theobald, 1908: **Uranotaenia (Uranotaenia)**
pallidostriatus (Theobald, 1907): **Aedimorphus** [*Aedes (Aedimorphus)*]
pallidothorax Dong, Zhou & Gong, 2004: **Tripteroides (Rachionotomyia)**
pallidothorax Theobald, 1905: **Culex (Culiciomyia)**
pallidoventer (Theobald, 1907): **Wyeomyia (Phoniomyia)**
pallidoventer Theobald, 1903: **Uranotaenia (Uranotaenia)**
pallidus Lee, 1946: **Tripteroides (Rachisoura)**
pallidus Theobald, 1901: **Anopheles (Cellia)**
pallirostris (Edwards, 1922): **Hulecoeteomyia** [*Ochlerotatus (Finlaya)*]
pallithorax Dong, Zhou & Dong, 2004: **Armigeres (Armigeres)**
palmarum (Edwards, 1924): **Patmarksia** [*Ochlerotatus (Finlaya)*]
palmata (Lane & Cerqueira, 1942): **Wyeomyia (Phoniomyia)**
palmatus (Rodenwaldt, 1926): **Anopheles (Anopheles)**
palmeirimi de Meillon & Rebelo, 1941: **Uranotaenia (Uranotaenia)**
palpale Newstead, 1907: **Neomelaniconion** [*Aedes (Neomelaniconion)*]
palpalis Taylor, 1912: **Culex (Culex)**
paltrinieri Shidrawi & Gillies, 1988: **Anopheles (Cellia)**
paludis Theobald, 1900: **Anopheles (Anopheles)**
paludosa Galindo, Blanton & Peyton, 1954: **Uranotaenia (Uranotaenia)**
pampanai Büttiker & Beales, 1959: **Anopheles (Cellia)**
pampangensis (Ludlow, 1905): **Aedimorphus** [*Aedes (Aedimorphus)*]
pampithes (Dyar & Nunez Tovar, 1928): **Wyeomyia** (subgenus uncertain)
panamensis Adames, 1971: **Deinocerites**
panarchys Dyar, 1921: **Haemagogus (Haemagogus)**
panayensis (Ludlow, 1914): **Verrallina (Neomacleaya)**
panchgangee Sathe & Girhe, 2002: 'Aedes'
pandani (Stone, 1939): **Stegomyia (Bohartius)** [*Aedes (Stegomyia)*]
pandani (Theobald, 1912): **Uranotaenia (Pseudoficalbia)**
pandani Brunhes, 1969: **Culex (Culiciomyia)**
panocossa Dyar, 1923: **Culex (Melanoconion)**
papago (Zavortink, 1970): **Abraedes** [*Ochlerotatus (Abraedes)*]
papuae (Swellengrebel & Swellengrebel de Graaf, 1920): **Bironella (Neobironella)**
papuensis (Taylor, 1914): **Culex (Culiciomyia)**
papuensis (Taylor, 1914): **Mansonia (Mansonioides)**
papuensis (Taylor, 1914): **Patmarksia** [*Ochlerotatus (Finlaya)*]
papuensis Dobrotworsky, 1957: **Anopheles (Anopheles)**
papuensis Marks, 1960: **Topomyia (Suaymyia)**
papuensis Peters, 1963: **Armigeres (Armigeres)**
papuensis Zavortink, 1968: **Orthopodomyia**

paracrybda Komp, 1936: **Culex (Melanoconion)**
paraculeatus Sirivanakarn, 1977: **Culex (Lophoceraomyia)**
paradissimilis (Rozeboom, 1946): **Kenknightia** [Ochlerotatus (Kenknightia)]
paradoxus Harbach, 2002: **Sabethes (Peytonulus)**
paraitepuyensis Anduze, 1941: **Sabethes (Sabethes)**
paralateralis Peters, 1964: **Uranotaenia (Uranotaenia)**
paraliae Sandosham, 1959: **Anopheles (Anopheles)**
paramaxi Duret, 1968: **Culex (Culex)**
paranensis (Brethés, 1910): **Isostomyia**
parangensis (Ludlow, 1914): **Anopheles (Cellia)**
paranovaguinensis Peters, 1963: **Uranotaenia (Uranotaenia)**
parapunctipennis Martini, 1932: **Anopheles (Anopheles)**
parasimilis (King & Hoogstraal, 1947): **Verrallina (Verrallina)**
parensis Gillies, 1962: **Anopheles (Cellia)**
parenti (de Meillon & Lavoipierre, 1944): **Mimomyia (Mimomyia)**
pariticeps (Adams, 1903): **Culiseta (Culiseta)**
parvipluma Edwards, 1941: **Eretmapodites**
parvus (Chagas, 1907): **Anopheles (Nyssorhynchus)**
patersoni (Shannon & del Ponte, 1928): **Ochlerotatus (Ochlerotatus)**
patientiae Floch & Fauran, 1955: **Culex (Melanoconion)**
patriciae (Mattingly, 1954): **Stegomyia** [Aedes (Stegomyia)]
patriciae Peyton, 1977: **Uranotaenia (Pseudoficalbia)**
pattoni Christophers, 1926: **Anopheles (Cellia)**
pauliani (Doucet, 1951): **Toxorhynchites (Afrorhynchus)**
pauliani Doucet, 1949: **Uranotaenia (Pseudoficalbia)**
pauliani Grjebine, 1950: **Eretmapodites**
pauliani Grjebine, 1953: **Aedeomyia (Lepiothauma)**
pauliani Grjebine, 1953: **Anopheles (Cellia)**
paulli Paterson & Shannon, 1927: **Psorophora (Grabhamia)**
paullusi (Stone & Farner, 1945): **Stegomyia** [Aedes (Stegomyia)]
pavlovskiyi Casal & García, 1967: **Culex (Melanoconion)**
peccator Dyar & Knab, 1909: **Culex (Melanoconion)**
pecori (Reinert, 1990): **Kenknightia** [Ochlerotatus (Kenknightia)]
pectinatus (Arnell, 1976): **Ochlerotatus (Ochlerotatus)**
pectinatus (Edwards, 1914): **Armigeres (Leicesteria)**
pecuniosa (Edwards, 1922): **Molpemyia** [Ochlerotatus (Molpemyia)]
pedicellus King & Hoogstraal, 1947: **Culex (Neoculex)**
peditaeniatus (Leicester, 1908): **Anopheles (Anopheles)**
pedroi Sirivanakarn & Belkin, 1980: **Culex (Melanoconion)**
peipingensis (Feng, 1938): 'Ochlerotatus (Finlaya)'
pembaensis (Theobald, 1901): **Skusea** [Aedes (Skusea)]
penai Sirivanakarn, 1979: **Culex (Melanoconion)**
pendleburyi (Edwards, 1930): **Toxorhynchites (Toxorhynchites)**
pendulus (Edwards, 1914): **Armigeres (Leicesteria)**
penghuensis (Lien, 1968): **Canraedes** [Aedes (Canraedes)]
penicillatus Edwards, 1941: **Eretmapodites**
pennai (Antunes & Lane, 1938): **Ochlerotatus (Chrysoconops)** [Ochlerotatus (Ochlerotatus)]
perexiguus Theobald, 1903: **Culex (Culex)**
pereyrai Duret, 1967: **Culex (Melanoconion)**
perfidiosus Edwards, 1914: **Culex (Culex)**
perfuscus Edwards, 1914: **Culex (Culex)**
peringueyi Edwards, 1924: **Culex (Maillotia)**
periskelata (Giles, 1902): **Dendroskusea** [Aedes (Diceromyia)]
perkinsi (Marks, 1949): **Ochlerotatus** (unplaced) [Ochlerotatus (Ochlerotatus)]
perkinsi Stone & Penn, 1948: **Culex (Acallyntrum)**
pernotata (Farner & Bohart, 1944): **Stegomyia** [Aedes (Stegomyia)]
perplexa Leicester, 1908: **Stegomyia (Huangmyia)** [Aedes (Stegomyia)]
perplexens (Edwards, 1932): **Mimomyia (Mimomyia)**
perplexens Ludlow, 1907: **Anopheles (Anopheles)**
perplexus Leicester, 1908: **Culex (Culex)**

perplexus Peters, 1963: *Tripteroides (Polylepidomyia)*
perryi (Belkin, 1962): *Geoskusea [Ochlerotatus (Geoskusea)]*
perryi Belkin, 1962: *Culex (Lophoceraomyia)*
persiensis Linton, Sedaghat & Harbach, 2003: *Anopheles (Anopheles)*
persimilis Mattingly, 1970: *Heizmannia (Heizmannia)*
personatum (Lutz, 1904): *Onirion*
pertinans (Williston, 1896): *Wyeomyia (Wyeomyia)*
pertinax (Grabham, 1906): *Ochlerotatus (Protoculex) [Ochlerotatus (Ochlerotatus)]*
perturbans (Walker, 1856): *Coquillettidia (Coquillettidia)*
perturbans (Williston, 1896): *Isostomyia*
perventor (Cerqueira & Costa, 1946): *Sallumia [Ochlerotatus (Ochlerotatus)]*
pervigilans von Bergroth, 1889: *Culex (Culex)*
peryassui Dyar & Knab, 1908: *Anopheles (Anopheles)*
pressoai (Barreto & Coutinho, 1944): *Mansonia (Mansonia)*
petersi Colless, 1960: *Culex (Lophoceraomyia)*
petragrani del Vecchio, 1939: *Anopheles (Anopheles)*
petrocchiaie (Shannon & del Ponte, 1928): *Sabethes (Davisomyia)*
petroelephantus (Wijesundara, 1951): *Verrallina (Neomacleaya)*
pexa (Colless, 1958): *Downsiomyia [Ochlerotatus (Finlaya)]*
peytoni (Reinert, 1972): *Ayurakitia*
peytoni Bram & Rattanarithikul, 1967: *Culex (Lophoceraomyia)*
peytoni Kulasekera, Harrison & Amerasinghe, 1989: *Anopheles (Anopheles)*
peytoni Leguizamón & Carpintero, 2005: *Orthopodomyia*
phaecasiatus (Marks, 1964): *Ochlerotatus (unplaced) [Ochlerotatus (Ochlerotatus)]*
phaeonotus (Arnell, 1976): *Ochlerotatus (Ochlerotatus)*
phangngae Sirivanakarn, 1972: *Culex (Eumelanomyia)*
pharoensis Theobald, 1901: *Anopheles (Cellia)*
philipi Edwards, 1929: *Culex (Culex)*
philippinensis (Delfinado, 1968): *Verrallina (Neomacleaya)*
philippinensis Ludlow, 1902: *Anopheles (Cellia)*
philippinensis Sirivanakarn, 1976: *Culex (Culex)*
phillipi (van Someren, 1949): *Zavortinkius [Ochlerotatus (Zavortinkius)]*
philonuxia Philip, 1931: *Uranotaenia (Uranotaenia)*
phlabistus Dyar, 1920: *Culex (Melanoconion)*
phlogistus Dyar, 1920: *Culex (Melanoconion)*
phnoma (Klein, 1973): *Verrallina (Neomacleaya)*
phoeniciae (Coluzzi & Sabatini, 1968): *Acartomyia [Ochlerotatus (Ochlerotatus)]*
pholeter Bram & Rattanarithikul, 1967: *Culex (Lophoceraomyia)*
pholidotus Zavortink, 1973: *Anopheles (Kerteszia)*
phroso Howard, Dyar & Knab, 1915: *Wyeomyia (subgenus uncertain)*
phyllados Hutchings & Sallum, 2008: *Culex (Melanoconion)*
phyllolabis (Edwards, 1929): *Catageiomyia [Aedes (Aedimorphus)]*
phyllozoa (Dyar & Knab, 1907): *Orthopodomyia*
phytophagus Theobald, 1909: *Toxorhynchites (Toxorhynchites)*
pictipennis (Philippi, 1865): *Anopheles (Nyssorhynchus)*
pifanoi Anduze, 1949: *Culex (Melanoconion)*
pifanoi Cova García, Pulido F. & Escalante de Ugueto, 1981: *Uranotaenia (Uranotaenia)*
pilicauda Root, 1928: *Wyeomyia (Phoniomyia)*
pilifemoralis Wang & Feng, 1964: *Culex (Lophoceraomyia)*
pilinotum Harrison & Scanlon, 1974: *Anopheles (Anopheles)*
pilipes (Macquart, 1834): *Psorophora (Psorophora)*
pillaii (Mattingly, 1958): *Rhinoskusea [Ochlerotatus (Rhinoskusea)]*
pilosa Brug, 1931: *Topomyia (Topomyia)*
pilosa da Cunha Ramos & Brunhes, 2004: *Uranotaenia (Pseudoficalbia)*
pilosa Duret, 1971: *Psorophora (Janthinosoma)*
pilosus (Dyar & Knab, 1906): *Culex (Melanoconion)*
pilosus Lee, 1946: *Tripteroides (Rachisoura)*
pinarocampa Dyar & Knab, 1908: *Culex (Culex)*
pingpaensis (Chang, 1965): *Edwardsaedes [Aedes (Edwardsaedes)]*
pinjaurensis Barraud, 1932: *Anopheles (Anopheles)*

pionips (Dyar, 1919): *Ochlerotatus* (unplaced) [*Ochlerotatus* (*Ochlerotatus*)]
pipersalatus (Giles, 1902): *Aedimorphus* [*Aedes* (*Aedimorphus*)]
pipiens Linnaeus, 1758: *Culex* (*Culex*)
pipkini (Bohart, 1957): *Verrallina* (*Verrallina*)
plagosus (Marks, 1959): '*Ochlerotatus* (*Finlaya*)'
platylepida (Knight & Hull, 1951): *Scutomyia* [*Aedes* (*Scutomyia*)]
plectoporpe Root, 1927: *Culex* (*Melanoconion*)
pleuristriatus Theobald, 1903: *Culex* (*Microculex*)
plicatus Olivares, 1993: *Culex* (*Culex*)
plioleucus Edwards, 1941: *Eretmapodites*
plumbeus Stephens, 1828: *Anopheles* (*Anopheles*)
plumifera (King & Hoogstraal, 1946): *Phagomyia* [*Ochlerotatus* (*Finlaya*)]
plumiger Bonne-Wepster, 1948: *Tripteroides* (*Rachisoura*)
plumosa (Theobald, 1901): *Mimomyia* (*Mimomyia*)
plumosus (Brug, 1931): *Tripteroides* (*Tripteroides*)
pluvialis Barraud, 1924: *Culex* (*Eumelanomyia*)
podographicus (Dyar & Knab, 1906): '*Ochlerotatus* (*Protomacleaya*)'
pogonurum (Edwards, 1936): *Neomelaniconion* [*Aedes* (*Neomelaniconion*)]
poicilia Theobald, 1903: *Finlaya* [*Ochlerotatus* (*Finlaya*)]
poicilipes (Theobald, 1903): *Culex* (*Oculeomyia*)
pollicaris Reid, 1962: *Anopheles* (*Anopheles*)
pollinctor (Graham, 1910): *Zavortinkius* [*Ochlerotatus* (*Zavortinkius*)]
polynesiensis (Marks, 1951): *Stegomyia* [*Aedes* (*Stegomyia*)]
ponmeki Miyagi & Toma, 2001: *Tripteroides* (*Rachionotomyia*)
portesi Senevet & Abonnenc, 1941: *Culex* (*Melanoconion*)
portonovoensis (Tewari & Hiriyani, 1992): *Rhinoscusea* [*Ochlerotatus* (*Rhinoscusea*)]
portoricensis (Roeder, 1885): *Toxorhynchites* (*Lynchiella*)
postspiraculosus (Dobrotworsky, 1961): *Ochlerotatus* (*Pseudoscusea*)
postspiraculosus Lee, 1944: *Culex* (*Neoculex*)
powderi Zavortink, 1970: *Anopheles* (*Anopheles*)
powelli (Ludlow, 1909): *Tripteroides* (*Tripteroides*)
powelli Lee, 1944: *Anopheles* (*Anopheles*)
poweri Theobald, 1905: *Stegomyia* [*Aedes* (*Stegomyia*)]
prajimi Peyton & Rattanarithikul, 1970: *Uranotaenia* (*Uranotaenia*)
pretoriensis (Theobald, 1903): *Anopheles* (*Cellia*)
principenis da Cunha Ramos, 1993: *Uranotaenia* (*Pseudoficalbia*)
prioekanensis (Brug, 1931): *Verrallina* (*Neomacleaya*)
procax Skuse, 1889: *Ochlerotatus* (unplaced) [*Ochlerotatus* (*Ochlerotatus*)]
productus Edwards, 1941: *Eretmapodites*
productus Senevet & Abonnenc, 1939: *Culex* (*Melanoconion*)
prominens (Barraud, 1923): *Phagomyia* [*Ochlerotatus* (*Finlaya*)]
propinqua Mattingly, 1970: *Heizmannia* (*Heizmannia*)
propinqua Peyton, 1977: *Uranotaenia* (*Pseudoficalbia*)
propinquus Colless, 1955: *Culex* (*Culex*)
prosecutor Séguy, 1927: *Culex* (*Culex*)
protuberans (Delfinado, 1967): *Verrallina* (*Neomacleaya*)
provocans (Walker, 1848): *Ochlerotatus* (*Rusticoides*)
proxima Mattingly, 1970: *Heizmannia* (*Heizmannia*)
proximus (Edwards, 1915): *Tripteroides* (*Tripteroides*)
pruina Theobald, 1901: *Culex* (*Culex*)
pruinosa Martini, 1935: *Psorophora* (*Grabhamia*)
psatharus Dyar, 1920: *Culex* (*Melanoconion*)
psectropus Edwards, 1930: *Hodgesia*
pseudalbolineata (Brug, 1939): *Scutomyia* [*Aedes* (*Scutomyia*)]
pseudalbopicta Borel, 1928: *Stegomyia* [*Aedes* (*Stegomyia*)]
pseudes Dyar & Knab, 1909: *Deinocerites*
pseudoafricana (Chwatt, 1949): *Stegomyia* [*Aedes* (*Stegomyia*)]
pseudoalbimanus da Cunha Ramos & Brunhes, 2004: *Uranotaenia* (*Pseudoficalbia*)
pseudoalbipes Duret, 1971: *Psorophora* (*Janthinosa*)
pseudoandranus Bailly-Choumara, 1966: *Culex* (*Eumelanomyia*)

pseudobarbistrotris Ludlow, 1902: *Anopheles* (*Anopheles*)
pseudobarbus Baisas, 1946: *Topomyia* (*Topomyia*)
pseudoconopas (Theobald, 1910): *Coquillettidia* (*Coquillettidia*)
pseudodiurna (Theobald, 1910): *Verrallina* (*Neomacleaya*)
pseudodominicii (Komp, 1936): *Howardina* [*Ochlerotatus* (*Howardina*)]
pseudohenrardi Peters, 1955: *Uranotaenia* (*Pseudoficalbia*)
pseudojamesi Strickland & Chowdhury, 1927: *Anopheles* (*Cellia*)
pseudojanthinosoma Senevet & Abonnenc, 1946: *Culex* (*Culex*)
pseudoleucotarsis Thurman, 1959: *Topomyia* (*Suaymyia*)
pseudomaculipes (Peryassú, 1908): *Anopheles* (*Anopheles*)
pseudomaculipleura Peyton & Rattanarithikul, 1970: *Uranotaenia* (*Pseudoficalbia*)
pseudomediofasciata (Theobald, 1910): *Verrallina* (*Neomacleaya*)
pseudomelanoconia Theobald, 1907: *Culex* (*Neoculex*)
pseudomelanota Barata & Cotrim, 1971: *Psorophora* (*Janthinosoma*)
pseudometherysticus (Bonne-Wepster & Bonne, 1920): *Limatus*
pseudonigeria Theobald, 1910: *Stegomyia* [*Aedes* (*Stegomyia*)]
pseudonivea (Theobald, 1905): *Downsiomyia* [*Ochlerotatus* (*Finlaya*)]
pseudonormanensis (Marks, 1949): *Ochlerotatus* (unplaced) [*Ochlerotatus* (*Ochlerotatus*)]
pseudonummatius (Reinert, 1973): *Tewariius* [*Aedes* (*Diceromyia*)]
pseudopectus Dyar & Knab, 1906: *Wyeomyia* (*Decamyia*)
pseudopictus Grassi, 1899: *Anopheles* (*Anopheles*)
pseudopruina van Someren, 1951: *Culex* (*Culex*)
pseudopunctipennis Theobald, 1901: *Anopheles* (*Anopheles*)
pseudornatus Colless, 1960: *Culex* (*Lophoceraomyia*)
pseudorobusta Pajot & Fauran, 1975: *Wyeomyia* (*Wyeomyia*)
pseudorubithoracis Sirivanakarn, 1968: *Culex* (*Lophoceraomyia*)
pseudoscutellaris Theobald, 1910: *Stegomyia* [*Aedes* (*Stegomyia*)]
pseudoshillitonis da Cunha Ramos & Brunhes, 2004: *Uranotaenia* (*Pseudoficalbia*)
pseudosinensis Baisas, 1935: *Anopheles* (*Anopheles*)
pseudosinensis Colless, 1955: *Culex* (*Oculeomyia*)
pseudostigmaticus Dobrotworsky, 1957: *Anopheles* (*Anopheles*)
pseudostigmatosoma Strickman, 1990: *Culex* (*Culex*)
pseudosundaicus Tyagi, Hiriyan, Tewari, Ayanar, Samuel, Arunachalam, Paramasivan, Krishnamoorthy, Dhananjeyan, Leo & Rajendran, 2009: *Anopheles* (*Cellia*)
pseudotaeniatus (Giles, 1901): *Collessius* (*Alloeomyia*) [*Ochlerotatus* (*Finlaya*)]
pseudotarsalis (van Someren, 1946): *Catageiomyia* [*Aedes* (*Aedimorphus*)]
pseudotibiamaculatus Galvão & Barretto, 1941: *Anopheles* (*Lophopodomys*)
pseudotivillans (Theobald, 1901): *Mansonia* (*Mansonia*)
pseudovarietas (Reinert, 1974): *Verrallina* (*Neomacleaya*)
pseudovishnui Colless, 1957: *Culex* (*Culex*)
pseudowillmori (Theobald, 1910): *Anopheles* (*Cellia*)
pubescens (Edwards, 1925): *Aedimorphus* [*Aedes* (*Aedimorphus*)]
pujutensis Colless, 1948: *Anopheles* (*Cellia*)
pulcherrima Lynch Arribalzaga, 1891: *Uranotaenia* (*Uranotaenia*)
pulcherrimus Theobald, 1902: *Anopheles* (*Cellia*)
pulchrithorax (Edwards, 1939): *Vansomerenis* [*Ochlerotatus* (*Finlaya*)]
pulchriventer (Giles, 1901): *Gilesius* [*Ochlerotatus* (*Finlaya*)]
pulcripalpis (Rondani, 1872): *Orthopodomys*
pulcritarsis (Rondani, 1872): *Ochlerotatus* (unplaced) [*Ochlerotatus* (*Ochlerotatus*)]
pulidoi Cova Garcia & Sutil Oramas, 1974: *Culex* (*Microculex*)
pullatus (Coquillett, 1904): *Ochlerotatus* (unplaced) [*Ochlerotatus* (*Ochlerotatus*)]
pullus Theobald, 1905: *Culex* (*Culiciomyia*)
pullus Yamada, 1937: *Anopheles* (*Anopheles*)
pulverulentus (Edwards, 1922): *Indusius* [*Aedes* (*Indusius*)]
punctifemoris (Ludlow, 1921): *Aedimorphus* [*Aedes* (*Aedimorphus*)]
punctimacula Dyar & Knab, 1906: *Anopheles* (*Anopheles*)
punctipennis (Say, 1823): *Anopheles* (*Anopheles*)
punctipes (Edwards, 1921): *Petermattinglyius* [*Aedes* (*Diceromyia*)]
punctiscapularis Floch & Abonnenc, 1946: *Culex* (subgenus uncertain)
punctocostale (Theobald, 1909): *Neomelaniconion* [*Aedes* (*Neomelaniconion*)]

punctodes (Dyar, 1922): *Ochlerotatus* (unplaced) [*Ochlerotatus* (*Ochlerotatus*)]
punctolateralis (Theobald, 1903): *Tripteroides* (*Polylepidomyia*)
puncctor (Kirby, 1837): *Ochlerotatus* (unplaced) [*Ochlerotatus* (*Ochlerotatus*)]
punctothoracis (Theobald, 1909): *Catageiomyia* [*Aedes* (*Aedimorphus*)]
punctulatus Dönitz, 1901: *Anopheles* (*Cellia*)
purpuraceus (Brug, 1932): *Ochlerotatus* (*Gilesia*) [*Ochlerotatus* (*Ochlerotatus*)]
purpuratus (Edwards, 1921): *Tripteroides* (*Tripteroides*)
purpurea Theobald, 1910: *Molpemyia* [*Ochlerotatus* (*Molpemyia*)]
purpureifemur (Marks, 1959): *Ochlerotatus* (unplaced) [*Ochlerotatus* (*Ochlerotatus*)]
purpureipes (Aitken, 1941): *Kompia* [*Ochlerotatus* (*Kompia*)]
purpureus (Theobald, 1901): *Toxorhynchites* (*Ankylorhynchus*)
purpureus (Theobald, 1907): *Sabethes* (*Sabethes*)
purpuriventris (Edwards, 1926): *Ochlerotatus* (*Pholeomyia*) [*Ochlerotatus* (*Ochlerotatus*)]
pursati Laveran, 1902: *Anopheles* (*Anopheles*)
pusillus (da Costa Lima, 1931): *Toxorhynchites* (*Lynchiella*)
pusillus Macquart, 1850: *Culex* (*Barraudius*)
putumayensis Matheson, 1934: *Culex* (*Melanoconion*)
pygmaea (Theobald, 1903): *Psorophora* (*Grabhamia*)
pygmaea Theobald, 1901: *Uranotaenia* (*Uranotaenia*)
pylei Baisas, 1946: *Uranotaenia* (*Pseudoficalbia*)
quadriannulatus Theobald, 1911: *Anopheles* (*Cellia*)
quadrifolius Komp, 1936: *Culex* (*Melanoconion*)
quadrifolium (Brug, 1934): *Verrallina* (*Verrallina*)
quadrimaculata Edwards, 1929: *Uranotaenia* (*Pseudoficalbia*)
quadrimaculatus Say, 1824: *Anopheles* (*Anopheles*)
quadripalpis (Edwards, 1914): *Culex* (*Lophoceraomyia*)
quadripunctis (Ludlow, 1910): *Mucidus* (*Pardomyia*) [*Ochlerotatus* (*Mucidus*)]
quadrispinata (King & Hoogstraal, 1947): *Verrallina* (*Verrallina*)
quadrivittata (Coquillett, 1902): *Howardina* [*Ochlerotatus* (*Howardina*)]
quascyaneus Peryassú, 1922: *Sabethes* (*Sabethes*)
quasiferinus (Mattingly, 1961): *Mucidus* (*Mucidus*) [*Ochlerotatus* (*Mucidus*)]
quasiferus (Leicester, 1908): *Toxorhynchites* (*Toxorhynchites*)
quasiguiarti Theobald, 1910: *Culex* (*Culex*)
quasihybridus Galindo & Blanton, 1954: *Culex* (*Melanoconion*)
quasilongirostris (Theobald, 1907): *Wyeomyia* (*Phoniomyia*)
quasimodesta Peyton, 1977: *Uranotaenia* (*Pseudoficalbia*)
quasioriginator Duret, 1972: *Culex* (*Anoedioporpa*)
quasiornatus (Taylor, 1915): *Tripteroides* (*Tripteroides*)
quasirubithorax (Theobald, 1910): '*Ochlerotatus* (*Finlaya*)'
quasirusticus (Torres Cañamares, 1951): *Ochlerotatus* (*Rusticoidus*)
quasisanguinae Leicester, 1908: *Hodgesia*
quasiscutellaris (Farner & Bohart, 1944): *Stegomyia* [*Aedes* (*Stegomyia*)]
quasiunivittatus (Theobald, 1901): *Aedimorphus* [*Aedes* (*Aedimorphus*)]
quettensis Mattingly, 1955: *Culex* (*Maillotia*)
qui Dong, Dong & Zhou, 2003: *Uranotaenia* (*Pseudoficalbia*)
quinquefasciatus Say, 1823: *Culex* (*Culex*)
quinquelineata (Edwards, 1922): *Rampamyia* [*Ochlerotatus* (*Finlaya*)]
quinquemaculata Bonne-Wepster, 1934: *Uranotaenia* (*Pseudoficalbia*)
quinquevittatus Theobald, 1901: *Eretmapodites*
quintetti Brunhes, Adam & Bailly-Choumara, 1967: *Culex* (*Eumelanomyia*)
quitensis Levi-Castillo, 1953: *Culex* (*Culex*)
rabanicola Floch & Abonnenc, 1946: *Culex* (*Melanoconion*)
rabelloi Forattini & Sallum, 1987: *Culex* (*Melanoconion*)
rachoui Duret, 1968: *Culex* (*Melanoconion*)
rachoui Galvão, 1952: *Anopheles* (*Anopheles*)
rachoui Xavier, da Silva Mattos & da Silva, 1970: *Uranotaenia* (*Uranotaenia*)
radama de Meillon, 1943: *Anopheles* (*Cellia*)
rageaui Mattingly & Adam, 1954: *Anopheles* (*Cellia*)
raghavanii Rahman, Chowdhury & Kalra, 1968: *Culex* (*Lophoceraomyia*)
rajah Tsukamoto, 1989: *Culex* (*Culiciomyia*)

rajah Tsukamoto, 1989: *Toxorhynchites (Toxorhynchites)*
rajaneae Sirivanakarn, 1968: *Culex (Lophoceraomyia)*
rajaonariveloi Brunhes & Hervy, 1995: *Orthopodomyia*
ramachandrai (Reuben, 1967): *Dendroskusea [Aedes (Diceromyia)]*
ramakrishnii Wattal & Kalra, 1965: *Culex (Culiciomyia)*
ramalai Grjebine, 1986: *Mimomyia (Ingramia)*
ramalingami (Reinert, 1974): *Verrallina (Harbachius)*
ramalingami Evenhuis & Steffan, 1986: *Toxorhynchites (Toxorhynchites)*
ramalingami Sirivanakarn, 1973: *Culex (Culiciomyia)*
rami (Barraud, 1928): *Verrallina (Neomacleaya)*
ramirezi (Vargas & Downs, 1950): *Aztecaedes [Ochlerotatus (Aztecaedes)]*
ramosa da Cunha Ramos, 1993: *Uranotaenia (Pseudoficalbia)*
rampae Peyton & Klein, 1970: *Uranotaenia (Uranotaenia)*
ranci Grjebine, 1953: *Anopheles (Cellia)*
rangeli Gabaldon, Cova Garcia & Lopez, 1940: *Anopheles (Nyssorhynchus)*
rara (Delfinado, 1968): *Verrallina (Neomacleaya)*
raris (Leicester, 1908): *Toxorhynchites (Toxorhynchites)*
ratcliffei (Marks, 1959): *Ochlerotatus* (unplaced) [*Ochlerotatus (Ochlerotatus)*]
rousseoi Cova García, Sutil Oramas & Pulido F., 1972: *Culex (Carrollia)*
ravaonjanaharyi Brunhes & Hervy, 1995: *Orthopodomyia*
ravenalicola da Cunha Ramos & Brunhes, 2004: *Uranotaenia (Pseudoficalbia)*
ravissei Rickenbach & Eouzan, 1970: *Eretmapodites*
raymondi (del Ponte, Castro & Garcia, 1951): *Ochlerotatus (Ochlerotatus)*
reali (Hamon & Adam, 1959): *Catageiomyia [Aedes (Aedimorphus)]*
recens Sallum & Peyton, 2005: *Anopheles (Cellia)*
recondita Edwards, 1922: *Uranotaenia (Pseudoficalbia)*
reducens Lane & Whitman, 1951: *Culex (Microculex)*
reesi (King & Hoogstraal, 1947): *Verrallina (Verrallina)*
reevesi Wirth, 1948: *Culex (Neoculex)*
refiki (Medschid, 1928): *Ochlerotatus (Rusticoidus)*
regale Peyton & Harbach, 2000: *Onirion*
regalis Dyar & Knab, 1906: *Haemagogus (Haemagogus)*
reginae (Edwards, 1922): *Dendroskusea [Aedes (Diceromyia)]*
reginae Floch & Fauran, 1955: *Culex (Microculex)*
reidi Colless, 1965: *Culex (Lophoceraomyia)*
reidi Harrison, 1973: *Anopheles (Anopheles)*
reidi Mattingly, 1957: *Heizmannia (Heizmannia)*
reinerti (Rattarithikul & Harrison, 1988): *Hulecoeteomyia [Ochlerotatus (Finlaya)]*
reinerti Peyton, 1977: *Uranotaenia (Pseudoficalbia)*
reisenii Basio, 1971: *Tripteroides (Tripteroides)*
rejector Dyar & Knab, 1906: *Culex (Microculex)*
rempeli (Vockeroth, 1954): *Ochlerotatus* (unplaced) [*Ochlerotatus (Ochlerotatus)*]
renatoi Lane & Ramalho, 1960: *Culex (Phytotelmatomyia)*
rennellensis Taylor & Maffi, 1991: *Anopheles (Cellia)*
restrictor Dyar & Knab, 1906: *Culex (Anoediopora)*
restuans Theobald, 1901: *Culex (Culex)*
reubenae (Tewari & Hiriyan, 1992): *Tewarius [Aedes (Diceromyia)]*
reunionensis Brunhes & Hervy, 1995: *Orthopodomyia*
reversa (Lane & Cerqueira, 1942): *Runchomyia (Runchomyia)*
reyi Baisas, 1935: *Uranotaenia (Uranotaenia)*
rhodesiensis Theobald, 1901: *Anopheles (Cellia)*
rhungkiangensis (Chang & Chang, 1974): *Stegomyia [Aedes (Stegomyia)]*
rhyacophilus (da Costa Lima, 1933): *Ochlerotatus* (unplaced) [*Ochlerotatus (Ochlerotatus)*]
ribeirensis Forattini & Sallum, 1985: *Culex (Melanoconion)*
richardgarciai Jeffery, Oothuman & Rudnick, 1987: *Culex (Eumelanomyia)*
richei Klein, 1970: *Culex (Eumelanomyia)*
richeti Brunhes & Venhard, 1966: *Culex (Barraudius)*
richiardii (Ficalbi, 1889): *Coquillettidia (Coquillettidia)*
rickenbachi da Cunha Ramos, 1993: *Uranotaenia (Pseudoficalbia)*
rickenbachi Ferrara & Eouzan, 1974: *Eretmapodites*

rickenbachi (Hamon & Adam, 1959): *Aedimorphus* [*Aedes* (*Aedimorphus*)]
rickenbachi Ribeiro, 1991: *Toxorhynchites* (*Toxorhynchites*)
rima Theobald, 1901: *Culex* (*Eumelanomyia*)
riojanus Duret, 1968: *Culex* (*Culex*)
riparioides (Su & Zhang, 1987): *Ochlerotatus* (unplaced) [*Ochlerotatus* (*Ochlerotatus*)]
riparis King & Baisas, 1936: *Anopheles* (*Cellia*)
riparius (Dyar & Knab, 1907): *Ochlerotatus* (unplaced) [*Ochlerotatus* (*Ochlerotatus*)]
riverai Duret, 1970: *Uranotaenia* (*Uranotaenia*)
riverai Miyagi, Toma & Tsukamoto, 1983: *Tripteroides* (*Tripteroides*)
riversi (Bohart & Ingram, 1946): *Stegomyia* [*Aedes* (*Stegomyia*)]
rivulorum Leeson, 1935: *Anopheles* (*Cellia*)
rizali (Banks, 1906): *Hulecoeteomyia* [*Ochlerotatus* (*Finlaya*)]
rizzoi (de Deus Palma & Galvão, 1969): *Toxorhynchites* (*Lynchiella*)
roai (Belkin, 1962): '*Ochlerotatus* (*Finlaya*)'
roberti da Cunha Ramos & Brunhes, 2004: *Uranotaenia* (*Uranotaenia*)
robertsi (Laffoon, 1946): *Verrallina* (*Harbachius*)
robinsoni (Belkin, 1962): *Stegomyia* (*Actinothrix*) [*Aedes* (*Stegomyia*)]
robusta Senevet & Abonnenc, 1939: *Wyeomyia* (*Wyeomyia*)
rochei (Doucet, 1951): *Coquillettidia* (*Coquillettidia*)
rodhaini Brunhes & Hervy, 1995: *Orthopodomyia*
rodhaini Leleup & Lips, 1950: *Anopheles* (*Cellia*)
rodhaini Ribeiro, 1991: *Toxorhynchites* (*Toxorhynchites*)
rollai Cova Garcia, Pulido F. & Escalante de Ugueto, 1977: *Anopheles* (*Kerteszia*)
romeroi Surcouf & Gonzalez-Rincones, 1912: *Culex* (subgenus uncertain)
ronderosi de Linero, 1967: *Culex* (*Melanoconion*)
rondoni (Neiva & Pinto, 1922): *Anopheles* (*Nyssorhynchus*)
rooti (del Ponte, 1939): *Wyeomyia* (subgenus uncertain)
rooti Rozeboom, 1935: *Culex* (*Melanoconion*)
roperi Reid, 1950: *Anopheles* (*Anopheles*)
rorotaensis Floch & Abonnenc, 1946: *Culex* (*Melanoconion*)
rototai Senevet, Chabelard & Abonnenc, 1942: *Wyeomyia* (subgenus uncertain)
roseni Belkin, 1962: *Culex* (*Culex*)
roslihashimi Miyagi & Toma, 2005: *Topomyia* (*Suaymyia*)
rossi Delfinado, 1966: *Uranotaenia* (*Pseudoficalbia*)
rossicus Dolbeskin, Gorickaja & Mitrofanova, 1930: *Aedes* [*Aedes* (*Aedes*)]
rotana (Bohart & Ingram, 1946): *Stegomyia* (*Bohartius*) [*Aedes* (*Stegomyia*)]
rotoruae Belkin, 1968: *Culex* (*Culex*)
rotumae (Belkin, 1962): *Stegomyia* [*Aedes* (*Stegomyia*)]
rotumanus (Edwards, 1929): *Tripteroides* (*Polylepidomyia*)
roubaudi (Doucet, 1950): *Mimomyia* (*Ingramia*)
roubaudi Grjebine, 1953: *Anopheles* (*Cellia*)
roucouyana (Bonne-Wepster & Bonne, 1920): *Wyeomyia* (subgenus uncertain)
roxasi Baisas & Ubaldo-Pagayon, 1953: *Tripteroides* (*Tricholeptomyia*)
rozeboomi Baisas & Ubaldo-Pagayon, 1953: *Tripteroides* (*Rachionotomyia*)
rozeboomi Causey, Deane & Deane, 1944: *Chagasia*
ruarinus Edwards, 1940: *Anopheles* (*Cellia*)
rubensis Sasa & Takahashi, 1948: *Culex* (*Neoculex*)
rubiginosus (Belkin, 1962): '*Ochlerotatus* (*Finlaya*)'
rubinotus Theobald, 1906: *Culex* (*Eumelanomyia*)
rubithoracis (Leicester, 1908): *Culex* (*Lophoceraomyia*)
rubithoracis Leicester, 1908: *Topomyia* (*Topomyia*)
rubrithorax (Macquart, 1850): *Dobrotworskyius* [*Ochlerotatus* (*Finlaya*)]
rufipes (Gough, 1910): *Anopheles* (*Cellia*)
ruiiliensis Dong, Zhou & Wang, 1997: *Heizmannia* (*Heizmannia*)
rupestris (Dobrotworsky, 1959): *Dobrotworskyius* [*Ochlerotatus* (*Finlaya*)]
rusticus (Rossi, 1790): *Ochlerotatus* (*Rusticoidus*)
ruthae Peters, 1958: *Culex* (*Culiciomyia*)
rutherfordi Edwards, 1922: *Uranotaenia* (*Uranotaenia*)
rutilus (Coquillett, 1896): *Toxorhynchites* (*Lynchiella*)
ruwenzori (Haddow & van Someren, 1950): *Stegomyia* [*Aedes* (*Stegomyia*)]

ruwenzori (van Someren, 1948): *Toxorhynchites (Afrorhynchus)*
ryukyensis Bohart, 1946: *Culex (Culiciomyia)*
sabahensis (Reinert, 1974): *Verrallina (Neomacleaya)*
sabahensis Ramalingam & Ramakrishna, 1988: *Topomyia (Topomyia)*
sabethea Lane & Cerqueira, 1942: *Wyeomyia (Miamiya)*
sacchettiae Sirivanakarn & Jakob, 1982: *Culex (Melanoconion)*
sacharovi Favre, 1903: *Anopheles (Anopheles)*
saeva Dyar & Knab, 1906: *Psorophora (Psorophora)*
sagax (Skuse, 1889): *Ochlerotatus* (unplaced) [*Ochlerotatus (Ochlerotatus)*]
saimedres (Huang, 1988): *Stegomyia* [*Aedes (Stegomyia)*]
saipanensis (Stone, 1945): *Stegomyia (Bohartius)* [*Aedes (Stegomyia)*]
salauni Rickenbach, Ferrara & Eouzan, 1968: *Eretmapodites*
salbairi Maffi & Coluzzi, 1958: *Anopheles (Cellia)*
salinarius Coquillett, 1904: *Culex (Culex)*
salisburyensis Theobald, 1901: *Culex (Maillotia)*
saltanensis Dyar, 1928: *Culex (Culex)*
samarensis Rozeboom, 1951: *Anopheles (Anopheles)*
samoensis (Theobald, 1914): *Culex (Oculeomyia)*
samoensis Stone, 1966: *Coquillettia (Coquillettia)*
samoana Grünberg, 1913: *Finlaya* [*Ochlerotatus (Finlaya)*]
sampaioi da Costa Lima, 1935: *Orthopodomyia*
sampi (Huang, 2004): *Stegomyia (Mukwaya)* [*Aedes (Stegomyia)*]
sanctielii Senevet & Abonnenc, 1938: *Anopheles (Nyssorhynchus)*
sandrae (Zavortink, 1972): '*Ochlerotatus (Protomacleaya)*'
sandrae Berlin, 1969: *Culex (Micraedes)*
sangengluoensis Wang, 1984: *Culex (Lophoceraomyia)*
sangitee Sathe & Girhe, 2002: '*Aedes*'
sangiti Girhe & Sathe, 2001: *Stegomyia* [*Aedes (Stegomyia)*]
sanguinae Theobald, 1904: *Hodgesia*
santamarinai Broche, 2000: *Psorophora (Grabhamia)*
saperoi (Knight, 1946): *Downsiomyia* [*Ochlerotatus (Finlaya)*]
saperoi Bohart & Ingram, 1946: *Anopheles (Anopheles)*
sapiens (Marks, 1964): *Ochlerotatus* (unplaced) [*Ochlerotatus (Ochlerotatus)*]
sapphirina (Osten Sacken, 1868): *Uranotaenia (Uranotaenia)*
saramaccensis Bonne-Wepster & Bonne, 1920: *Culex (Melanoconion)*
sardinerae Fox, 1953: *Culex (Melanoconion)*
sasai Kano, Nitahara & Awaysa, 1954: *Culex (Culiciomyia)*
sasai Tanaka, Mizusawa & Saugstad, 1975: *Aedes* [*Aedes (Aedes)*]
saungi Colless, 1955: *Anopheles (Cellia)*
savoryi (Bohart, 1957): *Tanakaius* [*Ochlerotatus (Finlaya)*]
sawadwongporni Rattanarithikul & Green, 1987: *Anopheles (Cellia)*
sawyeri Causey, Deane, Deane & Sampaio, 1943: *Anopheles (Nyssorhynchus)*
saxicola (Edwards, 1922): *Hulecoeteomyia* [*Ochlerotatus (Finlaya)*]
scanloni (Reinert, 1970): *Petermattinglyius* [*Aedes (Diceromyia)*]
scanloni Bram, 1967: *Culex (Culiciomyia)*
scanloni Mattingly, 1970: *Heizmannia (Heizmannia)*
scanloni Sallum & Peyton, 2005: *Anopheles (Cellia)*
scapularis (Rondani, 1848): *Ochlerotatus (Ochlerotatus)*
scatophagoides Theobald, 1901: *Mucidus (Mucidus)* [*Ochlerotatus (Mucidus)*]
schedocyclia (Dyar & Knab, 1908): *Shannoniana*
scheuberi Carpintero & Leguizamón, 2004: *Culex (Culex)*
schicki (Zavortink, 1972): '*Ochlerotatus (Protomacleaya)*'
schicki Berlin, 1969: *Culex (Micraedes)*
schilfgardei Sirivanakarn, 1968: *Culex (Lophoceraomyia)*
schizopinax (Dyar, 1929): *Ochlerotatus* (unplaced) [*Ochlerotatus (Ochlerotatus)*]
schlosseri (Belkin, 1962): *Finlaya* [*Ochlerotatus (Finlaya)*]
schnusei (Martini, 1931): *Sabethes (Sabethes)*
schoutedeni (Wolfs, 1948): *Coquillettia (Coquillettia)*
schroederi (Schick, 1970): '*Ochlerotatus (Protomacleaya)*'
schtakelbergi (Shingarev, 1928): *Ochlerotatus* (unplaced) [*Ochlerotatus (Ochlerotatus)*]

schueffneri Stanton, 1915: *Anopheles (Cellia)*
schwetzi (Edwards, 1926): *Stegomyia* [*Aedes (Stegomyia)*]
schwetzi Edwards, 1929: *Culex (Culex)*
schwetzi Evans, 1934: *Anopheles (Cellia)*
scimitar Branch & Seabrook, 1959: *Culex (Culex)*
scintillans Ludlow, 1905: *Heizmannia (Heizmannia)*
scotinomus (Dyar & Knab, 1907): *Wyeomyia (Wyeomyia)*
scottii Theobald, 1912: *Culex (Culex)*
scutellalbum (Boshell-Manrique, 1939): *Ochlerotatus* (unplaced) [*Ochlerotatus (Ochlerotatus)*]
scutellaris (Walker, 1858): *Stegomyia* [*Aedes (Stegomyia)*]
scutoscripta (Bohart & Ingram, 1946): *Stegomyia* [*Aedes (Stegomyia)*]
scutostrata da Cunha Ramos & Brunhes, 2004: *Uranotaenia (Pseudoficalbia)*
seampi (Huang, 1974): *Stegomyia (Actinothrix)* [*Aedes (Stegomyia)*]
seatoi (Huang, 1969): *Stegomyia* [*Aedes (Stegomyia)*]
sechani Brunhes & Boussès, 2009: *Culex (Culex)*
seculata (Menon, 1950): *Verrallina (Neomacleaya)*
secundus Bonne-Wepster & Bonne, 1920: *Culex (Carrollia)*
secutor Theobald, 1901: *Culex (Culex)*
sedaensis (Lei, 1989): *Ochlerotatus* (unplaced) [*Ochlerotatus (Ochlerotatus)*]
sedlacekiae Sirivanakarn, 1968: *Culex (Lophoceraomyia)*
segermanae (Huang, 1997): *Stegomyia* [*Aedes (Stegomyia)*]
selai Klein & Sirivanakarn, 1970: *Culex (Eumelanomyia)*
selangorensis Sirivanakarn, 1976: *Culex (Oculeomyia)*
seldeslachtsi Wolfs, 1947: *Culex (Culex)*
sembeli Toma & Miyagi, 2002: *Armigeres (Armigeres)*
semibrunneus Edwards, 1927: *Culex (Culiciomyia)*
semisimplicipes Edwards, 1914: *Eretmapodites*
semlikiensis (van Someren, 1950): *Aedimorphus* [*Aedes (Aedimorphus)*]
seniori Barraud, 1934: *Culex (Lophoceraomyia)*
sentania (King & Hoogstraal, 1947): *Verrallina (Verrallina)*
senyavinensis (Knight & Hurlbut, 1949): *Aedimorphus* [*Aedes (Aedimorphus)*]
seoulensis (Yamada, 1921): *Hopkinsius (Yamada)* [*Ochlerotatus (Finlaya)*]
separatus (Leicester, 1908): *Anopheles (Anopheles)*
septempunctata Theobald, 1905: *Mansonia (Mansonioides)*
septemstriata (Dyar & Knab, 1907): *Howardina* [*Ochlerotatus (Howardina)*]
seretsei Abdulla-Chan, Coetzee & Hunt, 1998: *Anopheles (Cellia)*
sergentii (Theobald, 1907): *Anopheles (Cellia)*
sergievi (Danilov, Markovich & Proskuryakova, 1978): *Ochlerotatus* (unplaced) [*Ochlerotatus (Ochlerotatus)*]
serrata (Lutz, 1905): *Wyeomyia (Miamiya)*
serratimarge Root, 1927: *Culex (Melanoconion)*
serratoria (Dyar & Nunez Tovar, 1927): *Wyeomyia* (subgenus uncertain)
serratus (Barraud, 1929): *Tripteroides (Rachionotomyia)*
serratus (Theobald, 1901): *Ochlerotatus (Protoculex)* [*Ochlerotatus (Ochlerotatus)*]
seticoxitus Luh & Li, 1981: *Armigeres (Armigeres)*
setifer Delfinado, 1966: *Armigeres (Armigeres)*
setosa King & Hoogstraal, 1947: *Uranotaenia (Uranotaenia)*
sexaueri Belkin, 1953: *Uranotaenia (Uranotaenia)*
sexlineata (Theobald, 1901): *Howardina* [*Ochlerotatus (Howardina)*]
seychellensis (Theobald, 1912): *Aedimorphus* [*Aedes (Aedimorphus)*]
seydeli Edwards, 1929: *Anopheles (Cellia)*
seyrigi Edwards, 1941: *Culex (Maillotia)*
shanahani Sirivanakarn, 1968: *Culex (Lophoceraomyia)*
shannoni (Lane & Antunes, 1937): *Coquillettidia (Rhynchotaenia)*
shannoni (Vargas & Downs, 1950): *Ochlerotatus* (unplaced) [*Ochlerotatus (Ochlerotatus)*]
shannoni Cerqueira, 1961: *Sabethes (Sabethes)*
shannoni Davis, 1931: *Anopheles (Anopheles)*
shannoni Lane & Cerqueira, 1942: *Wyeomyia* (subgenus uncertain)
shebbearei Barraud, 1924: *Culex (Culiciomyia)*
shehzadae (Qutubuddin, 1972): *Downsiomyia* [*Ochlerotatus (Finlaya)*]

sherki (Knight, 1948): *Hulecoeteomyia* [*Ochlerotatus* (*Finlaya*)]
shillitonis Edwards, 1932: *Uranotaenia* (*Pseudoficalbia*)
shinonagai Tanaka, Mizusawa & Saugstad, 1979: *Lutzia* (*Insulalutzia*)
shoae Hamon & Ovazza, 1954: *Culex* (*Culex*)
shopei Forattini & Toda, 1966: *Culex* (*Microculex*)
shortti (Barraud, 1923): *Collessius* (*Collessius*) [*Ochlerotatus* (*Finlaya*)]
siamensis Zavortink, 1968: *Orthopodomyia*
sibirica (Danilov & Filippova, 1978): *Stegomyia* [*Aedes* (*Stegomyia*)]
sierrensis (Ludlow, 1905): *Jarnellius* (*Jarnellius*) [*Ochlerotatus* (*Ochlerotatus*)]
signata da Cunha Ramos, 1993: *Uranotaenia* (*Pseudoficalbia*)
signifera (Coquillett, 1896): *Orthopodomyia*
signipennis (Coquillett, 1904): *Psorophora* (*Grabhamia*)
silvai Duret, 1968: *Culex* (*Melanoconion*)
silvestris (Dobrotworsky, 1961): *Ochlerotatus* (unplaced) [*Ochlerotatus* (*Ochlerotatus*)]
silvestris Ingram & de Meillon, 1927: *Eretmapodites*
simanini (Gutsevich, 1966): *Ochlerotatus* (unplaced) [*Ochlerotatus* (*Ochlerotatus*)]
simile Lane & Cerqueira, 1942: *Trichoprosopon*
similis (Leicester, 1908): *Tripteroides* (*Tripteroides*)
similis (Theobald, 1910): *Verrallina* (*Verrallina*)
similissimus Strickland & Chowdhury, 1927: *Anopheles* (*Anopheles*)
simlensis (Edwards, 1922): *Himalaius* [*Ochlerotatus* (*Finlaya*)]
simmondsi Tenorio, 1977: *Bironella* (*Bironella*)
simmsi (Dyar & Knab, 1908): *Wyeomyia* (*Wyeomyia*)
simpla (King & Hoogstraal, 1947): *Verrallina* (*Verrallina*)
simplex (Theobald, 1903): *Canraedes* [*Aedes* (*Canraedes*)]
simplex Brug, 1934: *Tripteroides* (*Rachisoura*)
simplicicornis Edwards, 1930: *Culex* (*Eumelanomyia*)
simpliciforceps Edwards, 1941: *Culex* (*Eumelanomyia*)
simpsoni Theobald, 1905: *Culex* (*Culex*)
simpsoni Theobald, 1905: *Stegomyia* (*Mukwaya*) [*Aedes* (*Stegomyia*)]
simulans (Newstead & Carter, 1911): *Elpeytonius* [*Aedes* (*Aedimorphus*)]
simulator Dyar & Knab, 1906: *Culex* (*Melanoconion*)
simulatus Baisas & Ubaldo-Pagayon, 1953: *Tripteroides* (*Tripteroides*)
sinaiticus Kirkpatrick, 1925: *Culex* (*Culex*)
sinensis (Chow, 1950): *Downsiomyia* [*Ochlerotatus* (*Finlaya*)]
sinensis Theobald, 1903: *Culex* (*Oculeomyia*)
sinensis Wiedemann, 1828: *Anopheles* (*Anopheles*)
sineroides Yamada, 1924: *Anopheles* (*Anopheles*)
singhbumensis Natarajan & Rajavel, 2009: *Culex* (*Lophoceraomyia*)
singuawaensis Sirivanakarn, 1969: *Culex* (*Lophoceraomyia*)
singularis (Leicester, 1908): *Verrallina* (*Neomacleaya*)
sinkiangensis (Hsiao, 1977): *Ochlerotatus* (unplaced) [*Ochlerotatus* (*Ochlerotatus*)]
sintoni (Barraud, 1924): '*Ochlerotatus* (*Finlaya*)'
sintoni Puri, 1929: *Anopheles* (*Anopheles*)
sintonoides Ho, 1938: *Anopheles* (*Anopheles*)
siphanulatus Lourenço-de-Oliveira & da Silva, 1987: *Culex* (*Microculex*)
sirivanakarni (Duret, 1982): *Onirion*
sitiens Wiedemann, 1828: *Culex* (*Culex*)
smaragdinus Reinert, 1997: *Anopheles* (*Anopheles*)
smithburni (van Someren, 1950): *Catageomyia* [*Aedes* (*Aedimorphus*)]
smithii (Coquillett, 1901): *Wyeomyia* (*Wyeomyia*)
smithii Theobald, 1905: *Anopheles* (*Cellia*)
smudges Dong, Zhou & Gong, 2004: *Uranotaenia* (*Pseudoficalbia*)
soaresi Lane & Cerqueira, 1942: *Trichoprosopon*
socialis Theobald, 1901: *Uranotaenia* (*Uranotaenia*)
sohni (Reinert, 1974): *Verrallina* (*Neomacleaya*)
soleata (Edwards, 1924): *Stegomyia* [*Aedes* (*Stegomyia*)]
solitarius Bonne-Wepster, 1938: *Culex* (*Culex*)
sollicitans (Walker, 1856): *Ochlerotatus* (*Culicelsa*) [*Ochlerotatus* (*Ochlerotatus*)]
solominis Belkin, 1953: *Uranotaenia* (*Uranotaenia*)

solomonis (Belkin, 1962): *Mimomyia* (*Etorleptomyia*)
solomonis (Edwards, 1924): *Tripteroides* (*Polylepidomyia*)
solomonis (Stone & Bohart, 1944): *Finlaya* [*Ochlerotatus* (*Finlaya*)]
solomonis (Wharton, 1947): *Malaya*
solomonis Belkin, 1962: *Hodgesia*
solomonis Belkin, Knight & Rozeboom, 1945: *Anopheles* (*Cellia*)
solomonis Edwards, 1929: *Culex* (*Lophoceraomyia*)
solstitialis (Lutz, 1904): *Toxorhynchites* (*Lynchiella*)
somalicus Rivola & Holstein, 1957: *Anopheles* (*Cellia*)
sombooni Peyton & Klein, 1970: *Uranotaenia* (*Uranotaenia*)
soperi Antunes & Lane, 1937: *Culex* (*Carrollia*)
soperi Lane & Cerqueira, 1942: *Sabethes* (*Peytonulus*)
soperi Levi-Castillo, 1955: *Haemagogus* (*Haemagogus*)
sororcula Dyar & Knab, 1906: *Wyeomyia* (*Wyeomyia*)
sorsogonensis (Bañez & Jueco 1966): *Finlaya* [*Ochlerotatus* (*Finlaya*)]
spanius (Dyar & Knab, 1909): *Deinocerites*
spathifurca (Edwards, 1915): *Culex* (*Culiciomyia*)
spathulatus Forattini & Sallum, 1987: *Culex* (*Melanoconion*)
spathulirostris Edwards, 1923: *Topomyia* (*Suaymyia*)
speciosus (Skuse, 1889): *Toxorhynchites* (*Toxorhynchites*)
spgazzinii Brethés, 1912: *Haemagogus* (*Haemagogus*)
spencerii (Theobald, 1901): *Ochlerotatus* (unplaced) [*Ochlerotatus* (*Ochlerotatus*)]
spermathecus (Wijesundara, 1951): *Verrallina* (*Neomacleaya*)
sphinx Howard, Dyar & Knab, 1913: *Culex* (*Culex*)
spiculosa Peyton & Rattanarithikul, 1970: *Uranotaenia* (*Pseudoficalbia*)
spiculostylus Chen, 1989: *Culex* (*Culiciomyia*)
spiculosus Bram & Rattanarithikul, 1967: *Culex* (*Lophoceraomyia*)
spiculothorax Bram, 1967: *Culex* (*Culiciomyia*)
spilotus (Marks, 1963): *Ochlerotatus* (*Lepidokeneon*) [*Ochlerotatus* (*Ochlerotatus*)]
spinitubus da Cunha Ramos & Brunhes, 2004: *Uranotaenia* (*Pseudoficalbia*)
spinophallus Dong, Zhou & Gong, 2004: *Uranotaenia* (*Uranotaenia*)
spinophallus Zhou, Zhu & Lu, 1999: *Topomyia* (*Suaymyia*)
spinosa (Berlin, 1969): *Howardina* [*Ochlerotatus* (*Howardina*)]
spinosa (Doucet, 1951): *Mimomyia* (*Ingramia*)
spinosa da Cunha Ramos & Brunhes, 2004: *Uranotaenia* (*Pseudoficalbia*)
spinosipes Edwards, 1922: *Macleaya* (*Chaetocruimyia*) [*Ochlerotatus* (*Chaetocruimyia*)]
spinosus Lutz, 1905: *Culex* (*Culex*)
spiraculata da Cunha Ramos & Brunhes, 2004: *Uranotaenia* (*Pseudoficalbia*)
spissipes (Theobald, 1903): *Culex* (*Melanoconion*)
spixi Cerqueira, 1961: *Sabethes* (*Sabethes*)
splendenroides Dong, Zhou & Gong, 2004: *Toxorhynchites* (*Toxorhynchites*)
splendens (de Meijere, 1909): *Malaya*
splendens (Wiedemann, 1819): *Toxorhynchites* (*Toxorhynchites*)
splendens Lee, 1946: *Tripteroides* (*Tripteroides*)
splendens Theobald, 1903: *Mimomyia* (*Mimomyia*)
splendens Williston, 1896: *Haemagogus* (*Haemagogus*)
splendida Bonne-Wepster & Bonne, 1919: *Wyeomyia* (*Phoniomyia*)
splendidus Koidzumi, 1920: *Anopheles* (*Cellia*)
spoliata Edwards, 1923: *Hodgesia*
squamifemur Antunes, 1937: *Anopheles* (*Lophopodomomyia*)
squamiger (Coquillett, 1902): *Ochlerotatus* (unplaced) [*Ochlerotatus* (*Ochlerotatus*)]
squamipennis (Lynch Arribalzaga, 1878): *Aedeomyia* (*Aedeomyia*)
squamosus (Taylor, 1914): *Culex* (*Oculeomyia*)
squamosus Theobald, 1901: *Anopheles* (*Cellia*)
srilankensis (Reinert, 1977): *Verrallina* (*Harbachius*)
srilankensis Peyton, 1974: *Uranotaenia* (*Pseudoficalbia*)
staminifera Lourenço-de-Oliveira, Motta & de Castro, 1992: *Wyeomyia* (*Triamyia*)
standfasti Peters, 1959: *Tripteroides* (*Polylepidomyia*)
stanleyi (Peters, 1963): '*Ochlerotatus* (*Finlaya*)'
starckeae Stone & Knight, 1958: *Culex* (*Oculeomyia*)

steffani Sirivanakarn, 1968: **Culex (Lophoceraomyia)**
stellata Belkin, Heinemann & Page, 1970: **Wyeomyia (Wyeomyia)**
stellata Grjebine, 1986: **Mimomyia (Ingramia)**
stellatus van Someren, 1947: **Culex (Eumelanomyia)**
stenei (Thompson, 1956): **Howardina** [**Ochlerotatus (Howardina)**]
stenoetrus (Theobald, 1907): **Aedimorphus** [**Aedes (Aedimorphus)**]
stenolepis Dyar & Knab, 1908: **Culex (Culex)**
stenoscutus (Edwards, 1912): **Aedimorphus** [**Aedes (Aedimorphus)**]
stephensi Liston, 1901: **Anopheles (Cellia)**
stevensoni (Barraud, 1923): **Phagomyia** [**Ochlerotatus (Finlaya)**]
sticticus (Meigen, 1838): **Ochlerotatus** (unplaced) [**Ochlerotatus (Ochlerotatus)**]
stigmaticus (Edwards, 1922): **Ochlerotatus (Chrysoconops)** [**Ochlerotatus (Ochlerotatus)**]
stigmaticus Skuse, 1889: **Anopheles (Anopheles)**
stigmatosoma Dyar, 1907: **Culex (Culex)**
stimulans (Walker, 1848): **Ochlerotatus** (unplaced) [**Ochlerotatus (Ochlerotatus)**]
stokesi (Evans, 1929): **Albuginosus** [**Aedes (Albuginosus)**]
stonei (Knight & Laffoon, 1946): **Finlaya** [**Ochlerotatus (Finlaya)**]
stonei Belkin, 1950: **Tripteroides (Rachisoura)**
stonei Lane & Whitman, 1943: **Culex (Microculex)**
stonei Vargas & Martinez Palacios, 1953: **Wyeomyia (Wyeomyia)**
stonei Vargas, 1956: **Psorophora (Psorophora)**
stoneorum (Marks, 1977): **Macleaya (Macleaya)** [**Ochlerotatus (Macleaya)**]
stookesi Colless, 1955: **Anopheles (Cellia)**
stramineus (Dubitzky, 1970): **Ochlerotatus** (unplaced) [**Ochlerotatus (Ochlerotatus)**]
strelitziae (Muspratt, 1950): **Stegomyia (Mukwaya)** [**Aedes (Stegomyia)**]
striatipes Edwards, 1941: **Culex (Culex)**
stricklandi Barraud, 1926: **Uranotaenia (Pseudoficalbia)**
stricklandi Edwards, 1912: **Ochlerotatus (Lepidokeneon)** [**Ochlerotatus (Ochlerotatus)**]
stricklandi Reid, 1965: **Anopheles (Anopheles)**
strodei Root, 1926: **Anopheles (Nyssorhynchus)**
stunga (Klein, 1973): **Verrallina (Harbachius)**
suarezi Cova Garcia & Sutil Oramas, 1976: **Mansonia (Mansonia)**
subaequalis Edwards, 1941: **Culex (Culiciomyia)**
subalbatus (Coquillett, 1898): **Armigeres (Armigeres)**
subalbirostris (Klein & Marks, 1960): **Ochlerotatus** (unplaced) [**Ochlerotatus (Ochlerotatus)**]
subalbitarsis (King & Hoogstraal, 1946): **Patmarksia** [**Ochlerotatus (Finlaya)**]
subalbopicta (Barraud, 1931): **Stegomyia** [**Aedes (Stegomyia)**]
subargentea (Edwards, 1925): **Stegomyia (Mukwaya)** [**Aedes (Stegomyia)**]
subauridorsum (Marks, 1948): 'Ochlerotatus (Finlaya)'
subbasalis (Dobrotworsky, 1962): **Dobrotworskyius** [**Ochlerotatus (Finlaya)**]
subcomplosa (del Ponte, 1939): **Wyeomyia** (subgenus uncertain)
subdentatus (Edwards, 1936): **Aedimorphus** [**Aedes (Aedimorphus)**]
subdiversus (Martini, 1926): **Ochlerotatus (Rusticoidus)**
submarginalis Sirivanakarn, 1973: **Culex (Lophoceraomyia)**
subnivea (Edwards, 1922): **Downsiomyia** [**Ochlerotatus (Finlaya)**]
subnormalis Martini, 1920: **Uranotaenia (Uranotaenia)**
subnudipennis (Edwards, 1927): **Tripteroides (Rachisoura)**
subochrea (Edwards, 1921): **Culiseta (Culiseta)**
subpictus Grassi, 1899: **Anopheles (Cellia)**
subrima Edwards, 1941: **Culex (Eumelanomyia)**
subsalisburyensis Hervé & Geoffroy, 1974: **Culex (Maillotia)**
subsimilis (Barraud, 1927): **Udaya**
subsimplicipes Edwards, 1914: **Eretmapodites**
subtibioclada King & Hoogstraal, 1947: **Uranotaenia (Uranotaenia)**
suchariti Miyagi & Toma, 1989: **Kimia**
sudanensis Theobald, 1908: **Mucidus (Mucidus)** [**Ochlerotatus (Mucidus)**]
suffusus (Edwards, 1922): 'Ochlerotatus (Finlaya)'
sulawesi Waktoedi, 1954: **Anopheles (Cellia)**
sullivananae Baisas & Ubaldo-Pagayon, 1953: **Tripteroides (Tripteroides)**
sumatranus (Brug, 1939): **Toxorhynchites (Toxorhynchites)**

sumethi Peyton & Rattanarithikul, 1970: ***Uranotaenia (Pseudoficalbia)***
sumidero (Schick, 1970): '*Ochlerotatus (Protomacleaya)*'
sundaicus (Rodenwaldt, 1925): ***Anopheles (Cellia)***
sunthorni Thurman, 1959: ***Toxorhynchites (Toxorhynchites)***
sunyaniensis Edwards, 1941: ***Culex (Eumelanomyia)***
superpictus Grassi, 1899: ***Anopheles (Cellia)***
surcoufi (Theobald, 1912): ***Ochlerotatus*** (unplaced) [*Ochlerotatus (Ochlerotatus)*]
surinamensis Bruijning, 1959: ***Wyeomyia*** (subgenus uncertain)
surinamensis Dyar, 1918: ***Culex (Culex)***
sursumptor Dyar, 1924: ***Culex (Melanoconion)***
sutili Cova García & Pulido F., 1974: ***Culex (Microculex)***
svastii Thurman, 1959: ***Topomyia (Topomyia)***
swahilicus Gillies, 1964: ***Anopheles (Cellia)***
sylvanensis (Dobrotworsky, 1960): ***Culiseta (Culicella)***
sylvatica (Brunhes, 1983): ***Diceromyia*** [*Aedes (Diceromyia)*]
sylvatica Lu, Dong & Wang, 1986: ***Topomyia (Topomyia)***
sylvaticum le Goff, Boussès & Brunhes, 2007: ***Neomelaniconion***
sylvestris (Theobald, 1910): ***Tripteroides (Rachisoura)***
symbletos Sallum & Hutchings, 2003: ***Culex (Melanoconion)***
symesi Edwards, 1928: ***Anopheles (Anopheles)***
synchytus (Arnell, 1976): ***Ochlerotatus (Ochlerotatus)***
syntheticus (Barraud, 1928): ***Aedimorphus*** [*Aedes (Aedimorphus)*]
szemaoensis Wang & Feng, 1964: ***Culex (Lophoceraomyia)***
tabu (Ramalingam & Belkin, 1965): ***Stegomyia*** [*Aedes (Stegomyia)*]
taeniarostre (Theobald, 1909): ***Neomelaniconion*** [*Aedes (Neomelaniconion)*]
taeniarostris (Theobald, 1911): ***Malaya***
taeniopus Dyar & Knab, 1907: ***Culex (Melanoconion)***
taeniorhynchoides (Christophers, 1911): ***Aedimorphus*** [*Aedes (Aedimorphus)*]
taeniorhynchus (Wiedemann, 1821): ***Ochlerotatus (Culicelsa)*** [*Ochlerotatus (Ochlerotatus)*]
tahoensis (Dyar, 1916): ***Ochlerotatus*** (unplaced) [*Ochlerotatus (Ochlerotatus)*]
taiwanensis Lien, 1968: ***Heizmannia (Heizmannia)***
taiwanus (Lien, 1968): ***Bruceharrisonius*** [*Ochlerotatus (Bruceharrisonius)*]
takasagoensis Morishita, 1946: ***Anopheles (Cellia)***
tamsi Edwards, 1934: ***Culex (Culex)***
tanzaniae da Cunha Ramos, 1993: ***Uranotaenia (Pseudoficalbia)***
tarsalis (Newstead, 1907): ***Catageomyia*** [*Aedes (Aedimorphus)*]
tarsalis Coquillett, 1896: ***Culex (Culex)***
tarsalis Delfinado & Hodges, 1968: ***Tripteroides (Tripteroides)***
tarsata Lane & Cerqueira, 1942: ***Wyeomyia (Exallomyia)***
tarsopus Dyar & Knab, 1908: ***Sabethes (Sabethes)***
tasmaniensis (Strickland, 1911): ***Tripteroides (Polylepidomyia)***
tasmaniensis Dobrotworsky, 1966: ***Anopheles (Anopheles)***
tatoi Casal & García, 1971: ***Culex (Culex)***
tauffiebi (Rickenbach & Ferrara, 1965): ***Aedimorphus*** [*Aedes (Aedimorphus)*]
tauffliebi Geoffroy & Hervé, 1976: ***Culex (Eumelanomyia)***
taurepana Anduze, 1941: ***Wyeomyia*** (subgenus uncertain)
taylori (Edwards, 1936): ***Diceromyia*** [*Aedes (Diceromyia)*]
tchekedii de Meillon & Leeson, 1940: ***Anopheles (Cellia)***
tecmarsis Dyar, 1918: ***Culex (Melanoconion)***
teesdalei (van Someren, 1954): ***Albuginosus*** [*Aedes (Albuginosus)*]
tehuantepec (Schick, 1970): '*Ochlerotatus (Protomacleaya)*'
telesilla de Meillon & Lavoipierre, 1945: ***Culex (Culex)***
telmatophila Galindo, Blanton & Peyton, 1954: ***Uranotaenia (Uranotaenia)***
tenagius van Someren, 1954: ***Culex (Culex)***
tenax de Meijere, 1910: ***Tripteroides (Rachionotomyia)***
tendeiroi da Cunha Ramos, Ribeiro & Machado, 1992: ***Eretmapodites***
tenebrosus Dönitz, 1902: ***Anopheles (Anopheles)***
tengchongensis Dong, Wang & Zhou, 2002: ***Heizmannia (Heizmannia)***
tenuipalpis (Edwards, 1924): ***Coquillettidia (Austromansonia)***
tenuipalpis Barraud, 1924: ***Culex (Eumelanomyia)***

tenuis Edwards, 1922: **Topomyia (Topomyia)**
terebor Dyar, 1920: **Culex (Melanoconion)**
termi Thurman, 1955: **Culex (Culiciomyia)**
terrens (Walker, 1856): '*Ochlerotatus (Protomacleaya)*'
territans Walker, 1856: **Culex (Neoculex)**
terzii Edwards, 1941: **Culex (Culex)**
tessellatus Theobald, 1901: **Anopheles (Cellia)**
testacea Theobald, 1905: **Uranotaenia (Uranotaenia)**
testeii Senevet & Abonnenc, 1939: **Wyeomyia (Dendromyia)**
thailandensis (Reinert, 1976): **Paraedes [Aedes (Paraedes)]**
thalassius Theobald, 1903: **Culex (Culex)**
theileri Edwards, 1912: **Anopheles (Cellia)**
theileri Theobald, 1903: **Culex (Culex)**
thelcter (Dyar, 1918): **Ochlerotatus (Ochlerotatus)**
thelmae Mattingly, 1970: **Heizmannia (Heizmannia)**
theobaldi (Dyar & Knab, 1906): **Toxorhynchites (Lynchiella)**
theobaldi (Lane & Cerqueira, 1942): **Runchomyia (Runchomyia)**
theobaldi (Lane & Cerqueira, 1942): **Wyeomyia (Phoniomyia)**
theobaldi (Lutz, 1904): **Culex (Melanoconion)**
theobaldi (Taylor, 1914): **Ochlerotatus** (unplaced) [*Ochlerotatus (Ochlerotatus)*]
theobaldi Barraud, 1934: **Armigeres (Armigeres)**
theobaldi Giles, 1901: **Anopheles (Cellia)**
thibaulti (Dyar & Knab, 1910): **Ochlerotatus** (unplaced) [*Ochlerotatus (Ochlerotatus)*]
thomasi Shannon, 1933: **Anopheles (Stethomyia)**
thomsoni (Theobald, 1905): **Christophersomyia [Aedes (Christophersomyia)]**
thorntoni (Dyar & Knab, 1907): '*Ochlerotatus (Protomacleaya)*'
thriambus Dyar, 1921: **Culex (Culex)**
thurmanae (Mattingly, 1958): **Canraedes [Aedes (Canraedes)]**
thurmanorum Bram, 1967: **Culex (Culiciomyia)**
tianpingensis Chen, 1981: **Culex (Culex)**
tibialis Taylor, 1919: **Uranotaenia (Uranotaenia)**
tibiamaculatus (Neiva, 1906): **Anopheles (Anopheles)**
tibioclada King & Hoogstraal, 1947: **Uranotaenia (Uranotaenia)**
tigertti Scanlon & Peyton, 1967: **Anopheles (Anopheles)**
tigripes de Grandpre & de Charmoy, 1901: **Lutzia (Metalutzia)**
timorensis (Miyagi, Toma & Lien, 2004): **Geoskusea [Ochlerotatus (Geoskusea)]**
tiptoni (Grjebine, 1953): **Diceromyia [Aedes (Diceromyia)]**
tipuliformis Leicester, 1908: **Topomyia (Topomyia)**
titillans (Walker, 1848): **Mansonia (Mansonia)**
tityae Slooff, 1961: **Tripteroides (Rachisoura)**
toffaletii Baisas & Ubaldo-Pagayon, 1953: **Tripteroides (Tripteroides)**
togoi (Theobald, 1907): **Tanakaius [Ochlerotatus (Finlaya)]**
tongae (Edwards, 1926): **Stegomyia [Aedes (Stegomyia)]**
tonkinensis (Galliard & Ngu, 1947): **Collessius (Alloeomyia) [Ochlerotatus (Finlaya)]**
tonkingi (Gebert, 1948): **Mucidus (Mucidus) [Ochlerotatus (Mucidus)]**
tonnoiri (Edwards, 1925): **Culiseta (Climacura)**
tonsa (Edwards, 1924): **Geoskusea [Ochlerotatus (Geoskusea)]**
tonsus Edwards, 1941: **Eretmapodites**
tormentor (Dyar & Knab, 1906): **Ochlerotatus (Protoculex) [Ochlerotatus (Ochlerotatus)]**
toroensis Edwards & Gibbins, 1939: **Culex (Culex)**
torokinae Belkin, 1950: **Tripteroides (Rachisoura)**
torosa (Delfinado, 1967): **Verrallina (Neomacleaya)**
torrentium Martini, 1925: **Culex (Culex)**
torresiensis Schmidt, 2001: **Anopheles (Cellia)**
tortilis (Theobald, 1903): **Ochlerotatus (Ochlerotatus)**
totonaci Lassmann, 1951: **Psorophora (Janthinosoma)**
tourneri Senevet & Abonnenc, 1939: **Culex (Melanoconion)**
toviensis Klein, Rivière & Séchan, 1984: **Culex (Culex)**
towadensis (Matsumara, 1916): **Toxorhynchites (Toxorhynchites)**
toxopeusi (Bonne-Wepster, 1948): '*Ochlerotatus (Finlaya)*'

tramazayguesi Duret, 1954: **Culex (Allimanta)**
rapidoi Galindo, Blanton & Peyton, 1954: **Uranotaenia (Uranotaenia)**
traubi Colless, 1965: **Culex (Lophoceraomyia)**
traubi Macdonald, 1960: **Armigeres (Leicesteria)**
travestita (Brug, 1928): **Bironella (Brugella)**
tremula Theobald, 1903: **Macleaya (Macleaya)** [*Ochlerotatus (Macleaya)*]
treubi (de Meijere, 1910): **Alanstonea** [*Aedes (Alanstonea)*]
triannulatus (Neiva & Pinto, 1922): **Anopheles (Nyssorhynchus)**
tricholabis (Edwards, 1941): **Aedimorphus** [*Aedes (Aedimorphus)*]
trichopygus (Wiedemann, 1828): **Toxorhynchites (Ankylorhynchus)**
trichorostris (Theobald, 1909): **Malaya**
tricolor da Cunha Ramos & Brunhes, 2004: **Uranotaenia (Pseudoficalbia)**
tricuspis Edwards, 1930: **Culex (Culiciomyia)**
tridentata da Cunha Ramos & Brunhes, 2004: **Uranotaenia (Pseudoficalbia)**
tridentata Cerqueira, 1961: **Sabethes (Sabethoides)**
trifida Edwards, 1922: **Topomyia (Topomyia)**
trifidus Dyar, 1921: **Culex (Melanoconion)**
trifilatus Edwards, 1914: **Culex (Culex)**
trifoliatus Edwards, 1914: **Culex (Culex)**
trifurcata Clastrier, 1973: **Wyeomyia (Dendromyia)**
trigeminatus Clastrier, 1970: **Culex (Melanoconion)**
trilineata Leicester, 1908: **Uranotaenia (Uranotaenia)**
trilobulatus Duret & Barreto, 1956: **Culex (Melanoconion)**
trimaculatus (Theobald, 1905): **Aedimorphus** [*Aedes (Aedimorphus)*]
trinidadiansis Theobald, 1901: **Wyeomyia (Phoniomyia)**
trinkae Faran, 1979: **Anopheles (Nyssorhynchus)**
tripartita (Bonne-Wepster & Bonne, 1921): **Wyeomyia (Phoniomyia)**
tripunctata (Theobald, 1908): **Heizmannia (Mattinglyia)**
triseriatus (Say, 1823): '*Ochlerotatus (Protomacleaya)*'
trisetosus Fauran, 1961: **Culex (Melanoconion)**
trispinata (King & Hoogstraal, 1947): **Verrallina (Verrallina)**
tritaeniorhynchus Giles, 1901: **Culex (Culex)**
trivittatus (Coquillett, 1902): **Ochlerotatus (Ochlerotatus)**
tropicalis Cerqueira & Antunes, 1938: **Haemagogus (Haemagogus)**
trukensis (Bohart, 1957): **Aedimorphus** [*Aedes (Aedimorphus)*]
tsaratananae Doucet, 1950: **Uranotaenia (Pseudoficalbia)**
tsengi Lien, 1968: **Culex (Culex)**
tsiliensis (King & Hoogstraal, 1946): '*Ochlerotatus (Finlaya)*'
tubbutiensis (Dobrotworsky, 1959): **Dobrotworskyius** [*Ochlerotatus (Finlaya)*]
tuberis Bohart, 1946: **Culex (Lophoceraomyia)**
tulagiensis (Edwards, 1926): **Stegomyia (Actinothrix)** [*Aedes (Stegomyia)*]
tulliae (Taylor, 1929): **Macleaya (Chaetocruimyia)** [*Ochlerotatus (Chaetocruimyia)*]
tumetarsalis Chen & Zhang, 1988: **Topomyia (Suaymyia)**
turkhudi Liston, 1901: **Anopheles (Cellia)**
turneri (Marks, 1963): **Ochlerotatus (Lepidokeneon)** [*Ochlerotatus (Ochlerotatus)*]
tutuila (Ramalingam & Belkin, 1965): **Finlaya** [*Ochlerotatus (Finlaya)*]
typhlosomata Dyar & Knab, 1907: **Uranotaenia (Uranotaenia)**
ugandae da Cunha Ramos, 1993: **Uranotaenia (Pseudoficalbia)**
uichancoi Baisas & Ubaldo-Pagayon, 1953: **Tripteroides (Tripteroides)**
ulocoma (Theobald, 1903): **Wyeomyia (Decamyia)**
ulopus (Dyar & Knab, 1906): **Johnbelkinia**
umbripes Edwards, 1941: **Culex (Culex)**
umbrosus (Theobald, 1903): **Anopheles (Anopheles)**
uncinatus Delfinado, 1966: **Culex (Eumelanomyia)**
unca (Theobald, 1901): **Verrallina (Neomacleaya)**
undosus (Coquillett, 1906): **Sabethes (Peytonulus)**
undulata del Ponte & Cerqueira, 1938: **Wyeomyia** (subgenus uncertain)
unguiculata Edwards, 1913: **Uranotaenia (Pseudoficalbia)**
unicinctus (Edwards, 1922): **Jihlienius** [*Ochlerotatus (Finlaya)*]
unicornis Root, 1928: **Culex (Melanoconion)**

unidentatum (McIntosh, 1971): *Neomelaniconion* [*Aedes* (*Neomelaniconion*)]
uniformis (Theobald, 1901): *Mansonia* (*Mansonioides*)
uniformis (Theobald, 1904): *Ficalbia*
uniformis (Theobald, 1905): *Culex* (*Lophoceraomyia*)
uniformis (Theobald, 1910): *Verrallina* (*Harbachius*)
unilineata (Theobald, 1906): *Stegomyia* [*Aedes* (*Stegomyia*)]
unimaculiala Leicester, 1908: *Uranotaenia* (*Uranotaenia*)
unispinosa Thurman, 1959: *Topomyia* (*Topomyia*)
univittatus Theobald, 1901: *Culex* (*Culex*)
upatensis (Anduze & Hecht, 1943): *Ochlerotatus* (unplaced) [*Ochlerotatus* (*Ochlerotatus*)]
upolensis (Marks, 1957): *Stegomyia* [*Aedes* (*Stegomyia*)]
urichii (Coquillett, 1906): *Culex* (*Carrollia*)
usambara (Mattingly, 1953): *Stegomyia* [*Aedes* (*Stegomyia*)]
usquatissimus Dyar, 1922: *Culex* (*Culex*)
usquatus Dyar, 1918: *Culex* (*Culex*)
vagans Wiedemann, 1828: *Culex* (*Culex*)
vagus Dönitz, 1902: *Anopheles* (*Cellia*)
valeryi Gornostaeva, 2005: *Aedes* [*Aedes* (*Aedes*)]
vallistris (Barraud, 1928): *Verrallina* (*Neomacleaya*)
vana (Colless, 1958): *Downsiomyia* [*Ochlerotatus* (*Finlaya*)]
vanapa (Huang, 1968): *Verrallina* (*Verrallina*)
vanduzeei Dyar & Knab, 1906: *Wyeomyia* (*Wyeomyia*)
vaneedeni Gillies & Coetzee, 1987: *Anopheles* (*Cellia*)
vanemdeni (Martini, 1931): *Howardina* [*Ochlerotatus* (*Howardina*)]
vanhoofi Wanson & Lebed, 1945: *Anopheles* (*Cellia*)
vanleeuweni (Edwards, 1927): *Tripteroides* (*Rachisoura*)
vanoyei (Wolfs, 1948): *Coquillettida* (*Coquillettida*)
vansomerena Grjebine, 1986: *Mimomyia* (*Ingramia*)
vansomereni Edwards, 1926: *Culex* (*Culex*)
vansomereni Hamon, 1962: *Eretmapodites*
vanus Walker, 1859: *Anopheles* (*Anopheles*)
vargasi (Schick, 1970): '*Ochlerotatus* (*Protomacleaya*)'
vargasi Gabaldón, Cova Garcia & Lopez, 1941: *Anopheles* (*Lophopodomomyia*)
variabilis (Huang, 1968): *Verrallina* (*Verrallina*)
variatus (Leicester, 1908): *Culex* (*Lophoceraomyia*)
variegata (Dobrotworsky, 1962): *Coquillettida* (*Coquillettida*)
variepicus (King & Hoogstraal, 1946): *Huaedes* [*Aedes* (*Huaedes*)]
varietas (Leicester, 1908): *Verrallina* (*Neomacleaya*)
varinervis Edwards, 1922: *Psorophora* (*Grabhamia*)
varipalpus (Coquillett, 1902): *Jarnellius* (*Jarnellius*) [*Ochlerotatus* (*Ochlerotatus*)]
varipes (Coquillett, 1904): *Psorophora* (*Janthinosoma*)
varuae (Belkin, 1962): *Stegomyia* [*Aedes* (*Stegomyia*)]
varuna Iyengar, 1924: *Anopheles* (*Cellia*)
vattieri Geoffroy, 1971: *Culex* (*Eumelanomyia*)
vaxus Dyar, 1920: *Culex* (*Melanoconion*)
veenia (McIntosh, 1975): *Catageiomyia* [*Aedes* (*Aedimorphus*)]
venezuelensis (Theobald, 1912): *Coquillettida* (*Rhynchotaenia*)
ventrilloni Edwards, 1920: *Culex* (*Culex*)
ventrovittis (Dyar, 1916): *Ochlerotatus* (unplaced) [*Ochlerotatus* (*Ochlerotatus*)]
venustipes (Skuse, 1889): *Aedeomyia* (*Aedeomyia*)
vernoni van Someren, 1949: *Orthopodomomyia*
vernus Gillies & de Meillon, 1968: *Anopheles* (*Cellia*)
versabilis Sirivanakarn, 1968: *Culex* (*Lophoceraomyia*)
versicolor (Barraud, 1924): '*Ochlerotatus* (*Finlaya*)'
versicolor (Edwards, 1913): *Coquillettida* (*Coquillettida*)
veruslanei Vargas, 1979: *Anopheles* (*Anopheles*)
verutus Harbach, 1987: *Culex* (*Culex*)
vestitipennis Dyar & Knab, 1906: *Anopheles* (*Anopheles*)
vexans (Meigen, 1830): *Aedimorphus* [*Aedes* (*Aedimorphus*)]
vexillifer Komp, 1936: *Culex* (*Melanoconion*)

vicinus (Edwards, 1914): *Tripteroides* (*Tripteroides*)
victoriensis (Dobrotworsky, 1954): *Culiseta* (*Culicella*)
vidali Floch & Fauran, 1954: *Culex* (*Melanoconion*)
vietnamensis Nguyen, Tran & Nguyen, 1993: *Anopheles* (*Anopheles*)
vigilax (Skuse, 1889): *Ochlerotatus* (*Empihals*) [*Ochlerotatus* (*Ochlerotatus*)]
vijayae Ramalingam, 1975: *Topomyia* (*Topomyia*)
vimoli Thurman & Thurman, 1958: *Armigeres* (*Leicesteria*)
vincinus (Taylor, 1916): *Culex* (*Culex*)
vinckei de Meillon, 1942: *Anopheles* (*Cellia*)
vinckei Hamon, Holstein & Rivola, 1957: *Culex* (*Eumelanomyia*)
vinsoni (Mattingly, 1953): *Stegomyia* [*Aedes* (*Stegomyia*)]
violaceus (Wiedemann, 1820): *Toxorhynchites* (*Lynchiella*)
viridibasis (Edwards, 1935): *Toxorhynchites* (*Afrorhynchus*)
viridis Barraud, 1929: *Heizmannia* (*Heizmannia*)
viridiventer Giles, 1901: *Culex* (*Culiciomyia*)
virilis Leicester, 1908: *Verrallina* (*Neomacleaya*)
vishnui Theobald, 1901: *Culex* (*Culex*)
vittatus (Bigot, 1861): *Fredwardsius* [*Aedes* (*Fredwardsius*)]
vittiger (Skuse, 1889): *Ochlerotatus* (unplaced) [*Ochlerotatus* (*Ochlerotatus*)]
voltaensis (Danilov, 1982): *Coquillettidia* (*Coquillettidia*)
vomerifer Komp, 1932: *Culex* (*Melanoconion*)
vonplesseni (Dyar & Knab, 1906): *Trichoprosopon*
vorax Edwards, 1921: *Lutzia* (*Metalutzia*)
wadai (Tanaka, Mizusawa & Saugstad, 1979): *Stegomyia* [*Aedes* (*Stegomyia*)]
wahlbergi (Edwards, 1936): *Coquillettidia* (*Coquillettidia*)
w-alba Theobald, 1905: *Stegomyia* [*Aedes* (*Stegomyia*)]
walcotti (Lane & Cerqueira, 1942): *Runchomyia* (*Ctenogoeldia*)
walkeri (Theobald, 1901): *Howardina* [*Ochlerotatus* (*Howardina*)]
walkeri Theobald, 1901: *Anopheles* (*Anopheles*)
wallacei (Edwards, 1926): *Finlaya* [*Ochlerotatus* (*Finlaya*)]
walravensi Edwards, 1930: *Anopheles* (*Cellia*)
walukasi Belkin, 1962: *Culex* (*Lophoceraomyia*)
wamanguae Sirivanakarn, 1968: *Culex* (*Lophoceraomyia*)
wannonii Cova García & Sutil Oramus, 1976: *Culex* (*Carrollia*)
wansonii Edwards, 1941: *Eretmapodites*
wansonii Wolfs, 1945: *Culex* (*Eumelanomyia*)
wanxianensis Lei & Li, 1990: *Orthopodomyia*
wardangensis (Brust, Ballard, Driver, Hartley, Galway & Curran, 1998): *Halaedes* [*Ochlerotatus* (*Halaedes*)]
wardi (Reinert, 1976): *Rhinoskusea* [*Ochlerotatus* (*Rhinoskusea*)]
wardi Sirivanakarn, 1977: *Culex* (*Lophoceraomyia*)
washinoi (Lanzaro & Eldridge, 1992): *Ochlerotatus* (unplaced) [*Ochlerotatus* (*Ochlerotatus*)]
wasselli (Marks, 1947): '*Ochlerotatus* (*Finlaya*)'
watasei (Yamada, 1921): *Phagomyia* [*Ochlerotatus* (*Finlaya*)]
watsonii (Leicester, 1908): *Anopheles* (*Cellia*)
watteni (Lien, 1968): *Downsiomyia* [*Ochlerotatus* (*Finlaya*)]
wattensis (Taylor, 1929): *Macleaya* (*Chaetocruuiomyia*) [*Ochlerotatus* (*Chaetocruuiomyia*)]
watti Edwards, 1920: *Culex* (*Culex*)
wauensis (Huang, 1968): *Huaedes* [*Aedes* (*Huaedes*)]
waverleyi (Grabham, 1907): *Orthopodomyia*
weindorferi (Edwards, 1926): *Culiseta* (*Culicella*)
wellcomei Theobald, 1904: *Anopheles* (*Cellia*)
wellingtonianus Alcock, 1912: *Anopheles* (*Anopheles*)
wellmanii (Theobald, 1905): *Hopkinsius* (*Hopkinsius*) [*Ochlerotatus* (*Finlaya*)]
wendyae (Service, 1959): *Catageiomyia* [*Aedes* (*Aedimorphus*)]
wepsterae Komp & Rozeboom, 1951: *Culex* (*Melanoconion*)
wernerii Baisas & Ubaldo-Pagayon, 1953: *Tripteroides* (*Tricholeptomyia*)
weschei Edwards, 1935: *Culex* (*Culex*)
whartoni (Mattingly, 1965): *Petermattinglyius* [*Aedes* (*Diceromyia*)]
whartoni Colless, 1965: *Culex* (*Lophoceraomyia*)

whartoni Reid, 1963: **Anopheles (Anopheles)**
whitei Barraud, 1923: **Culex (Culex)**
whitmani Lane & Cerqueira, 1942: **Sabethes (Peytonulus)**
whitmorei (Dunn, 1918): **Howardina [Ochlerotatus (Howardina)]**
whitmorei (Giles, 1904): **Culex (Culex)**
whittingtoni Belkin, 1962: **Culex (Culex)**
wigglesworthi (Edwards, 1941): **Aedimorphus [Aedes (Aedimorphus)]**
wigglesworthi Edwards, 1941: **Culex (Eumelanomyia)**
wilfredi Colless, 1965: **Culex (Lophoceraomyia)**
wilkersoni (Reinert, 1990): **Kenknightsia [Ochlerotatus (Kenknightsia)]**
willmori (James, 1903): **Anopheles (Cellia)**
wilsoni (Barreto & Coutinho, 1944): **Mansonia (Mansonia)**
wilsoni Evans, 1934: **Anopheles (Cellia)**
wilsoni Lane & Whitman, 1943: **Culex (Carrollia)**
wilsoni Macdonald, 1958: **Orthopodomyia**
winkleri Belkin, 1962: **Culex (Lophoceraomyia)**
winter Dong, Wu & Mao, 2006: **Topomyia (Topomyia)**
wolfsi Ribeiro, 2005: **Toxorhynchites (Afrorhynchus)**
woodi (Edwards, 1922): **Stegomyia (Mukwaya) [Aedes (Stegomyia)]**
worontzowi Pessoa & Galvão, 1936: **Culex (Microculex)**
wysockii Belkin, 1953: **Uranotaenia (Uranotaenia)**
xanthogaster (Edwards, 1924): **Coquillettidia (Coquillettidia)**
xanthomelaena Edwards, 1925: **Uranotaenia (Pseudoficalbia)**
xanthozona (van Someren, 1948): **Mimomyia (Etorleptomyia)**
xelajuensis de Leon, 1938: **Anopheles (Anopheles)**
xenismus Harbach, 1995: **Sabethes (Peytonulus)**
xenophobia Ronderos, 1965: **Culex (Microculex)**
xhyphydes Harbach, 1994: **Sabethes (Sabethinus)**
xui Dong, Zhou, Dong & Mao, 2007: **Anopheles (Anopheles)**
yaeyamana Tanaka, Mizusawa & Saugstad, 1975: **Uranotaenia (Pseudoficalbia)**
yamadai Sasa, Kano & Takahasi, 1950: **Aedes [Aedes (Aedes)]**
yanbarensis Miyagi, 1976: **Topomyia (Suaymyia)**
yanbareroides Dong & Miyagi, 1995: **Topomyia (Suaymyia)**
yangambiensis (de Meillon & Lavoipierre, 1944): **Catageomyia [Aedes (Aedimorphus)]**
yaoi Tung, 1955: **Culex (Culiciomyia)**
ybarmis Dyar, 1920: **Culex (Melanoconion)**
yeageri Baisas, 1935: **Culex (Eumelanomyia)**
yerburyi (Edwards, 1917): **Verrallina (Neomacleaya)**
yojoae Strickman, 1990: **Culex (Culex)**
yongi Miyagi, Toma & Ramalingam, 1991: **Topomyia (Topomyia)**
yovani van Someren, 1951: **Uranotaenia (Pseudoficalbia)**
ypsipola Dyar, 1922: **Wyeomyia (Dendromyia)**
yunnanensis (Gaschen, 1934): **Hulecoeteomyia [Ochlerotatus (Finlaya)]**
yunnanensis Dong, Dong & Wu, 2004: **Uranotaenia (Uranotaenia)**
yunnanensis Dong, Zhou & Dong, 1995: **Armigeres (Armigeres)**
yusafi (Barraud, 1931): **Verrallina (Harbachius)**
yvonneae (Edwards, 1941): **Catageomyia [Aedes (Aedimorphus)]**
zairensis Ribeiro, 2005: **Toxorhynchites (Afrorhynchus)**
zammitii (Theobald, 1903): **Acartomyia [Ochlerotatus (Ochlerotatus)]**
zavortinki (Schick, 1970): 'Ochlerotatus (Protomacleaya)'
zeteki Dyar, 1918: **Culex (Melanoconion)**
zethus (de Meillon & Lavoipierre, 1944): **Diceromyia [Aedes (Diceromyia)]**
zhang Gong, 1991: **Topomyia (Topomyia)**
ziemanni Grünberg, 1902: **Anopheles (Anopheles)**
zinzala Zavortink, 1986: **Wyeomyia (Zinzala)**
zombaensis Theobald, 1901: **Culex (Culex)**
zoosophus (Dyar & Knab, 1918): 'Ochlerotatus (Protomacleaya)'