

Mosquito Taxonomic Inventory (www.mosquito-taxonomic-inventory.info/)

Updated 1 September 2011 – Ralph Harbach

abdita (Barraud, 1931): *Verrallina* (*Harbachius*)
abdita Peyton, 1977: *Uranotaenia* (*Pseudoficalbia*)
abebela Dyar & Knab, 1908: *Wyeomyia* (*Wyeomyia*)
aberrans Harrison & Scanlon, 1975: *Anopheles* (*Anopheles*)
ablechra Dyar & Knab, 1908: *Wyeomyia* (*Wyeomyia*)
ablusa Harbach, 2009: *Chagasia*
abnormalis (Theobald, 1909): *Aedimorphus* [*Aedes* (*Aedimorphus*)]
abnormalis Lane, 1936: *Culex* (*Culex*)
abominator Dyar & Knab, 1909: *Culex* (*Melanoconion*)
abonnenci Clastrier, 1970: *Culex* (*Melanoconion*)
aboriginis (Dyar, 1917): *Ochlerotatus* (unplaced) [*Ochlerotatus* (*Ochlerotatus*)]
abserratus (Felt & Young, 1904): *Ochlerotatus* (unplaced) [*Ochlerotatus* (*Ochlerotatus*)]
abstrusa Peyton, 1977: *Uranotaenia* (*Pseudoficalbia*)
acaci Baisas, 1946: *Anopheles* (*Anopheles*)
acanthotorynus Komp, 1937: *Anopheles* (*Stethomyia*)
acaudatus (Leicester, 1908): *Toxorhynchites* (*Toxorhynchites*)
accelerans Root, 1927: *Culex* (*Aedinus*)
achaetae (Leicester, 1908): *Heizmannia* (*Mattinglyia*)
acharistus Root, 1927: *Culex* (*Culex*)
aconitus Dönitz, 1902: *Anopheles* (*Cellia*)
acrostichalis Edwards, 1941: *Culex* (*Eumelanomyia*)
aculeatus (Theobald, 1903): *Ochlerotatus* (*Gilesia*) [*Ochlerotatus* (*Ochlerotatus*)]
aculeatus Colless, 1965: *Culex* (*Lophoceraomyia*)
acutipalpus Colless, 1965: *Culex* (*Lophoceraomyia*)
acutisentis Arnell, 1973: *Haemagogus* (*Haemagogus*)
adairi Kirkpatrick, 1926: *Culex* (*Lasiosiphon*)
adamesi Sirivanakarn & Galindo, 1980: *Culex* (*Melanoconion*)
adami (Hamon & Mouchet, 1955): *Culex* (*Eumelanomyia*)
adami Ferrara & Eouzan, 1974: *Eretmapodites*
adami (Geoffroy, 1971): *Catageiomyia* [*Aedes* (*Aedimorphus*)]
adelpha Dyar & Knab, 1906: *Wyeomyia* (*Wyeomyia*)
adentata van den Assem, 1959: *Tripteroides* (*Rachisoura*)
adersi (Edwards, 1917): *Diceromyia* [*Aedes* (*Diceromyia*)]
adersianus Edwards, 1941: *Culex* (*Eumelanomyia*)
adusta (Laffoon, 1946): *Verrallina* (*Neomacleaya*)
aegypti (Linnaeus, 1762): *Stegomyia* (*Stegomyia*) [*Aedes* (*Stegomyia*)]
aenea Thurman, 1959: *Topomyia* (*Topomyia*)
aeneus (Edwards, 1921): *Tripteroides* (*Tripteroides*)
aeneus (Evans, 1926): *Toxorhynchites* (*Afrorhynchus*)
aenigma Harbach, 2000: *Onirion*
aenigmaticus (Cerqueira & Costa, 1946): *Ochlerotatus* (*Protoculex*) [*Ochlerotatus* (*Ochlerotatus*)]
aequatorianna Levi-Castillo, 1953: *Uranotaenia* (*Uranotaenia*)
aequatorianna Levi-Castillo, 1954: *Wyeomyia* (subgenus uncertain)
aerarius McIntosh, 1975: *Aedimorphus* [*Aedes* (*Aedimorphus*)]
aeritinctus Galindo & Trapido, 1967: *Haemagogus* (*Haemagogus*)
aestivus Sirivanakarn, 1977: *Culex* (*Lophoceraomyia*)
affinis (Edwards, 1913): *Tripteroides* (*Rachionotomyia*)
africana (Theobald, 1901): *Mansonia* (*Mansonioides*)
africana Neveu-Lemaire, 1906: *Aedeomyia* (*Lepiothauma*)
africana Theobald, 1901: *Stegomyia* [*Aedes* (*Stegomyia*)]
agastyai (Tewari & Hiriyani, 1992): *Tewarius* [*Aedes* (*Diceromyia*)]
agranensis Singh & Prakash, 2008: *Lutzia* (*Metalutzia*)
agrestis (Barraud, 1931): *Verrallina* (*Neomacleaya*)
agrihanensis (Bohart, 1957): *Stegomyia* (*Bohartius*) [*Aedes* (*Stegomyia*)]
aguilari Baisas & Feliciano, 1953: *Zeugomyia*
ahomi Chowdhury, 1929: *Anopheles* (*Anopheles*)

ainshamsi Gad, Harbach & Harrison, 2006: **Anopheles (Cellia)**
airosai Lane & Cerqueira, 1942: **Wyeomyia (Spilonympha)**
airozai Lane, 1945: **Culex (Phenacomyia)**
aitkeni (Schick, 1970): 'Ochlerotatus (Protomacleaya)'
aitkenii James, 1903: **Anopheles (Anopheles)**
akkeshiensis (Tanaka, 1998): **Ochlerotatus** (unplaced) [Ochlerotatus (Ochlerotatus)]
akritos Forattini & Sallum, 1995: **Culex (Melanoconion)**
alani Forattini, 1965: **Culex (Culex)**
alani Lane & Cerqueira, 1957: **Wyeomyia (Antunesmyia)**
alaskaensis (Ludlow, 1906): **Culiseta (Culiseta)**
alba Baker, 1936: **Orthopodomyia**
alba Theobald, 1901: **Uranotaenia (Uranotaenia)**
albertianus Edwards, 1941: **Culex (Eumelanomyia)**
albertoi Unti, 1941: **Anopheles (Nyssorhynchus)**
albescens (Edwards, 1921): **Ochlerotatus (Rusticoidus)**
albescens Taylor, 1914: **Uranotaenia (Uranotaenia)**
albicosta (Edwards, 1913): **Neomelaniconion** [Aedes (Neomelaniconion)]
albicosta (Lutz, 1904): **Orthopodomyia**
albicosta (Peryassú, 1908): **Coquillettidia (Rhynchoetaenia)**
albifasciatus (Macquart, 1838): **Ochlerotatus** (unplaced) [Ochlerotatus (Ochlerotatus)]
albifera (Prado, 1931): **Coquillettidia (Rhynchoetaenia)**
albigenu (Peryassú, 1908): **Psorophora (Janthinosoma)**
albilabris (Edwards, 1925): **Rampamyia** [Ochlerotatus (Finlaya)]
albimanus da Cunha Ramos & Brunhes, 2004: **Uranotaenia (Pseudoficalbia)**
albimanus Wiedemann, 1820: **Anopheles (Nyssorhynchus)**
albinensis Bonne-Wepster & Bonne, 1920: **Culex (Melanoconion)**
albinervis Edwards, 1929: **Culex (Oculeomyia)**
albineus (Séguy, 1923): **Ochlerotatus** (unplaced) [Ochlerotatus (Ochlerotatus)]
albinotata da Cunha Ramos & Brunhes, 2004: **Uranotaenia (Pseudoficalbia)**
albipes (Edwards, 1922): **Toxorhynchites (Toxorhynchites)**
albipes (Theobald, 1907): **Psorophora (Janthinosoma)**
albipes Leicester, 1904: **Orthopodomyia**
albipes Lutz, 1904: **Culex (Microculex)**
albipes Peyton, 1977: **Uranotaenia (Pseudoficalbia)**
albirivus Theobald, 1903: **Sabethes (Sabethes)**
albiradius le Goff, Boussès & Brunhes, 2007: **Neomelaniconion**
albitarsis Lynch Arribálzaga, 1878: **Anopheles (Nyssorhynchus)**
albiventris Edwards, 1922: **Culex (Eumelanomyia)**
alboabdominalis Theobald, 1910: **Uranotaenia (Uranotaenia)**
alboannulata (Theobald, 1905): **Uranotaenia (Uranotaenia)**
alboannulatus (Macquart, 1850): **Dobrotworskyius** [Ochlerotatus (Finlaya)]
alboapicus (Schick, 1970): 'Ochlerotatus (Protomacleaya)'
albocephala da Cunha Ramos & Brunhes, 2004: **Uranotaenia (Uranotaenia)**
albocephala (Theobald, 1903): **Polyleptomyia** [Aedes (Aedimorphus)]
alboincinctus (Barraud, 1924): **Hopkinsius (Yamada)** [Ochlerotatus (Finlaya)]
albodorsalis Fontenille & Brunhes, 1985: **Aedimorphus** [Aedes (Aedimorphus)]
albolateralis (Theobald, 1908): **Downsiomyia** [Ochlerotatus (Finlaya)]
albolineata Theobald, 1904: **Scutomyia** [Aedes (Scutomyia)]
albomaculatus Theobald, 1903: **Haemagogus (Haemagogus)**
albomarginatus (Newstead, 1907): **Pseudarmigeres** [Aedes (Pseudarmigeres)]
albonivea (Barraud, 1934): **Downsiomyia** [Ochlerotatus (Finlaya)]
albonotata (Coquillett, 1906): **Howardina** [Ochlerotatus (Howardina)]
albopicta (Skuse, 1895): **Stegomyia** [Aedes (Stegomyia)]
alboscuteclatus (Theobald, 1905): **Aedimorphus** [Aedes (Aedimorphus)]
alboscuteclatus Lee, 1946: **Tripteroides (Tripteroides)**
albosquamata Bonne-Wepster & Bonne, 1919: **Wyeomyia** (subgenus uncertain)
alboternopleura Peters, 1963: **Uranotaenia (Uranotaenia)**
albotaeniata Leicester, 1904: **Danielsia** [Ochlerotatus (Finlaya)]
albotaeniatus (Theobald, 1903): **Anopheles (Anopheles)**
albothorax (Theobald, 1907): **Neomelaniconion** [Aedes (Neomelaniconion)]

alboventralis (Theobald, 1910): **Aedimorphus** [*Aedes* (*Aedimorphus*)]
alcasidi (Huang, 1972): **Stegomyia** [*Aedes* (*Stegomyia*)]
alcocki Bonne-Wepster & Bonne, 1920: **Culex** (**Melanoconion**)
alektorovi (Stackelberg, 1943): **Bruceharrisonius** [*Ochlerotatus* (*Bruceharrisonius*)]
alexandrei Gornostaeva, 2005: **Aedes** [*Aedes* (*Aedes*)]
algeriensis Theobald, 1903: **Anopheles** (**Anopheles**)
aliciae Duret, 1953: **Culex** (**Melanoconion**)
alienus Colless, 1957: **Culex** (**Culex**)
alinkios Sallum & Hutchings, 2003: **Culex** (**Melanoconion**)
alis Theobald, 1903: **Culex** (**Culex**)
alius (Lien, 1968): **Gilesius** [*Ochlerotatus* (*Finlaya*)]
alkatirii Toma, Miyagi & Syafruddin, 1995: **Armigeres** (**Armigeres**)
allostigma Howard, Dyar & Knab, 1915: **Lutzia** (**Lutzia**)
allotecnon (Kumm, Komp & Ruiz, 1940): **Howardina** [*Ochlerotatus* (*Howardina*)]
alocasicola (Marks, 1947): **Finlaya** [*Ochlerotatus* (*Finlaya*)]
alogistus Dyar, 1918: **Culex** (**Melanoconion**)
alongensis Venhuis, 1940: **Anopheles** (**Anopheles**)
alongi (Galliard & Ngu, 1947): **Bothaella** [*Aedes* (*Bothaella*)]
aloponotum (Dyar, 1917): **Ochlerotatus** (unplaced) [*Ochlerotatus* (*Ochlerotatus*)]
alorensis (Bonne-Wepster & Brug, 1932): **Stegomyia** [*Aedes* (*Stegomyia*)]
alorensis Sirivanakarn, 1977: **Culex** (**Lophoceraomyia**)
alphus Colless, 1965: **Culex** (**Lophoceraomyia**)
alternans (Westwood, 1835): **Mucidus** (**Mucidus**) [*Ochlerotatus* (*Mucidus*)]
alticola (Bonne-Wepster, 1948): '*Ochlerotatus* (*Finlaya*)'
altivallis Bonne-Wepster, 1948: **Tripteroides** (**Polylepidomyia**)
amabilis (Schick, 1970): '*Ochlerotatus* (*Protomacleaya*)'
amalthaea (de Meillon & Lavoipierre, 1944): **Stegomyia** [*Aedes* (*Stegomyia*)]
amaniensis van Someren & Hamon, 1964: **Culex** (**Eumelanomyia**)
amazonensis (Lutz, 1905): **Culex** (**Aedinus**)
amazonensis (Theobald, 1901): **Mansonia** (**Mansonia**)
amazonica Cerqueira, 1960: **Psorophora** (**Janthinosoma**)
amazonica Levi-Castillo, 1954: **Wyeomyia** (subgenus uncertain)
amazonicus Gordon & Evans, 1922: **Sabethes** (**Sabethes**)
ambodimanga da Cunha Ramos & Brunhes, 2004: **Uranotaenia** (**Pseudoficalbia**)
amboinensis (Doleschall, 1857): **Toxorhynchites** (**Toxorhynchites**)
ambreensis (Rodhain & Boutonnier, 1983): **Ochlerotatus** (unplaced) [*Ochlerotatus* (*Ochlerotatus*)]
ambremontis Brunhes & Hervy, 1995: **Orthopodomyia**
ameliae Casal, 1967: **Culex** (**Culex**)
amesii (Ludlow, 1903): **Lorrainea** [*Aedes* (*Lorrainea*)]
amictus Edwards, 1921: **Anopheles** (**Cellia**)
amiensis Peters, 1963: **Uranotaenia** (**Uranotaenia**)
amitis Komp, 1936: **Culex** (**Melanoconion**)
amurensis Maslov, 1964: **Culiseta** (**Culicella**)
ananae (Knight & Laffoon, 1946): **Finlaya** [*Ochlerotatus* (*Finlaya*)]
anastasionis Dyar, 1921: **Haemagogus** (**Haemagogus**)
anchietai Corrêa & Ramalho, 1968: **Anopheles** (**Anopheles**)
andamanensis (Edwards, 1922): **Verrallina** (**Neomacleaya**)
andamanensis Barraud, 1934: **Orthopodomyia**
andavakae Doucet, 1950: **Uranotaenia** (**Uranotaenia**)
andersoni (Edwards, 1926): **Ochlerotatus** (unplaced) [*Ochlerotatus* (*Ochlerotatus*)]
andersoni Edwards, 1914: **Culex** (**Culex**)
andinum Levi-Castillo, 1953: **Trichoprosopon**
andinus Levi-Castillo, 1954: **Limatus**
andinus Osorno-Mesa, 1944: **Haemagogus** (**Haemagogus**)
andreae Doucet, 1962: **Uranotaenia** (**Pseudoficalbia**)
andreas Edwards, 1927: **Culex** (**Eumelanomyia**)
andrewsi (Edwards, 1926): **Stegomyia** [*Aedes* (*Stegomyia*)]
andricus Root, 1927: **Culex** (**Melanoconion**)
anduzei Cerqueira & Lane, 1944: **Culex** (**Carrollia**)
anggiensis (Bonne-Wepster, 1937): **Patmarksia** [*Ochlerotatus* (*Finlaya*)]

angkoris Klein, 1977: *Topomyia* (*Topomyia*)
angolensis da Cunha Ramos & Ribeiro, 1992: *Eretmapodites*
angolensis da Cunha Ramos, 1985: *Uranotaenia* (*Uranotaenia*)
angolensis Ribeiro, 1992: *Toxorhynchites* (*Afrorhynchus*)
angusta (Edwards, 1935): *Stegomyia* [*Aedes* (*Stegomyia*)]
angustiplus Evenhuis & Steffan, 1986: *Toxorhynchites* (*Toxorhynchites*)
angustivittatus (Dyar & Knab, 1907): *Ochlerotatus* (*Ochlerotatus*)
anhydor Dyar, 1907: *Uranotaenia* (*Pseudoficalbia*)
aningae Motta & Lourenço-De-Oliveira, 2005: *Wyeomyia* (*Spilonympha*)
anips Dyar, 1916: *Culex* (*Melanoconion*)
ankaratrensis Brunhes & Hervy, 1995: *Orthopodomyia*
annandalei Barraud, 1926: *Uranotaenia* (*Uranotaenia*)
annandalei Prashad, 1918: *Anopheles* (*Anopheles*)
annandalei Theobald, 1910: *Stegomyia* (*Heteraspidion*) [*Aedes* (*Stegomyia*)]
annettii (Theobald, 1901): *Coquillettidia* (*Coquillettidia*)
annularis van der Wulp, 1884: *Anopheles* (*Cellia*)
annulata (Schrank, 1776): *Culiseta* (*Culiseta*)
annulata Leicester, 1908: *Mansonia* (*Mansonioides*)
annulata Theobald, 1901: *Uranotaenia* (*Pseudoficalbia*)
annulatus Haga, 1930: *Anopheles* (*Cellia*)
annulifera (Theobald, 1901): *Mansonia* (*Mansonioides*)
annulioris Theobald, 1901: *Culex* (*Oculeomyia*)
annulipalpis (Theobald, 1910): *Armigeres* (*Leicesteria*)
annulipalpis Lynch Arribázaga, 1878: *Anopheles* (*Anopheles*)
annulipes (Meigen, 1830): *Ochlerotatus* (unplaced) [*Ochlerotatus* (*Ochlerotatus*)]
annulipes Walker, 1856: *Anopheles* (*Cellia*)
annulirostris (Theobald, 1905): *Christophersiomyia* [*Aedes* (*Christophersiomyia*)]
annulirostris Skuse, 1889: *Culex* (*Culex*)
annulitarsis (Leicester, 1908): *Armigeres* (*Leicesteria*)
annuliventris (Blanchard, 1852): *Culex* (*Culex*)
annulus Theobald, 1901: *Culex* (*Culex*)
anomalophyllus Komp, 1936: *Anopheles* (*Nyssorhynchus*)
anopheloides (Giles, 1903): *Orthopodomyia*
anopheloides Brunhes & Razafindrasolo, 1975: *Uranotaenia* (*Uranotaenia*)
anoplicitus Forattini & Sallum, 1989: *Culex* (*Melanoconion*)
antalahaensis da Cunha Ramos & Brunhes, 2004: *Uranotaenia* (*Pseudoficalbia*)
antennalis Bohart & Farner, 1944: *Tripteroides* (*Tripteroides*)
antennalis Taylor, 1919: *Uranotaenia* (*Uranotaenia*)
antennatus (Becker, 1903): *Culex* (*Culex*)
antillumagnorum Dyar, 1928: *Culex* (*Micraedes*)
antipodea Dobrotworsky, 1962: *Culiseta* (*Climacura*)
antipodeus Edwards, 1920: *Ochlerotatus* (unplaced) [*Ochlerotatus* (*Ochlerotatus*)]
antunesi Galvão & Amaral, 1940: *Anopheles* (*Nyssorhynchus*)
antunesi Lane & Guimarães, 1937: *Wyeomyia* (*Phoniomyia*)
antunesi Lane & Whitman, 1943: *Culex* (*Carrollia*)
aobae (Belkin, 1962): *Stegomyia* [*Aedes* (*Stegomyia*)]
aphobema Dyar, 1918: *Wyeomyia* (*Dodecamyia*)
aphylactus Root, 1927: *Culex* (*Microculex*)
apicalis Adams, 1903: *Culex* (*Neoculex*)
apicalis Theobald, 1903: *Uranotaenia* (*Uranotaenia*)
apicimacula Dyar & Knab, 1906: *Anopheles* (*Anopheles*)
apicinus Philippi, 1865: *Culex* (*Culex*)
apicoannulatus (Edwards, 1912): *Elpeytonius* [*Aedes* (*Aedimorphus*)]
apicoargentea Theobald, 1909: *Stegomyia* [*Aedes* (*Stegomyia*)]
apicosquamata da Cunha Ramos & Brunhes, 2004: *Uranotaenia* (*Pseudoficalbia*)
apicotaeniata Theobald, 1909: *Uranotaenia* (*Pseudoficalbia*)
apicotriangulatus (Theobald, 1910): *Tripteroides* (*Polylepidomyia*)
apoci Marsh, 1933: *Anopheles* (*Cellia*)
apoensis Baisas & Ubaldo-Pagayon, 1953: *Tripteroides* (*Tricholeptomyia*)
apoensis Bohart & Farner, 1944: *Armigeres* (*Armigeres*)

aporonoma Dyar & Knab, 1906: **Wyeomyia (Triamyia)**
approximata Peyton, 1977: **Uranotaenia (Pseudoficalbia)**
apsarae Klein, 1977: **Topomyia (Suaymyia)**
aquarius Strickman, 1990: **Culex (Culex)**
aquasalis Curry, 1932: **Anopheles (Nyssorhynchus)**
arabiensis Patton, 1905: **Anopheles (Cellia)**
aranoides (Theobald, 1901): **Tripteroides (Rachionotomyia)**
arawak Berlin, 1969: **Culex (Micraedes)**
arbieeni Salem, 1938: **Culex (Maillotia)**
arborea Galindo, Carpenter & Trapido, 1951: **Wyeomyia (Exallomyia)**
arboREALis (Bonne-Wepster & Bonne, 1920): **Howardina [Ochlerotatus (Howardina)]**
arboricola (Knight & Rozeboom, 1946): **Scutomyia [Aedes (Scutomyia)]**
arboricola Galindo & Mendez, 1961: **Culex (Melanoconion)**
arboricola Zavortink, 1970: **Anopheles (Anopheles)**
arboricollis (Charmoy, 1908): **Orthopodomyia**
archegus Dyar, 1929: **Culex (Culex)**
ardensis (Theobald, 1905): **Anopheles (Cellia)**
arenivaga Marks, 1968: **Culiseta** (subgenus uncertain)
argenteitarsis (Brug, 1932): **Patmarksia [Ochlerotatus (Finlaya)]**
argenteiventris (Theobald, 1905): **Tripteroides (Polylepidomyia)**
argenteolobatus (Gough, 1910): **Anopheles (Cellia)**
argenteopunctata (Theobald, 1901): **Catageiomyia [Aedes (Aedimorphus)]**
argenteopunctatus (Ventrillon, 1905): **Culex (Culex)**
argenteorostris (Bonne-Wepster & Bonne, 1920): **Wyeomyia** (subgenus uncertain)
argenteoscutellatus Carter & Wijesundara, 1948: **Aedimorphus [Aedes (Aedimorphus)]**
argenteoventralis (Theobald, 1909): **Pseudarmigeres [Aedes (Pseudarmigeres)]**
argenteoventralis Leicester, 1908: **Topomyia (Suaymyia)**
argentipleura da Cunha Ramos & Brunhes, 2004: **Uranotaenia (Uranotaenia)**
arguellesi Baisas, 1935: **Uranotaenia (Uranotaenia)**
argyritarsis Robineau-Desvoidy, 1827: **Anopheles (Nyssorhynchus)**
argyrites (Dyar & Nunez Tovar, 1927): **Howardina [Ochlerotatus (Howardina)]**
argyromeris Dyar & Ludlow, 1921: **Haemagogus (Haemagogus)**
argyronotum (Belkin, 1962): **Patmarksia [Ochlerotatus (Finlaya)]**
argyropalpis Leicester, 1908: **Topomyia (Topomyia)**
argyropus (Swellengrebel, 1914): **Anopheles (Anopheles)**
argyropus (Walker, 1848): **Maorigoeldia**
argyrotarsis Leicester, 1908: **Uranotaenia (Uranotaenia)**
argyrothorax (Bonne-Wepster & Bonne, 1920): **Ochlerotatus (Protomacleaya)**
argyrurus (Edwards, 1934): **Udaya**
argyrurus Edwards, 1936: **Eretmapodites**
arizonensis Bohart, 1949: **Culex (Neoculex)**
arribalzagae (Theobald, 1903): **Coquillettidia (Rhynchotaenia)**
artemievi Gordeyev, Zvantsov, Goryacheva, Shaikevich & Yezhov, 2005: **Anopheles (Anopheles)**
arthrostigma (Lutz, 1905): **Wyeomyia (Wyeomyia)**
arthuri Unti, 1941: **Anopheles (Nyssorhynchus)**
articularis Philippi, 1865: **Culex (Culex)**
aruni Sobti, 1968: **Anopheles (Cellia)**
ascidiicola de Meijere, 1910: **Uranotaenia (Pseudoficalbia)**
ashworthi (Edwards, 1921): **Halaedes [Ochlerotatus (Halaedes)]**
asiaticus Leicester, 1904: **Anopheles (Anopheles)**
assamensis (Theobald, 1908): **Phagomyia [Ochlerotatus (Finlaya)]**
assamensis Bhattacharyya, Tewari, Prakash, Mohapatra & Mahanta, 2004: **Verrallina (Neomacleaya)**
asteliae Belkin, 1968: **Culex (Culex)**
astridianus de Meillon, 1942: **Culex (Culex)**
asulleptus (Theobald, 1903): **Limatus**
atacamensis González & Sallum, 2010: **Anopheles (Nyssorhynchus)**
atactavittatus (Arnell, 1976): **Ochlerotatus (Ochlerotatus)**
ater (Daniels, 1908): **Toxorhynchites (Toxorhynchites)**
atlantica (Edwards, 1932): **Culiseta (Culiseta)**

atlanticus (Dyar & Knab, 1906): **Ochlerotatus (Protoculex)** [*Ochlerotatus (Ochlerotatus)*]
atlanticus Adames, 1971: **Deinocerites**
atra (Lee, 1944): **Culiseta (Culicella)**
atra Theobald, 1905: **Uranotaenia (Pseudoficalbia)**
atracus Colless, 1960: **Culex (Lophoceraomyia)**
atrata Belkin, Heinemann & Page, 1970: **Wyeomyia (Wyeomyia)**
atratipes Skuse, 1889: **Anopheles (Anopheles)**
atratus Theobald, 1901: **Culex (Melanoconion)**
atria (Barraud, 1928): **Verrallina (Neomacleaya)**
atriceps Edwards, 1926: **Culex (Culex)**
atriisimilis (Tanaka & Mizusawa, 1973): **Verrallina (Neomacleaya)**
atripes (Skuse, 1889): **Tripteroides (Polylepidomyia)**
atropalpus (Coquillett, 1902): **Georgecraigius (Georgecraigius)** [*Ochlerotatus (Ochlerotatus)*]
atroparvus van Thiel, 1927: **Anopheles (Anopheles)**
atropus Dyar & Knab, 1906: **Anopheles (Anopheles)**
aurantapex Edwards, 1914: **Culex (Oculeomyia)**
auranticauda Lane, 1992: **Toxorhynchites (Toxorhynchites)**
aurantius (Theobald, 1907): **Mucidus (Pardomyia)** [*Ochlerotatus (Mucidus)*]
aurata (Dobrotworsky, 1962): **Coquillettidia (Coquillettidia)**
aurata (Doucet, 1951): **Mimomyia (Ingramia)**
auratus (Grabham, 1906): **Ochlerotatus (Ochlerotatus)**
aurea (Edwards, 1915): **Coquillettidia (Coquillettidia)**
aurea (Leicester, 1908): **Mimomyia (Mimomyia)**
aurea Brug, 1932: **Heizmannia (Heizmannia)**
aureoantennata Ferrara, 1973: **Orthopodomyia**
aureochaeta (Leicester, 1908): **Heizmannia (Heizmannia)**
aureolineata (Berlin, 1969): **Howardina** [*Ochlerotatus (Howardina)*]
aureolineatus (Leicester, 1908): **Armigeres (Armigeres)**
aureonotatus Duret & Barreto, 1956: **Culex (Melanoconion)**
aureosquammata (Ludlow, 1909): **Coquillettidia (Coquillettidia)**
aureostriatus (Doleschall, 1857): **Bruceharrisonius** [*Ochlerotatus (Bruceharrisonius)*]
aureoventer (Theobald, 1910): **Topomyia (Topomyia)**
aurescens (Lutz, 1905): **Sabethes (Peytonulus)**
aureus Lane & Whitman, 1951: **Culex (Microculex)**
auriceps Brug, 1939: **Topomyia (Suaymyia)**
auridorsum (Edwards, 1922): **Molpemyia** [*Ochlerotatus (Molpemyia)*]
aurifer (Coquillett, 1903): **Ochlerotatus** (unplaced) [*Ochlerotatus (Ochlerotatus)*]
aurimargo (Edwards, 1922): **Leptosomatomyia** [*Aedes (Leptosomatomyia)*]
auripes (Edwards, 1935): **Toxorhynchites (Toxorhynchites)**
aurirostris (Watson, 1910): **Anopheles (Cellia)**
aurites (Theobald, 1901): **Coquillettidia (Coquillettidia)**
aurites Theobald, 1907: **Howardina** [*Ochlerotatus (Howardina)*]
aurivittata (Cerqueira, 1943): **Howardina** [*Ochlerotatus (Howardina)*]
auronitens (Edwards, 1922): '*Ochlerotatus (Finlaya)*'
aurotaeniatus (Edwards, 1922): **Belkinius** [*Aedes (Belkinius)*]
aurovenatum (Worth, 1960): **Neomelaniconion** [*Aedes (Neomelaniconion)*]
austenii (Theobald, 1905): **Anopheles (Cellia)**
australicus Dobrotworsky & Drummond, 1953: **Culex (Culex)**
australiensis (Theobald, 1910): '*Ochlerotatus (Finlaya)*'
australis (Erichson, 1842): **Halaedes** [*Ochlerotatus (Halaedes)*]
autocratica Dyar & Knab, 1906: **Wyeomyia (Hystatomyia)**
ayantepuiensis Harbach & Navarro, 1996: **Anopheles (Kerteszia)**
avianus de Meillon, 1943: **Culex (Maillotia)**
avistylus (Brug, 1939): **Finlaya** [*Ochlerotatus (Finlaya)*]
axillicola Steffan, 1979: **Culex (Acallyntrum)**
axitiosa (Kulasekera, Knight & Harbach, 1990): **Downsiomyia** [*Ochlerotatus (Finlaya)*]
azaniae Bailly-Choumara, 1960: **Anopheles (Cellia)**
azevedoi Ribeiro, 1969: **Anopheles (Cellia)**
aztecus Hoffmann, 1935: **Anopheles (Anopheles)**
azureosquamata (Bonne-Wepster, 1948): **Verrallina (Verrallina)**

azurini Basio, 1971: *Armigeres (Armigeres)*
azurini Toma, Miyagi & Cabrera, 1984: *Culex (Culiciomyia)*
azymus Dyar & Knab, 1906: *Culex (Microculex)*
babahoyensis Levi-Castillo, 1953: *Culex (Carrollia)*
baezai Gater, 1934: *Anopheles (Anopheles)*
bahama Dyar & Knab, 1906: *Wyeomyia (Wyeomyia)*
bahamensis (Berlin, 1969): *Howardina [Ochlerotatus (Howardina)]*
bahamensis Dyar & Knab, 1906: *Culex (Culex)*
bahiensis Duret, 1969: *Culex (Melanoconion)*
bahri (Edwards, 1914): *Culex (Culiciomyia)*
baileyi Edwards, 1929: *Anopheles (Anopheles)*
bailyi Barraud, 1929: *Hodgesia*
bailyi Barraud, 1934: *Culex (Culiciomyia)*
baimaii Sallum & Peyton, 2005: *Anopheles (Cellia)*
baisasi (Knight & Hull, 1951): *Geoskusea [Ochlerotatus (Geoskusea)]*
baisasi Colless, 1957: *Anopheles (Cellia)*
baisasi Sirivanakarn, 1972: *Culex (Eumelanomyia)*
baisasi Stone & Thurman, 1958: *Armigeres (Armigeres)*
balabacensis Baisas, 1936: *Anopheles (Cellia)*
balerensis Mendoza, 1947: *Anopheles (Anopheles)*
balfouri Theobald, 1904: *Uranotaenia (Uranotaenia)*
baltae Porter, 2009: *Wyeomyia (Hystatomyia)*
balteatus Macdonald, 1960: *Armigeres (Leicesteria)*
bambiotai Geoffroy, 1987: *Aedimorphus [Aedes (Aedimorphus)]*
bamborum Rozeboom & Komp, 1948: *Culex (Anoedioparpa)*
bambusa (Yamada, 1917): *Tripteroides (Tripteroides)*
bambusae (Edwards, 1935): *Stegomyia [Aedes (Stegomyia)]*
bambusaihole Dong, Zhou & Dong, 1997: *Topomyia (Suaymyia)*
bambusicola (Lutz & Neiva, 1913): *Toxorhynchites (Lynchiella)*
bambusicola da Cunha Ramos & Brunhes, 2004: *Uranotaenia (Pseudoficalbia)*
bambusicola Knight & Rozeboom, 1946: *Scutomyia [Aedes (Scutomyia)]*
bambusicolus Komp, 1937: *Anopheles (Kerteszia)*
bananea (Wolfs, 1958): *Diceromyia [Aedes (Diceromyia)]*
bancoi Geoffroy, 1987: *Aedimorphus [Aedes (Aedimorphus)]*
bancroftianus (Edwards, 1921): *Ochlerotatus (Pseudoskusea)*
bancroftii Giles, 1902: *Anopheles (Anopheles)*
bandoengensis Brug, 1939: *Culex (Lophoceraomyia)*
banksensis Maffi & Tenorio, 1977: *Culex (Culex)*
banksi (Edwards, 1922): *Collessius (Alloeomyia) [Ochlerotatus (Finlaya)]*
bannaensis Gong & Lu, 1995: *Topomyia (Suaymyia)*
baolini Gong, 1989: *Topomyia (Topomyia)*
barberellus Evans, 1932: *Anopheles (Cellia)*
barberi Coquillett, 1903: *Anopheles (Anopheles)*
barbipes Edwards, 1913: *Toxorhynchites (Toxorhynchites)*
barbirostris van der Wulp, 1884: *Anopheles (Anopheles)*
barbumbrosus Strickland & Chowdhury, 1927: *Anopheles (Anopheles)*
barbus Baisas, 1946: *Topomyia (Topomyia)*
baresii Cerqueira, 1960: *Haemagogus (Haemagogus)*
barianensis James, 1911, in James & Liston, 1911: *Anopheles (Anopheles)*
barnardi (Edwards, 1924): *Hopkinsius (Hopkinsius) [Ochlerotatus (Finlaya)]*
barnesi Belkin, 1953: *Uranotaenia (Uranotaenia)*
barraudi Baisas & Ubaldo-Pagayon, 1953: *Tripteroides (Tricholeptomyia)*
barraudi Edwards, 1922: *Culex (Culex)*
barraudi Edwards, 1934: *Paraedes [Aedes (Paraedes)]*
barretoii Adames, 1971: *Deinocerites*
barrinus Bram, 1967: *Culex (Culiciomyia)*
bastagarius Dyar & Knab, 1906: *Culex (Melanoconion)*
batesi Lane & Cerqueira, 1942: *Sabethes (Sabethes)*
batesi Rozeboom & Komp, 1948: *Culex (Melanoconion)*
bathana (Dyar, 1928): *Chagasia*

becki (Belkin, 1962): **Geoskusea** [*Ochlerotatus* (*Geoskusea*)]
becki Belkin, 1962: **Culex** (*Lophoceraomyia*)
bedfordi (Edwards, 1936): **Catageomyia** [*Aedes* (*Aedimorphus*)]
behningi (Martini, 1926): **Ochlerotatus** (unplaced) [*Ochlerotatus* (*Ochlerotatus*)]
bejaranoi (Martinez, Carcavallo & Prosen, 1960): **Ochlerotatus** (unplaced) [*Ochlerotatus* (*Ochlerotatus*)]
bejaranoi Duret, 1953: **Culex** (*Melanoconion*)
bekkui (Mogi, 1977): **Edwardsaedes** [*Aedes* (*Edwardsaedes*)]
beklemishevi Stegnii & Kabanova, 1976: **Anopheles** (*Anopheles*)
belemensis Duret & Damasceno, 1955: **Culex** (*Anoedioparpa*)
belenrae Rueda, 2005: **Anopheles** (*Anopheles*)
belisarioi Neiva, 1908: **Sabethes** (*Sabethes*)
belkini Adames, 1971: **Deinocerites**
belkini Baisas & Ubaldo-Pagayon, 1953: **Tripteroides** (*Tricholeptomyia*)
belkini Grjebine, 1979: **Uranotaenia** (*Pseudoficalbia*)
belkini Stone & Penn, 1948: **Culex** (*Acallyntrum*)
bellator Dyar & Knab, 1906: **Anopheles** (*Kerteszia*)
belleci le Goff, Boussès & Brunhes, 2007: **Neomelaniconion**
benarrochi Gabaldón, Cova Garcia & Lopez, 1941: **Anopheles** (*Nyssorhynchus*)
bengalensis Barraud, 1934: **Culex** (*Lophoceraomyia*)
bengalensis Puri, 1930: **Anopheles** (*Anopheles*)
bengalensis Rosenberg & Evenhuis, 1985: **Toxorhynchites** (*Toxorhynchites*)
benoiti Wolfs, 1964: **Uranotaenia** (*Uranotaenia*)
bequaerti (Wolfs, 1947): **Neomelaniconion** [*Aedes* (*Neomelaniconion*)]
bequaerti Dyar & Shannon, 1925: **Culex** (*Melanoconion*)
bergerardi (Pajot & Geoffroy, 1971): **Neomelaniconion** [*Aedes* (*Neomelaniconion*)]
berghei Vincke & Leleup, 1949: **Anopheles** (*Cellia*)
bergi Belkin, 1962: **Culex** (*Lophoceraomyia*)
bergrothi (Edwards, 1921): **Culiseta** (*Culiseta*)
berlandi (Séguy, 1921): **Ochlerotatus** (unplaced) [*Ochlerotatus* (*Ochlerotatus*)]
berlini (Schick, 1970): '*Ochlerotatus* (*Protomacleaya*)'
bernardi (Doucet, 1950): **Mimomyia** (*Ingramia*)
bertii Cova Garcia & Rausseo, 1964: **Uranotaenia** (*Uranotaenia*)
bertrami (Schick, 1970): '*Ochlerotatus* (*Protomacleaya*)'
bervoetsi D'Haenans, 1961: **Anopheles** (*Cellia*)
beta Séguy, 1924: **Culex** (*Culex*)
bevisi (Edwards, 1915): **Aedimorphus** [*Aedes* (*Aedimorphus*)]
beytouti (Doucet, 1951): **Mimomyia** (*Ingramia*)
bhayungi Thurman & Thurman, 1958: **Armigeres** (*Armigeres*)
bicincta da Cunha Ramos & Brunhes, 2004: **Uranotaenia** (*Pseudoficalbia*)
bicki Stone & Penn, 1947: **Culex** (*Acallyntrum*)
bickleyi Forattini, 1965: **Culex** (*Culex*)
bickleyi Thurman, 1959: **Toxorhynchites** (*Toxorhynchites*)
bicolor Leicester, 1908: **Uranotaenia** (*Pseudoficalbia*)
bicornis (Root, 1928): **Wyeomyia** (*Nunezia*)
bicornutus (Theobald, 1910): **Culex** (*Lophoceraomyia*)
bicristatus (Thurman & Winkler, 1950): **Ochlerotatus** (*Rusticoidus*)
bidens Dyar, 1922: **Culex** (*Culex*)
bidentata da Cunha Ramos & Brunhes, 2004: **Uranotaenia** (*Uranotaenia*)
bifasciata da Cunha Ramos & Brunhes, 2004: **Uranotaenia** (*Pseudoficalbia*)
bifoliata (King & Hoogstraal, 1947): **Verrallina** (*Verrallina*)
bifoliolatus Duret & Barreto, 1956: **Culex** (*Melanoconion*)
bifurcata Dong, Wang & Lu, 1995: **Topomyia** (*Topomyia*)
bigoti Bellardi, 1862: **Lutzia** (*Lutzia*)
bihaicola Dyar & Nuñez Tovar, 1927: **Culex** (*Carrollia*)
bihamatus Edwards, 1926: **Culex** (*Culex*)
bilineata Theobald, 1909: **Uranotaenia** (*Uranotaenia*)
bimaculata Leicester, 1908: **Uranotaenia** (*Pseudoficalbia*)
bimaculatus (Coquillett, 1902): **Ochlerotatus** (*Chrysoconops*) [*Ochlerotatus* (*Ochlerotatus*)]
bimaculiala Leicester, 1908: **Uranotaenia** (*Uranotaenia*)

bimaculipes (Theobald, 1905): *Tripteroides (Tripteroides)*
binigrolineatus Knight & Rozeboom, 1945: *Culex (Acallyntrum)*
binotatus Belkin, 1950: *Tripteroides (Tripteroides)*
biocellatus (Taylor, 1915): '*Ochlerotatus (Finlaya)*'
bipartipes Dyar & Knab, 1906: *Sabethes (Sabethes)*
biscaynensis Zavortink & O'Meara, 1999: *Culex (Micraedes)*
biskraensis (Brunhes, 1999): *Ochlerotatus* (unplaced) [*Ochlerotatus (Ochlerotatus)*]
bisquamatus Lee, 1946: *Tripteroides (Rachisoura)*
bisulcatus (Coquillett, 1906): *Culex (Micraedes)*
bitaeniorhynchus Giles, 1901: *Culex (Oculeomyia)*
blacklocki (Evans, 1925): *Stegomyia [Aedes (Stegomyia)]*
bogotanus (Arnell, 1976): *Ochlerotatus (Ochlerotatus)*
boharti (Knight & Rozeboom, 1946): *Scutomyia [Aedes (Scutomyia)]*
boharti Brookman & Reeves, 1950: *Culex (Neoculex)*
bokorensis Klein & Sirivanakarn, 1970: *Culex (Eumelanomyia)*
bolense (Edwards, 1936): *Neomelaniconion [Aedes (Neomelaniconion)]*
bolii Sirivanakarn, 1968: *Culex (Lophoceraomyia)*
boliviensis (Theobald, 1905): *Anopheles (Kerteszia)*
boneti (Gil Collado, 1936): *Bifidistylus [Aedes (Aedimorphus)]*
boninensis Bohart, 1957: *Culex (Sirivanakarnius)*
bonneae (Mattingly, 1958): *Paraedes [Aedes (Paraedes)]*
bonneae Dyar & Knab, 1919: *Culex (Culex)*
bonneae Edwards, 1930: *Mansonia (Mansonioides)*
bonneae Root, 1927: *Chagasia*
bonnei (Lane & Cerqueira, 1942): *Wyeomyia (Phoniomyia)*
bonnei Dyar, 1921: *Culex (Carrollia)*
bonneti Belkin, 1962: *Tripteroides (Tripteroides)*
borneensis McArthur, 1949: *Anopheles (Anopheles)*
boshelli Osorno-Mesa, 1944: *Haemagogus (Haemagogus)*
bosseri Grjebine, 1979: *Uranotaenia (Pseudoficalbia)*
bougainvillensis (Belkin, 1962): *Mimomyia (Etorleptiomyia)*
bougainvillensis (Marks, 1947): *Finlaya [Ochlerotatus (Finlaya)]*
bougainvillensis Steffan, 1979: *Culex (Acallyntrum)*
bourrouli (Lutz, 1905): *Wyeomyia (Spilonympha)*
boussesi da Cunha Ramos & Brunhes, 2004: *Uranotaenia (Pseudoficalbia)*
brachiatus Hutchings & Sallum, 2008: *Culex (Melanoconion)*
bradleyi King, 1939: *Anopheles (Anopheles)*
brami Forattini, Rabello & Lopes, 1967: *Culex (Culex)*
braziliensis (Chagas, 1907): *Anopheles (Nyssorhynchus)*
braziliensis (Gordon & Evans, 1922): '*Ochlerotatus (Protomacleaya)*'
breedensis (Muspratt, 1953): *Ochlerotatus* (unplaced) [*Ochlerotatus (Ochlerotatus)*]
breinli (Taylor, 1914): *Armigeres (Armigeres)*
brelandi (Zavortink, 1972): '*Ochlerotatus (Protomacleaya)*'
breguesi Rickenbach & Lombri, 1975: *Eretmapodites*
breguesi Brunhes & Ravaonjanahary, 1973: *Culex (Eumelanomyia)*
brethesi Dyar, 1919: *Culex (Culex)*
breviculus Senevet & Abonnenc, 1939: *Culex (Tinolestes)*
brevipalpis (Giles, 1902): *Culex (Eumelanomyia)*
brevipalpis Brug, 1934: *Tripteroides (Tripteroides)*
brevipalpis Roper, 1914: *Anopheles (Anopheles)*
brevipalpis Theobald, 1901: *Toxorhynchites (Toxorhynchites)*
brevipalpus (Theobald, 1905): *Culex (Lophoceraomyia)*
brevipes (da Costa Lima, 1931): *Trichoprosopon*
brevirhynchus Brug, 1934: *Tripteroides (Rachisoura)*
brevirostris Reid, 1950: *Anopheles (Anopheles)*
brevis (Berlin, 1969): *Howardina [Ochlerotatus (Howardina)]*
breviseti da Cunha Ramos & Brunhes, 2004: *Uranotaenia (Pseudoficalbia)*
brevispinosus Bonne-Wepster & Bonne, 1920: *Culex (Culex)*
brevitibia (Edwards, 1914): *Alanstonea [Aedes (Alanstonea)]*
brevivittata (Berlin, 1969): *Howardina [Ochlerotatus (Howardina)]*

bricenoi Cova Garcia, Pulido, Escalante de Ugueto, Amarista & Mora R., 1987: ***Uranotaenia (Uranotaenia)***

briseis Dyar, 1925: ***Uranotaenia (Uranotaenia)***

britteni (Marks & Hodgkin, 1958): '*Ochlerotatus (Finlaya)*'

brohierii Edwards, 1929: ***Anopheles (Cellia)***

bromeliae Theobald, 1911: ***Stegomyia (Mukwaya)*** [*Aedes (Stegomyia)*]

brottesi Rickenbach, 1967: ***Eretmapodites***

browni Komp, 1936: ***Culex (Anoedioporpa)***

browni Mattingly, 1955: ***Uranotaenia (Pseudoficalbia)***

brownscutuma (Dong, Zhu & Dong, 1999): ***Bothaella*** [*Aedes (Bothaella)*]

brucei (del Ponte & Cerqueira, 1938): ***Onirion***

brucei Service, 1960: ***Anopheles (Cellia)***

brumpti Doucet, 1951: ***Uranotaenia (Pseudoficalbia)***

brumpti Gailliard, 1931: ***Culex (Culex)***

brumpti Hamon & Rickenbach, 1955: ***Anopheles (Cellia)***

brunhesi (Reinert, 1999): ***Zavortinkius*** [*Ochlerotatus (Zavortinkius)*]

brunhesi Grjebine, 1979: ***Uranotaenia (Pseudoficalbia)***

brunhesi Ribeiro, 2004: ***Toxorhynchites (Afrorhynchus)***

brunnipes (Theobald, 1910): ***Anopheles (Cellia)***

brygooi (Brunhes, 1971): ***Zavortinkius*** [*Ochlerotatus (Zavortinkius)*]

brygooi Grjebine, 1986: ***Mimomyia (Ingramia)***

buenaventura (Schick, 1970): '*Ochlerotatus (Protomacleaya)*'

bukavuensis Wolfs, 1947: ***Culex (Culex)***

bulkleyi Causey, 1937: ***Anopheles (Anopheles)***

burgeri (Zavortink, 1972): '*Ochlerotatus (Protomacleaya)*'

burjaticus (Kuchartshuk, 1973): ***Ochlerotatus*** (unplaced) [*Ochlerotatus (Ochlerotatus)*]

burnetti (Belkin, 1962): ***Finlaya*** [*Ochlerotatus (Finlaya)*]

burnsi (Basio & Reisen, 1971): ***Stegomyia*** [*Aedes (Stegomyia)*]

burpengaryensis (Theobald, 1905): ***Ochlerotatus*** (unplaced) [*Ochlerotatus (Ochlerotatus)*]

busckii (Coquillett, 1906): ***Howardina*** [*Ochlerotatus (Howardina)*]

bustamentei Galvão, 1955: ***Anopheles (Anopheles)***

butleri (Theobald, 1901): ***Verrallina (Verrallina)***

buxtoni (Belkin, 1962): ***Patmarksia*** [*Ochlerotatus (Finlaya)*]

buxtoni (Edwards, 1923): ***Coquillettidia (Coquillettidia)***

buxtoni Edwards, 1926: ***Culex (Lophoceraomyia)***

buxtoni Service, 1958: ***Anopheles (Cellia)***

bwambae White, 1985: ***Anopheles (Cellia)***

caballus (Theobald, 1912): ***Ochlerotatus (Juppius)*** [*Ochlerotatus (Ochlerotatus)*]

cabreraei Miyagi, Toma & Rivera, 1983: ***Topomyia (Topomyia)***

cachani (Doucet, 1950): ***Uranotaenia (Pseudoficalbia)***

cacharana (Barraud, 1923): ***Phagomyia*** [*Ochlerotatus (Finlaya)*]

cacozelus (Marks, 1963): ***Ochlerotatus*** (unplaced) [*Ochlerotatus (Ochlerotatus)*]

caecus (Theobald, 1901): ***Aedimorphus*** [*Aedes (Aedimorphus)*]

caeruleocephala Theobald, 1901: ***Uranotaenia (Uranotaenia)***

caeruleocephalus (Leicester, 1908): ***Tripteroideis (Tripteroideis)***

caillardi Rickenbach, Ferrara & Eouzan, 1968: ***Eretmapodites***

cairnsensis (Taylor, 1919): ***Culex*** (subgenus uncertain)

cairnsensis Taylor, 1919: ***Hodgesia***

calabarensis Edwards, 1941: ***Culex (Eumelanomyia)***

calabyi (Marks, 1963): ***Macleaya (Chaetocruimyia)*** [*Ochlerotatus (Chaetocruimyia)*]

calcariae (Marks, 1957): ***Ochlerotatus (Pholeomyia)*** [*Ochlerotatus (Ochlerotatus)*]

calceata (Edwards, 1924): ***Stegomyia*** [*Aedes (Stegomyia)*]

calderoni Wilkerson, 1991: ***Anopheles (Anopheles)***

caledonicus (Edwards, 1922): ***Tripteroideis (Polylepidomyia)***

caliginosa Philip, 1931: ***Uranotaenia (Uranotaenia)***

caliginosus (Graham, 1910): ***Aedimorphus*** [*Aedes (Aedimorphus)*]

caliginosus de Meillon, 1943: ***Anopheles (Anopheles)***

calosomata Dyar & Knab, 1907: ***Uranotaenia (Uranotaenia)***

calumnior (Belkin, Heinemann & Page, 1970): ***Ochlerotatus*** (unplaced) [*Ochlerotatus (Ochlerotatus)*]

calurus Edwards, 1935: **Culex (Culex)**
camaronis Ribeiro, 1991: **Toxorhynchites (Toxorhynchites)**
cambournaci Hamon & Candara, 1955: **Culex (Culiciomyia)**
cameroni de Meillon & Evans, 1935: **Anopheles (Cellia)**
campana (Schick, 1970): 'Ochlerotatus (Protomacleaya)'
campestris (Dyar & Knab, 1907): **Ochlerotatus** (unplaced) [Ochlerotatus (Ochlerotatus)]
campestris Leicester, 1908: **Uranotaenia (Uranotaenia)**
campestris Reid, 1962: **Anopheles (Anopheles)**
campilunati Carter & Wijesundara, 1948: **Culex (Eumelanomyia)**
camposi Dyar, 1925: **Culex (Culex)**
camptorhynchus (Thomson, 1869): **Ochlerotatus** (unplaced) [Ochlerotatus (Ochlerotatus)]
campylostylus (Laffoon, 1946): **Verrallina (Neomacleaya)**
canaanensis Lane & Whitman, 1943: **Culex (Anoedioparpa)**
canadensis (Theobald, 1901): **Ochlerotatus (Culicada)** [Ochlerotatus (Ochlerotatus)]
cancer Theobald, 1901: **Deinocerites**
cancricomes (Edwards, 1922): **Canraedes** [Aedes (Canraedes)]
candelabrifer Brug, 1939: **Armigeres (Armigeres)**
candidoscutellum (Marks, 1947): 'Ochlerotatus (Finlaya)'
canorii Floch & Abonnenc, 1945: **Anopheles (Stethomyia)**
cantans (Meigen, 1818): **Ochlerotatus** (unplaced) [Ochlerotatus (Ochlerotatus)]
cantator (Coquillett, 1903): **Ochlerotatus** (unplaced) [Ochlerotatus (Ochlerotatus)]
capelai da Cunha Ramos, 1993: **Uranotaenia (Pseudoficalbia)**
capelai Ribeiro, 1992: **Toxorhynchites (Afrorhynchus)**
capensis (Edwards, 1924): **Albuginosus** [Aedes (Albuginosus)]
capricornii Lutz, 1904: **Haemagogus (Haemagogus)**
caracula Dyar & Nunez Tovar, 1927: **Wyeomyia (Wyeomyia)**
carcinicola da Cunha Ramos & Brunhes, 2004: **Uranotaenia (Pseudoficalbia)**
carcinophilus Dyar & Knab, 1906: **Culex (Melanoconion)**
carcinoxenus de Oliveira Castro, 1932: **Culex (Culex)**
caribbeanus Galindo & Blanton, 1954: **Culex (Melanoconion)**
carioca Lane & Whitman, 1951: **Culex (Microculex)**
carleti Brunhes & Ravaonjanahary, 1971: **Culex (Culex)**
carmentis (Edwards, 1924): **Verrallina (Verrallina)**
carnevalei Brunhes, le Goff & Geoffroy, 1999: **Anopheles (Cellia)**
carolinensis Bohart & Ingram, 1946: **Culex (Lophoceraomyia)**
caroni Adam, 1961: **Anopheles (Cellia)**
carrilloi (Sutil O. & Pulido F., 1978): **Wyeomyia (Exallomyia)**
carteri (Edwards, 1936): **Neomelaniconion** [Aedes (Neomelaniconion)]
carteri Amerasinghe, 1993: **Heizmannia (Heizmannia)**
carteri Evans & de Meillon, 1933: **Anopheles (Cellia)**
cartroni (Ventrillon, 1906): **Skusea** [Aedes (Skusea)]
casali (Schick, 1970): 'Ochlerotatus (Protomacleaya)'
caspicus (Pallas, 1771): **Ochlerotatus** (unplaced) [Ochlerotatus (Ochlerotatus)]
castaneus Sirivanakarn, 1973: **Culex (Lophoceraomyia)**
castelli Hamon, 1957: **Culex (Culex)**
castor de Meillon & Lavoipierre, 1944: **Culex (Eumelanomyia)**
castrensis Edwards, 1922: **Culex (Eumelanomyia)**
castroi Casal & Garcia, 1967: **Culex (Phytotelmatomyia)**
castroi Lane & Cerqueira, 1942: **Trichoprosopon**
cataphylla (Dyar, 1916): **Ochlerotatus** (unplaced) [Ochlerotatus (Ochlerotatus)]
cataractarum Edwards, 1923: **Culex (Eumelanomyia)**
catasticta Knab, 1909: **Aedeomyia (Aedeomyia)**
catesi (Lien, 1968): **Heizmannia (Mattinglyia)**
catharinensis (da Costa Lima, Guitoon & Ferreira, 1962): **Toxorhynchites (Ankylorhynchus)**
cauchensis Floch & Abonnenc, 1945: **Culex (Tinolestes)**
caudatus Clastrier, 1970: **Culex (Melanoconion)**
caudelli (Dyar & Knab, 1906): **Culex (Melanoconion)**
cauta (Barraud, 1928): **Verrallina (Neomacleaya)**
cavalerii Garcia & Casal, 1967: **Toxorhynchites (Lynchiella)**
cavaticus (Reinert, 1979): **Isoaedes** [Aedes (Isoaedes)]

cavernicola Mattingly, 1954: *Uranotaenia (Pseudoficalbia)*
cavernicola Rattanarithikul & Harbach, 2007: *Borichinda*
cedecei Stone & Hair, 1968: *Culex (Melanoconion)*
celaenocephala Dyar & Knab, 1906: *Wyeomyia (Wyeomyia)*
celatum Peyton & Harbach, 2000: *Onirion*
celebica (Mattingly, 1959): *Lorrainea* [*Aedes (Lorrainea)*]
celeste Dyar & Nunez Tovar, 1927: *Haemagogus (Haemagogus)*
centropunctatus (Theobald, 1913): *Aedimorphus* [*Aedes (Aedimorphus)*]
ceramensis Sirivanakarn & Kurihara, 1973: *Culex (Culiciomyia)*
cerqueirai (Barreto & Coutinho, 1944): *Mansonia (Mansonia)*
cerqueirai (Stone, 1944): *Runchomyia (Runchomyia)*
cerqueirai Valencia, 1973: *Culex (Carrollia)*
cesari del Ponte & Cerqueira, 1938: *Wyeomyia* (subgenus uncertain)
ceylonensis (Theobald, 1905): *Tripteroides (Rachionotomyia)*
chaetoventralis (Theobald, 1910): *Culex (Neoculex)*
chagasi (da Costa Lima, 1935): *Mansonia (Mansonia)*
chaguanco Casal, García & Fernández, 1968: *Culex (Anoedioparpa)*
chalccephala Dyar & Knab, 1906: *Wyeomyia* (subgenus uncertain)
chalcospilans Dyar, 1921: *Haemagogus (Haemagogus)*
chamberlaini Ludlow, 1904: *Mimomyia (Mimomyia)*
chamboni (Cornet, 1968): *Catageiomyia* [*Aedes (Aedimorphus)*]
champerico (Dyar & Knab, 1906): *Psorophora (Janthinosoma)*
chandi Edwards, 1922: *Heizmannia (Heizmannia)*
changuinolae Galindo & Blanton, 1954: *Culex (Melanoconion)*
charmion Dyar, 1928: *Wyeomyia (Wyeomyia)*
chathamicus (Dumbleton, 1962): *Opifex (Nothoskusea)* [*Ochlerotatus (Nothoskusea)*]
chaussieri (Edwards, 1923): *Stegomyia* [*Aedes (Stegomyia)*]
chauveti Brunhes & Rambelo, 1968: *Culex (Eumelanomyia)*
cheesmanae Mattingly & Marks, 1955: *Culex (Neoculex)*
chelli Edwards, 1915: *Ochlerotatus (Juppius)* [*Ochlerotatus (Ochlerotatus)*]
chemulpoensis (Yamada, 1921): *Stegomyia* [*Aedes (Stegomyia)*]
chengi Lien, 1968: *Heizmannia (Heizmannia)*
cheni Dong, Wang & Lu, 2003: *Culex (Culiciomyia)*
cheni Lien, 1968: *Tripteroides (Tripteroides)*
chidesteri Dyar, 1921: *Culex (Culex)*
chionodes (Belkin, 1962): *Christophersiomyia* [*Aedes (Christophersiomyia)*]
chionotum (Zavortink, 1972): '*Ochlerotatus (Protomacleaya)*'
chiriquiensis Komp, 1936: *Anopheles (Anopheles)*
chitae Duret, 1967: *Culex (Culex)*
chloropterus (von Humboldt, 1819): *Sabethes (Sabethoides)*
chocoensis Porter & Wolff, 2004: *Wyeomyia (Hystatomyia)*
chodukini Martini, 1929: *Anopheles (Anopheles)*
chorleyi Edwards, 1936: *Uranotaenia (Uranotaenia)*
chorleyi Edwards, 1941: *Culex (Culex)*
christiani Colless, 1960: *Culex (Lophoceraomyia)*
christophersi (Edwards, 1922): *Bruceharrisonius* [*Ochlerotatus (Bruceharrisonius)*]
christophersi Baisas & Ubaldo-Pagayon, 1953: *Tripteroides (Tricholeptomyia)*
christophersi Barraud, 1926: *Uranotaenia (Uranotaenia)*
christophi (Portschinsky, 1884): *Toxorhynchites (Toxorhynchites)*
christyi (Newstead & Carter, 1911): *Anopheles (Cellia)*
chryselatus Dyar & Knab, 1919: *Culex (Microculex)*
chrysochlorus Arnell, 1973: *Haemagogus (Haemagogus)*
chrysogaster Graham, 1909: *Eretmapodites*
chrysolineata (Theobald, 1907): *Hulecoeteomyia* [*Ochlerotatus (Finlaya)*]
chrysonotum (Peryassú, 1922): *Coquillettidia (Rhynchoaenia)*
chrysoscuta (Theobald, 1910): *Paraedes* [*Aedes (Paraedes)*]
chrysosoma (Edwards, 1915): *Coquillettidia (Coquillettidia)*
chungi (Lien, 1968): *Jihlienius* [*Ochlerotatus (Finlaya)*]
churchillensis (Ellis & Brust, 1973): *Ochlerotatus* (unplaced) [*Ochlerotatus (Ochlerotatus)*]
ciliata (Fabricius, 1794): *Psorophora (Psorophora)*

cilipes (Fabricius, 1805): **Psorophora (Psorophora)**
cinctellus Edwards, 1922: **Culex (Lophoceraomyia)**
cinctus (Newstead & Carter, 1910): **Anopheles (Cellia)**
cinereus Edwards, 1922: **Culex (Culiciomyia)**
cinereus Meigen, 1818: **Aedes [Aedes (Aedes)]**
cinereus Theobald, 1901: **Anopheles (Cellia)**
cinereus Theobald, 1901: **Culex (Culiciomyia)**
cingulata (Fabricius, 1805): **Psorophora (Grabhamia)**
cingulatus (Leicester, 1908): **Armigeres (Leicesteria)**
circumcincta Dyar & Knab, 1907: **Wyeomyia (Hystatomyia)**
circumflava Cerqueira, 1943: **Psorophora (Janthinosoma)**
circumluteolum (Theobald, 1908): **Neomelaniconion [Aedes (Neomelaniconion)]**
circumtestacea (Theobald, 1908): **Ficalbia**
civinskii Belkin, 1953: **Uranotaenia (Uranotaenia)**
claggi Bohart & Farner, 1944: **Tripteroides (Tripteroides)**
clara Dyar & Shannon, 1925: **Uranotaenia (Uranotaenia)**
clarki (Galindo, Carpenter & Trapido, 1953): **Haemagogus (Conopostegus)**
clarki Evans, 1924: **Culex (Melanoconion)**
clasoleuca Dyar & Knab, 1908: **Wyeomyia** (subgenus uncertain)
clastrieri Casal & Garcia, 1968: **Culex (Aedinus)**
clavata (Barraud, 1931): **Verrallina (Neomacleaya)**
claviger (Meigen, 1804): **Anopheles (Anopheles)**
clelandi (Taylor, 1914): **Ochlerotatus (Pholeomyia) [Ochlerotatus (Ochlerotatus)]**
clintoni (Taylor, 1946): **Patmarksia [Ochlerotatus (Finlaya)]**
clivis (Lanzaro & Eldridge, 1992): **Ochlerotatus** (unplaced) [**Ochlerotatus (Ochlerotatus)**]
clowi Rozeboom & Knight, 1946: **Anopheles (Cellia)**
coatzacoalcos Dyar & Knab, 1906: **Uranotaenia (Uranotaenia)**
codiocampa Dyar & Knab, 1907: **Wyeomyia (Miamiya)**
coenonus Howard, Dyar & Knab, 1913: **Wyeomyia (Hystatomyia)**
coerulescens Edwards, 1928: **Culex (Lophoceraomyia)**
coeruleus (Brug, 1934): **Toxorhynchites (Toxorhynchites)**
cogilli (Edwards, 1922): **Phagomyia [Ochlerotatus (Finlaya)]**
coheni Belkin, 1950: **Tripteroides (Polylepidomyia)**
colledgei Marks, 1956: **Anopheles (Anopheles)**
collessi (Mattingly, 1958): **Paraedes [Aedes (Paraedes)]**
collessi Grjebine, 1986: **Mimomyia (Ingramia)**
collessi Lee, 1946: **Tripteroides (Polylepidomyia)**
collessi Reid, 1963: **Anopheles (Anopheles)**
collessi Sirivanakarn, 1968: **Culex (Lophoceraomyia)**
colocasiae Edwards, 1928: **Uranotaenia (Pseudoficalbia)**
colombiana Lane, 1945: **Wyeomyia (Antunesmyia)**
colombianus Adames, 1971: **Deinocerites**
columbiae (Dyar & Knab, 1906): **Psorophora (Grabhamia)**
coluzzii (Rioux, Guilvard & Pasteur, 1998): **Ochlerotatus** (unplaced) [**Ochlerotatus (Ochlerotatus)**]
comata (Barraud, 1931): **Verrallina (Neomacleaya)**
comatus Senevet & Abonnenc, 1939: **Culex (Melanoconion)**
combesi Doucet, 1950): **Uranotaenia (Pseudoficalbia)**
comitatus (Arnell, 1976): **Ochlerotatus (Ochlerotatus)**
commevynensis Bonne-Wepster & Bonne, 1920: **Culex (Melanoconion)**
comminator Dyar, 1920: **Culex (Melanoconion)**
communis (de Geer, 1776): **Ochlerotatus** (unplaced) [**Ochlerotatus (Ochlerotatus)**]
communis (Leicester, 1908): **Heizmannia (Heizmannia)**
comorensis Brunhes, 1977: **Culex (Culex)**
comorensis Brunhes, 1977: **Orthopodomyia**
comorensis Brunhes, le Goff & Geoffroy, 1997: **Anopheles (Cellia)**
comorensis da Cunha Ramos & Brunhes, 2004: **Uranotaenia (Pseudoficalbia)**
comosa (Reinert, 1974): **Verrallina (Neomacleaya)**
complex (Theobald, 1910): **Heizmannia (Heizmannia)**
complosa (Dyar, 1928): **Wyeomyia (Dendromyia)**
compressum Lutz, 1905: **Trichoprosopon**

compta Senevet & Abonnenc, 1939: *Wyeomyia* (subgenus uncertain)
concinus Lee, 1946: *Tripteroides (Rachisoura)*
concolor Edwards, 1938: *Anopheles (Anopheles)*
conditus Moses, Howard & Harbach, 2000: *Sabethes (Sabethoides)*
condolenscens (Dyar & Knab, 1907): *Ochlerotatus (Ochlerotatus)*
confinnis (Lynch Arribáizaga, 1891): *Psorophora (Grabhamia)*
confundior Komp & Rozeboom, 1951: *Culex (Melanoconion)*
confusa (Lutz, 1905): *Wyeomyia (Prosopolepis)*
confusa Bonne-Wepster, 1951: *Bironella (Neobironella)*
confusa Peyton, 1977: *Uranotaenia (Pseudoficalbia)*
confusus Edwards, 1915: *Armigeres (Armigeres)*
confusus Evans & Leeson, 1935: *Anopheles (Cellia)*
confusus Lee, 1946: *Tripteroides (Rachisoura)*
conjungens Edwards, 1914: *Armigeres (Armigeres)*
connali Edwards, 1912: *Uranotaenia (Uranotaenia)*
conservator Dyar & Knab, 1906: *Culex (Anoedioparpa)*
consolator Dyar & Knab, 1906: *Culex (Microculex)*
consonensis (Reinert, 1973): *Verrallina (Harbachius)*
conspirator Dyar & Knab, 1906: *Culex (Melanoconion)*
contei Duret, 1968: *Culex (Melanoconion)*
contigua (Edwards, 1936): *Stegomyia [Aedes (Stegomyia)]*
continentalis (Dobrotworsky, 1960): *Ochlerotatus* (unplaced) [*Ochlerotatus (Ochlerotatus)*]
contrastata da Cunha Ramos & Brunhes, 2004: *Uranotaenia (Pseudoficalbia)*
cooki (Belkin, 1962): *Stegomyia [Aedes (Stegomyia)]*
cooki Root, 1937: *Uranotaenia (Uranotaenia)*
coonorensis Mattingly, 1981: *Tripteroides (Rachionotomyia)*
coppenamensis Bonne-Wepster & Bonne, 1920: *Culex (Melanoconion)*
corbeti Hamon, 1962: *Eretmapodites*
cordellieri (Huang, 1986): *Diceromyia [Aedes (Diceromyia)]*
corentynensis Dyar, 1920: *Culex (Melanoconion)*
corethroides Theobald, 1907: *Anopheles (Anopheles)*
corneti (Huang, 1986): *Stegomyia [Aedes (Stegomyia)]*
corniger Theobald, 1903: *Culex (Phenacomyia)*
cornuta da Cunha Ramos & Brunhes, 2004: *Uranotaenia (Pseudoficalbia)*
cornutus Edwards, 1922: *Culex (Oculeomyia)*
corona Belkin, Heinemann & Page, 1970: *Wyeomyia (Wyeomyia)*
coronator Dyar & Knab, 1906: *Culex (Culex)*
corriganii Dyar & Knab, 1907: *Culex (Anoedioparpa)*
costai da Fonseca & da Silva Ramos, 1939: *Anopheles (Anopheles)*
costaricensis Adames & Hogue, 1970: *Deinocerites*
cottlei Sirivanakarn, 1968: *Culex (Lophoceraomyia)*
coulangesi (Rodhain & Boutonnier, 1983): *Diceromyia [Aedes (Diceromyia)]*
coustani Laveran, 1900: *Anopheles (Anopheles)*
covagarciai Forattini, 1965: *Culex (Culex)*
covagarciai Sutil Oramas & Pulido F., 1974: *Wyeomyia* (subgenus uncertain)
covelli Barraud, 1929: *Heizmannia (Heizmannia)*
cozi (Cornet, 1973): *Cornetius [Aedes (Cornetius)]*
cozumelensis (Diaz Nájera, 1966): *Howardina [Ochlerotatus (Howardina)]*
cracens Sallum & Peyton, 2005: *Anopheles (Cellia)*
craggi Barraud, 1923: *Stegomyia (Heteraspidion) [Aedes (Stegomyia)]*
crassicomus Colless, 1965: *Culex (Lophoceraomyia)*
crassiforceps (Edwards, 1927): *Neomelaniconion [Aedes (Neomelaniconion)]*
crassipes (van der Wulp, 1881): *Coquillettidia (Coquillettidia)*
crassistylus Brug, 1934: *Culex (Neoculex)*
crawfordi Reid, 1953: *Anopheles (Anopheles)*
creole Anduze, 1949: *Culex (Melanoconion)*
cretata (Delfinado, 1967): *Verrallina (Neomacleaya)*
cretina (Edwards, 1921): *Stegomyia [Aedes (Stegomyia)]*
crinicauda Edwards, 1921: *Culex (Culex)*
crinifer (Theobald, 1903): *Ochlerotatus (Ochlerotatus)*

cristata (Theobald, 1904): *Coquillettidia* (*Coquillettidia*)
cristata Thurman, 1959: *Topomyia* (*Suaymyia*)
cristatus King & Baisas, 1936: *Anopheles* (*Cellia*)
crispalpis Service, 1977: *Anopheles* (*Cellia*)
crisovaoi Duret, 1968: *Culex* (*Melanoconion*)
crocea (Knight & Laffoon, 1946): *Finlaya* [*Ochlerotatus* (*Finlaya*)]
crossi (Lien, 1967): '*Ochlerotatus* (*Finlaya*)'
crowei Sirivanakarn, 1968: *Culex* (*Lophoceraomyia*)
crucians Wiedemann, 1828: *Anopheles* (*Anopheles*)
cruzii Dyar & Knab, 1908: *Anopheles* (*Kerteszia*)
crybda Dyar, 1924: *Culex* (*Melanoconion*)
crypticus Coetzee, 1995: *Anopheles* (*Anopheles*)
cubiculi Marks, 1989: *Culex* (*Lophoceraomyia*)
cubitatus Colless, 1965: *Culex* (*Lophoceraomyia*)
cuccioi (Belkin, 1962): *Verrallina* (*Verrallina*)
cucphuongensis Phan, Manh, Hinh & Vien, 1991: *Anopheles* (*Anopheles*)
culicifacies Giles, 1901: *Anopheles* (*Cellia*)
culiciformis (Theobald, 1905): *Ochlerotatus* (*Pseudoskusea*)
culiciformis Cogill, 1903: *Anopheles* (*Anopheles*)
culicinus Edwards, 1922: *Aedimorphus* [*Aedes* (*Aedimorphus*)]
cumminsii (Theobald, 1903): *Aedimorphus* [*Aedes* (*Aedimorphus*)]
cunabulanus (Edwards, 1924): *Ochlerotatus* (unplaced) [*Ochlerotatus* (*Ochlerotatus*)]
cunninghami (Taylor, 1944): *Verrallina* (*Verrallina*)
curiche Adames, 1971: *Deinocerites*
curtipalpis (Edwards, 1914): *Culex* (*Lophoceraomyia*)
curtipes (Edwards, 1915): *Canraedes* [*Aedes* (*Canraedes*)]
curvibrachius Angulo, 1993: *Culex* (*Culex*)
cuttsi van den Assem, 1959: *Tripteroides* (*Rachisoura*)
cuyanus Duret, 1968: *Culex* (*Culex*)
cyanescens (Coquillett, 1902): *Psorophora* (*Janthinosoma*)
cyaneus (Fabricius, 1805): *Sabethes* (*Sabethes*)
cydippis de Meillon, 1931: *Anopheles* (*Cellia*)
cylindricus Theobald, 1903: *Culex* (*Lophoceraomyia*)
cyprionides (Danilov & Stupin, 1982): *Ochlerotatus* (unplaced) [*Ochlerotatus* (*Ochlerotatus*)]
cyprius (Ludlow, 1920): *Ochlerotatus* (unplaced) [*Ochlerotatus* (*Ochlerotatus*)]
cyptopus Theobald, 1909: *Hodgesia*
cyrtolabis (Edwards, 1928): *Verrallina* (*Neomacleaya*)
daciae Linton, Nicolescu & Harbach, 2004: *Anopheles* (*Anopheles*)
daggyi (Stone & Bohart, 1944): *Geoskusea* [*Ochlerotatus* (*Geoskusea*)]
dahlae Nielsen, 2009: *Ochlerotatus* (unplaced)
dahuricus Danilov, 1987: *Aedes* [*Aedes* (*Aedes*)]
daitensis (Miyagi & Toma, 1981): *Stegomyia* [*Aedes* (*Stegomyia*)]
daliensis (Taylor, 1916): '*Ochlerotatus*' (subgenus uncertain)
dalzieli (Theobald, 1910): *Aedimorphus* [*Aedes* (*Aedimorphus*)]
damascenoi Duret, 1969: *Culex* (*Anoedioporpa*)
damasei Grjebine, 1979: *Uranotaenia* (*Pseudoficalbia*)
danaraji Ramalingam, 1988: *Topomyia* (*Topomyia*)
dancalicus Corradetti, 1939: *Anopheles* (*Cellia*)
darlingi Root, 1926: *Anopheles* (*Nyssorhynchus*)
daryi (Schick, 1970): '*Ochlerotatus* (*Protomacleaya*)'
dasyorrhus (King & Hoogstraal, 1946): *Lorrainea* [*Aedes* (*Lorrainea*)]
daudi Coluzzi, 1958: *Anopheles* (*Cellia*)
daumastocampa Dyar & Knab, 1908: *Culex* (*Microculex*)
davidi Basio, 1971: *Aedimorphus* [*Aedes* (*Aedimorphus*)]
davisi (Lane & Cerqueira, 1942): *Wyeomyia* (*Phoniomyia*)
davisi Kumm, 1933: *Culex* (*Microculex*)
davisi Lane, 1943: *Uranotaenia* (*Uranotaenia*)
deanei (Lourenço de Oliveira, 1983): *Wyeomyia* (*Phoniomyia*)
deaneorum Rosa-Freitas, 1989: *Anopheles* (*Nyssorhynchus*)
deboeri (Edwards, 1926): *Stegomyia* [*Aedes* (*Stegomyia*)]

deccana (Barraud, 1923): **Phagomyia** [*Ochlerotatus* (*Finlaya*)]
decens Theobald, 1901: **Culex** (*Culex*)
declarator Dyar & Knab, 1906: **Culex** (*Culex*)
decorabilis Leicester, 1908: **Kimia**
decticus (Howard, Dyar & Knab, 1917): **Ochlerotatus** (unplaced) [*Ochlerotatus* (*Ochlerotatus*)]
deemingi Service, 1970: **Anopheles** (*Cellia*)
deficiens (Arnell, 1976): **Ochlerotatus** (*Ochlerotatus*)
deguzmanae (Mattingly, 1957): **Mimomyia** (*Ingramia*)
dejesusi Baisas & Feliciano, 1953: **Topomyia** (*Topomyia*)
delfinadoe Sirivanakarn, 1973: **Culex** (*Culiciomyia*)
delpilari Baisas & Ubaldo-Pagayon, 1953: **Tripteroides** (*Tricholeptomyia*)
delponte Duret, 1969: **Culex** (*Melanoconion*)
delys Howard, Dyar & Knab, 1915: **Culex** (*Culex*)
demeilloni (Edwards, 1936): **Stegomyia** [*Aedes* (*Stegomyia*)]
demeilloni Doucet, 1950: **Culex** (*Culex*)
demeilloni Evans, 1933: **Anopheles** (*Cellia*)
demeilloni Mattingly, 1970: **Heizmannia** (*Heizmannia*)
demeilloni Peyton & Rattanarithikul, 1970: **Uranotaenia** (*Pseudoficalbia*)
demissus Colless, 1965: **Culex** (*Lophoceraomyia*)
denbesteni Brug, 1925: **Armigeres** (*Armigeres*)
denderensis (Wolfs, 1949): **Stegomyia** [*Aedes* (*Stegomyia*)]
dendrophila (Edwards, 1921): **Stegomyia** [*Aedes* (*Stegomyia*)]
dentatus (Theobald, 1904): **Aedimorphus** [*Aedes* (*Aedimorphus*)]
dentatus Barraud, 1927: **Armigeres** (*Leicesteria*)
denticulatus Delfinado & Hodges, 1968: **Tripteroides** (*Tripteroides*)
derivator Dyar & Knab, 1906: **Culex** (*Neoculex*)
derooki (Brug, 1932): **Patmarksia** [*Ochlerotatus* (*Finlaya*)]
derooki Soesilo & van Slooten, 1931: **Bironella** (*Neobironella*)
deserticola (Zavortink, 1969): **Jarnellius** [*Ochlerotatus* (*Ochlerotatus*)]
deserticola Kirkpatrick, 1925: **Culex** (*Maillotia*)
desmotes Giles, 1904: **Stegomyia** (*Xyele*) [*Aedes* (*Stegomyia*)]
detritus (Haliday, 1833): **Ochlerotatus** (unplaced) [*Ochlerotatus* (*Ochlerotatus*)]
devemyi Hamon, 1955: **Uranotaenia** (*Pseudoficalbia*)
diabolica (Lane & Forattini, 1952): **Wyeomyia** (*Phioniomyia*)
diagonalis Brug, 1934: **Uranotaenia** (*Pseudoficalbia*)
dialloi (Hamon & Brengues, 1965): **Catageiomyia** [*Aedes* (*Aedimorphus*)]
diamphidius (Peyton & Harbach, 1991): **Culex** (*Melanoconion*)
diantaeus (Howard, Dyar & Knab, 1913): **Ochlerotatus** (*Woodius*) [*Ochlerotatus* (*Ochlerotatus*)]
diazi (Schick, 1970): '*Ochlerotatus* (*Protomacleaya*)'
dibrugarhensis Bhattacharyya, Prakash, Mohapatra & Mahanta, 2004: **Uranotaenia** (*Pseudoficalbia*)
diengensis Brug, 1931: **Culex** (*Culex*)
digitatum (Rondani, 1848): **Trichoprosopon**
digitatus (Edwards, 1914): **Armigeres** (*Leicesteria*)
digoelensis Brug, 1932: **Culex** (*Lophoceraomyia*)
digoelensis Brug, 1934: **Tripteroides** (*Polylepidomyia*)
diluvialis Reinert, 1997: **Anopheles** (*Anopheles*)
dimidiata Cerqueira, 1943: **Psorophora** (*Grabhamia*)
diplophyllum Dyar, 1929: **Culex** (*Culex*)
diraphati Peyton & Klein, 1970: **Uranotaenia** (*Uranotaenia*)
dirus Peyton & Harrison, 1979: **Anopheles** (*Cellia*)
discolor (Coquillett, 1903): **Psorophora** (*Grabhamia*)
discrepans (Edwards, 1922): **Heizmannia** (*Mattinglyia*)
discrucians (Walker, 1856): **Psorophora** (*Janthinosoma*)
dispar Rattanarithikul & Harbach, 1991: **Anopheles** (*Cellia*)
dispectus Bram, 1966: **Culex** (*Culiciomyia*)
dissimilierodes (Dong, Zhou & Dong, 2002): **Kenknightia** [*Ochlerotatus* (*Kenknightia*)]
dissimilis (Leicester, 1908): **Kenknightia** [*Ochlerotatus* (*Kenknightia*)]
distigma (Edwards, 1925): **Tripteroides** (*Tripteroides*)
distinctus (Newstead & Carter, 1911): **Anopheles** (*Cellia*)

distingwendus Dyar, 1928: *Culex (Melanoconion)*
ditaenionota Prado, 1931: *Uranotaenia (Uranotaenia)*
dives (Schiner, 1868): *Mansonia (Mansonioides)*
dmitryi Gornostaeva, 2005: *Aedes* [*Aedes (Aedes)*]
dobodura (King & Hoogstraal, 1946): *Patmarksia* [*Ochlerotatus (Finlaya)*]
dobrotworskyi (Marks, 1958): *Finlaya* [*Ochlerotatus (Finlaya)*]
dofleini (Guenther, 1913): *Tripteroides (Rachionotomyia)*
dohenyi Hogue, 1975: *Culex (Culex)*
dolichocephalus (Leicester, 1908): *Armigeres (Leicesteria)*
dolichophyllus Clastrier, 1970: *Culex (Melanoconion)*
dolosus (Lynch Arribáizaga, 1891): *Culex (Culex)*
domesticus (Theobald, 1901): *Aedimorphus* [*Aedes (Aedimorphus)*]
domicola Edwards, 1916: *Anopheles (Cellia)*
donai da Cunha Ramos & Brunhes, 2004: *Uranotaenia (Pseudoficalbia)*
donaldi Reid, 1962: *Anopheles (Anopheles)*
doonii (Wattal, Bhatia & Kalra, 1958): *Bruceharrisonius* [*Ochlerotatus (Bruceharrisonius)*]
dorsalis (Meigen, 1830): *Ochlerotatus* (unplaced) [*Ochlerotatus (Ochlerotatus)*]
dorseyi (Knight, 1946): *Downsiomyia* [*Ochlerotatus (Finlaya)*]
douceti Grjebine, 1953: *Uranotaenia (Pseudoficalbia)*
douglasi Dobrotworsky, 1956: *Culex (Neoculex)*
downsi Lane, 1945: *Wyeomyia (Wyeomyia)*
dracaenae Edwards, 1916: *Eretmapodites*
dravidicus Christophers, 1924: *Anopheles (Cellia)*
drummondi (Dobrotworsky, 1960): *Culiseta (Culicella)*
dthali Patton, 1905: *Anopheles (Cellia)*
duaensis Brunhes, le Goff & Geoffroy, 1999: *Anopheles (Cellia)*
dubitans Lane & Whitman, 1951: *Culex (Microculex)*
dubitans Leicester, 1908: *Topomyia (Topomyia)*
dufouri (Hamon, 1953): *Ochlerotatus* (unplaced) [*Ochlerotatus (Levua)*]
dulongensis Gong & Lu, 1995: *Topomyia (Suaymyia)*
dumbletoni Belkin, 1962: *Culex (Neoculex)*
dumonti Doucet, 1949: *Uranotaenia (Uranotaenia)*
dundo da Cunha Ramos & Ribeiro, 1992: *Eretmapodites*
dundo Ribeiro, 1991: *Toxorhynchites (Toxorhynchites)*
dunhami Causey, 1945: *Anopheles (Nyssorhynchus)*
dunni Dyar, 1918: *Culex (Melanoconion)*
duplex (Martini, 1926): *Ochlerotatus* (unplaced) [*Ochlerotatus (Ochlerotatus)*]
duplicator Dyar & Knab, 1909: *Culex (Culex)*
dupreei (Coquillett, 1904): *Ochlerotatus (Protoculex)* [*Ochlerotatus (Ochlerotatus)*]
durbanensis (Theobald, 1903): *Aedimorphus* [*Aedes (Aedimorphus)*]
dureni Edwards, 1938: *Anopheles (Cellia)*
dureti Casal & Garcia, 1968: *Culex (Melanoconion)*
durhami (Edwards, 1917): *Armigeres (Armigeres)*
durhami Sirivanakarn, 1968: *Culex (Lophoceraomyia)*
durhamii Theobald, 1901: *Limatus*
duttoni Theobald, 1901: *Culex (Culex)*
dux (Dyar & Shannon, 1925): *Verrallina (Verrallina)*
dyari Belkin & Hogue, 1959: *Deinocerites*
dyari Belkin, Heinemann & Page, 1970: *Mansonia (Mansonia)*
dyari Bohart & Farner, 1944: *Tripteroides (Tripteroides)*
dyari Lane & Cerqueira, 1942: *Wyeomyia (Cruzmyia)*
dybasi (Bohart, 1957): *Stegomyia* [*Aedes (Stegomyia)*]
dyi Baisas & Ubaldo-Pagayon, 1953: *Tripteroides (Tripteroides)*
dyius Root, 1927: *Culex (Melanoconion)*
dzeta (Séguy, 1924): *Ochlerotatus* (unplaced) [*Ochlerotatus (Ochlerotatus)*]
ealaensis (Huang, 2004): *Stegomyia* [*Aedes (Stegomyia)*]
earlei Vargas, 1943: *Anopheles (Anopheles)*
eastor Dyar, 1920: *Culex (Melanoconion)*
eatonii Edwards, 1916: '*Ochlerotatus (Finlaya)*'
ebogoensis Rickenbach & Ferrara, 1965: *Aedimorphus* [*Aedes (Aedimorphus)*]

echinus (Edwards, 1920): *Dahlia* [*Ochlerotatus* (*Finlaya*)]
ecuadoriensis (Berlin, 1969): *Howardina* [*Ochlerotatus* (*Howardina*)]
edgari (Stone & Rosen, 1952): *Ochlerotatus* (*Buvirilia*) [*Ochlerotatus* (*Ochlerotatus*)]
eduardoi Casal & García, 1968: *Culex* (*Culex*)
educator Dyar & Knab, 1906: *Culex* (*Melanoconion*)
edwardsi (Barraud, 1924): *Toxorhynchites* (*Toxorhynchites*)
edwardsi (Barraud, 1929): *Tripteroides* (*Rachionotomyia*)
edwardsi (Lane & Cerqueira, 1942): *Wyeomyia* (*Phoniomyia*)
edwardsi Barraud, 1923: *Culex* (*Culex*)
edwardsi Barraud, 1923: *Stegomyia* (*Actinothrix*) [*Aedes* (*Stegomyia*)]
edwardsi Barraud, 1926: *Uranotaenia* (*Uranotaenia*)
egcymon Dyar, 1923: *Culex* (*Melanoconion*)
eidsvoldensis (Mackerras, 1927): *Ochlerotatus* (unplaced) [*Ochlerotatus* (*Ochlerotatus*)]
eiseni Coquillett, 1902: *Anopheles* (*Anopheles*)
ejercitoi Baisas, 1935: *Armigeres* (*Armigeres*)
ejercitoi Mendoza, 1947: *Anopheles* (*Anopheles*)
eknomios Forattini & Sallum, 1992: *Culex* (*Melanoconion*)
elchoensis (Taylor, 1929): *Macleaya* (*Chaetocruimyia*) [*Ochlerotatus* (*Chaetocruimyia*)]
eldridgei (Reinert, 1973): *Bothaella* [*Aedes* (*Bothaella*)]
eldridgei Adames & Galindo, 1973: *Culex* (*Belkinomyia*)
eleanorae (Berlin, 1969): *Howardina* [*Ochlerotatus* (*Howardina*)]
elegans (James, 1903): *Anopheles* (*Cellia*)
elegans (Taylor, 1914): *Mimomyia* (*Etorleptomyia*)
elegans Brug, 1934: *Tripteroides* (*Tripteroides*)
elephas Komp, 1936: *Culex* (*Melanoconion*)
elevator Dyar & Knab, 1906: *Culex* (*Melanoconion*)
ellinorae (Edwards, 1941): *Neomelaniconion* [*Aedes* (*Neomelaniconion*)]
elongatus Rozeboom & Komp, 1950: *Culex* (*Microculex*)
elsiae (Barraud, 1923): *Collessius* (*Collessius*) [*Ochlerotatus* (*Finlaya*)]
embiensis (Huang, 1968): *Verrallina* (*Verrallina*)
embuensis (Edwards, 1930): *Hopkinsius* (*Hopkinsius*) [*Ochlerotatus* (*Finlaya*)]
eminentia (Leicester, 1908): *Culex* (*Lophoceraomyia*)
engarensis Kanda & Oguma, 1978: *Anopheles* (*Anopheles*)
enigmatica Peyton, 1977: *Uranotaenia* (*Pseudoficalbia*)
ensiformis Bonne-Wepster & Bonne, 1920: *Culex* (*Melanoconion*)
eouzani Brunhes, le Goff & Boussès, 2003: *Anopheles* (*Cellia*)
eouzani Geoffroy, 1971: *Culex* (*Culiciomyia*)
eouzani Rickenbach & Lombrici, 1974: *Eretmapodites*
epactius (Dyar & Knab, 1908): *Georgecraigius* (*Georgecraigius*) [*Ochlerotatus* (*Ochlerotatus*)]
epanastasis Dyar, 1922: *Culex* (*Melanoconion*)
epidesmus (Theobald, 1910): *Culex* (*Oculeomyia*)
epiroticus Linton & Harbach, 2005: *Anopheles* (*Cellia*)
epitedeus (Knab, 1907): *Deinocerites*
equinoxialis Floch & Abonnenc, 1945: *Culex* (*Melanoconion*)
equinus Theobald, 1903: *Haemagogus* (*Haemagogus*)
erepens Gillies, 1958: *Anopheles* (*Cellia*)
erethyzonfer Galindo & Blanton, 1954: *Culex* (*Micraedes*)
eritreae (Lewis, 1942): *Aedimorphus* [*Aedes* (*Aedimorphus*)]
erlindae Baisas & Ubaldo-Pagayon, 1953: *Tripteroides* (*Tripteroides*)
ernanii Duret, 1968: *Culex* (*Melanoconion*)
ernsti Anduze, 1949: *Culex* (*Melanoconion*)
erraticus (Dyar & Knab, 1906): *Culex* (*Melanoconion*)
erythraeus Corradetti, 1939: *Anopheles* (*Cellia*)
erythrothorax Dyar, 1907: *Culex* (*Culex*)
erythrurus (Edwards, 1941): *Toxorhynchites* (*Afrorhynchus*)
esmeraldas (Levi-Castillo, 1955): *Wyeomyia* (*Hystatomyia*)
esoensis Yamada, 1921: *Aedes* [*Aedes* (*Aedes*)]
espini (Martini, 1914): *Isostomyia*
ethiopicus Gillies & Coetzee, 1987: *Anopheles* (*Cellia*)
ethiopiensis (Huang, 2004): *Stegomyia* [*Aedes* (*Stegomyia*)]

eucephalaeus (Dyar, 1918): **Ochlerotatus (Protoculex)** [**Ochlerotatus (Ochlerotatus)**]
euedes (Howard, Dyar & Knab, 1913): **Ochlerotatus** (unplaced) [**Ochlerotatus (Ochlerotatus)**]
euiris (Dyar, 1922): **Ochlerotatus** (unplaced) [**Ochlerotatus (Ochlerotatus)**]
eukrines Bram & Rattanarithikul, 1967: **Culex (Lophoceraomyia)**
euplocamus (Dyar & Knab, 1906): **Ochlerotatus (Ochlerotatus)**
europaeus da Cunha Ramos, Ribeiro & Harrison, 2003: **Culex (Neoculex)**
evandroi da Costa Lima, 1937: **Anopheles (Anopheles)**
evansae (Brethés, 1926): **Anopheles (Nyssorhynchus)**
evansae (Edwards, 1936): **Toxorhynchites (Toxorhynchites)**
evansae Antunes, 1942: **Trichoprosopon**
evansae Root, 1927: **Culex (Melanoconion)**
excrucians (Walker, 1856): **Ochlerotatus** (unplaced) [**Ochlerotatus (Ochlerotatus)**]
exnebulis Bonne-Wepster, 1948: **Tripteroides (Rachisoura)**
explorator (Marks, 1964): **Ochlerotatus** (unplaced) [**Ochlerotatus (Ochlerotatus)**]
fabricii Lane & Cerqueira, 1942: **Sabethes (Peytonulus)**
faini Leleup, 1952: **Anopheles (Cellia)**
fairchildi Galindo & Blanton, 1954: **Culex (Melanoconion)**
fajardi Lutz, 1904): **Chagasia**
fajardoi Baisas & Feliciano, 1953: **Zeugomyia**
falabreguesi (Hamon, 1957): **Catageomyia** [**Aedes (Aedimorphus)**]
falcipes Banks, 1906: **Uranotaenia (Uranotaenia)**
farauti Laveran, 1902: **Anopheles (Cellia)**
farquharsoni (Edwards, 1922): **Malaya**
fasciolata (Lynch Arribáizaga, 1891): **Coquillettidia (Rhynchotaenia)**
fasciipalis (Edwards, 1912): **Diceromyia** [**Aedes (Diceromyia)**]
fascipes (Coquillett, 1906): **Orthopodomyia**
fasyi Baisas, 1938: **Culex (Culex)**
faurani Duret, 1968: **Culex (Melanoconion)**
fausti Vargas, 1943: **Anopheles (Anopheles)**
feegradei (Barraud, 1934): **Phagomyia** [**Ochlerotatus (Finlaya)**]
feliccia (Dyar & Nunez Tovar, 1927): **Wyeomyia (Decamyia)**
felicicatis Bonne-Wepster, 1948: **Tripteroides (Rachisoura)**
femineus Edwards, 1926: **Culex (Eumelanomyia)**
femorata (Edwards, 1936): **Mimomyia (Mimomyia)**
fengi (Edwards, 1935): **Luius** [**Ochlerotatus (Finlaya)**]
fergusoni (Taylor, 1914): **Culex (Neoculex)**
ferinus (Knight, 1947): **Mucidus (Mucidus)** [**Ochlerotatus (Mucidus)**]
fernandezi Casal, García & Cavalieri, 1966: **Culex (Culex)**
fernandezyepezii (Cova Garcia, Sutil Oramas & Pulido F., 1974): **Wyeomyia (Caenomyiella)**
ferox (von Humboldt, 1819): **Psorophora (Janthinosoma)**
ferrarai Rickenbach & Eouzan, 1970: **Eretmapodites**
ferreri Duret, 1968: **Culex (Melanoconion)**
fiebrigi Edwards, 1922: **Psorophora (Janthinosoma)**
fijiensis (Belkin, 1962): **Coquillettidia (Coquillettidia)**
fijiensis (Marks, 1947): **Finlaya** [**Ochlerotatus (Finlaya)**]
filicis (Ingram & de Meillon, 1927): **Catageomyia** [**Aedes (Aedimorphus)**]
filipes (Walker, 1861): **Tripteroides (Rachisoura)**
filipinae Manalang, 1930: **Anopheles (Cellia)**
fimbriata King & Hoogstraal, 1947: **Uranotaenia (Uranotaenia)**
fimbriatus Edwards, 1930: **Armigeres (Armigeres)**
fimbriforceps Edwards, 1935: **Culex (Eumelanomyia)**
fimbripes (Edwards, 1924): **Geoskusea** [**Ochlerotatus (Geoskusea)**]
finlayi Lane & Cerqueira, 1942: **Wyeomyia (Spilonympha)**
fishi Zavortink, 1986: **Wyeomyia (Zinzala)**
fitchii (Felt & Young, 1904): **Ochlerotatus** (unplaced) [**Ochlerotatus (Ochlerotatus)**]
flabellata (Lane & Cerqueira, 1942): **Wyeomyia (Phoniomyia)**
flabellifer Komp, 1936: **Culex (Melanoconion)**
flabelliger Bonne-Wepster, 1948: **Tripteroides (Rachisoura)**
flavens (King & Hoogstraal, 1946): **Mimomyia (Mimomyia)**
flaveola (Coquillett, 1906): **Mansonia (Mansonia)**

flavescens (Müller, 1764): **Ochlerotatus** (unplaced) [**Ochlerotatus** (**Ochlerotatus**)]
flavicollis (Edwards, 1928): **Diceromyia** [**Aedes** (**Diceromyia**)]
flavicornis Barraud, 1924: **Culex** (**Lophoceraomyia**)
flavicosta Barraud, 1927: **Orthopodomyia**
flavicosta Edwards, 1911: **Anopheles** (**Cellia**)
flavifacies Edwards, 1922: **Wyeomyia** (**Antunesmyia**)
flavifrons (Skuse, 1889): **Ochlerotatus** (**Pholeomyia**) [**Ochlerotatus** (**Ochlerotatus**)]
flavimargo (Edwards, 1941): **Neomelaniconion** [**Aedes** (**Neomelaniconion**)]
flavipennis Giles, 1904: **Finlaya** [**Ochlerotatus** (**Finlaya**)]
flavirostris (Ludlow, 1914): **Anopheles** (**Cellia**)
flavisetosus de Oliveira Castro, 1935: **Limatus**
flavithorax Barraud, 1927: **Orthopodomyia**
flavocincta (Edwards, 1936): **Coquillettidia** (**Coquillettidia**)
flavopicta (Edwards, 1936): **Mimomyia** (**Mimomyia**)
flavopicta (Yamada, 1921): **Stegomyia** [**Aedes** (**Stegomyia**)]
flavus (Leicester, 1908): **Armigeres** (**Leicesteria**)
flochi Duret, 1969: **Culex** (subgenus uncertain)
florestan Dyar, 1925: **Wyeomyia** (**Wyeomyia**)
floridensis Belkin, 1950: **Tripteroides** (**Polylepidomyia**)
flui (Bonne-Wepster & Bonne, 1920): **Wyeomyia** (subgenus uncertain)
fluminensis Root, 1927: **Anopheles** (**Anopheles**)
fluviatilis (Lutz, 1904): **Georgecraigius** (**Horsfallius**) [**Ochlerotatus** (**Ochlerotatus**)]
fluviatilis (Theobald, 1903): **Shannoniana**
fluviatilis James, 1902: **Anopheles** (**Cellia**)
foliaceus Lane, 1945: **Culex** (**Culex**)
foliafer Komp & Rozeboom, 1951: **Culex** (**Melanoconion**)
foliatus Brug, 1931: **Armigeres** (**Armigeres**)
foliatus Brug, 1932: **Culex** (**Eumelanomyia**)
folicola Belkin, 1955: **Tripteroides** (**Polylepidomyia**)
foliformis (King & Hoogstraal, 1947): **Verrallina** (**Verrallina**)
fontenillei Brunhes & Hervy, 1995: **Orthopodomyia**
fonsecai (Pinto, 1932): **Mansonia** (**Mansonia**)
fontenillei le Goff, Boussès & Brunhes, 2007: **Neomelaniconion**
fontenillei Ribeiro, 2004: **Toxorhynchites** (**Afrorhynchus**)
fontinalis Gillies & de Meillon, 1968: **Anopheles** (**Cellia**)
forattinii Cerqueira, 1961: **Sabethes** (**Sabethes**)
forattinii Clastrier, 1974: **Wyeomyia** (**Cruzmyia**)
forattinii Wilkerson & Sallum, 1999: **Anopheles** (**Anopheles**)
forceps Cerqueira, 1939: **Psorophora** (**Janthinosoma**)
forcipenis Lourenço-de-Oliveira & da Silva, 1985: **Wyeomyia** (**Spilonympha**)
forcipulatus Edwards, 1936: **Eretmapodites**
formosensis (Yamada, 1921): **Hulecoeteomyia** [**Ochlerotatus** (**Finlaya**)]
fowleri (Charmoy, 1908): **Aedimorphus** [**Aedes** (**Aedimorphus**)]
fragilis (Theobald, 1903): **Anopheles** (**Anopheles**)
fragilis Leicester, 1908: **Verrallina** (**Harbachius**)
fragilis Ludlow, 1903: **Culex** (**Culiciomyia**)
franciscanus McCracken, 1904: **Anopheles** (**Anopheles**)
franciscoi (Mattingly, 1959): **Petermattinglyius** [**Aedes** (**Diceromyia**)]
franciscoi Reid, 1962: **Anopheles** (**Anopheles**)
franclemonti (Belkin, 1962): **Finlaya** [**Ochlerotatus** (**Finlaya**)]
fraseri (Edwards, 1914): **Culiseta** (**Theomyia**)
fraseri (Edwards, 1922): **Malaya**
fraseri (Theobald, 1911): **Coquillettidia** (**Coquillettidia**)
fraseri Edwards, 1912: **Stegomyia** [**Aedes** (**Stegomyia**)]
fraseri Edwards, 1912: **Uranotaenia** (**Uranotaenia**)
fraudatrix (Theobald, 1905): **Culex** (**Lophoceraomyia**)
freeborni Aitken, 1939: **Anopheles** (**Anopheles**)
freetownensis Evans, 1925: **Anopheles** (**Cellia**)
frenchii (Theobald, 1901): **Culiseta** (**Neotheobaldia**)
freycinetiae (Laird, 1957): **Finlaya** [**Ochlerotatus** (**Finlaya**)]

freyi Meng, 1957: **Anopheles (Anopheles)**
frontosa Theobald, 1903: **Runchomyia (Runchomyia)**
fryeri (Theobald, 1912): 'Ochlerotatus (Coetzeemyia)'
fulgens (Edwards, 1917): **Zavortinkius [Ochlerotatus (Zavortinkius)]**
fulgens da Cunha Ramos & Brunhes, 2004: **Uranotaenia (Pseudoficalbia)**
fuliginosus Lee, 1946: **Tripteroides (Rachisoura)**
fulleri (Ludlow, 1909): **Culex (Lophoceraomyia)**
fulvithorax (Lutz, 1904): **Howardina [Ochlerotatus (Howardina)]**
fulvus (Wiedemann, 1828): **Ochlerotatus (Chrysoconops) [Ochlerotatus (Ochlerotatus)]**
fumida (Edwards, 1928): **Lorrainea [Aedes (Lorrainea)]**
fumipennis (Stephens, 1825): **Culiseta (Culicella)**
funerea (Leicester, 1908): **Heizmannia (Heizmannia)**
funerea (Theobald, 1903): **Verrallina (Verrallina)**
funestus (Leicester, 1908): **Toxorhynchites (Toxorhynchites)**
funestus Giles, 1900: **Anopheles (Cellia)**
furcifer (Edwards, 1913): **Diceromyia [Aedes (Diceromyia)]**
furfurea (Enderlein, 1923): **Aedeomyia (Lepiothauma)**
furlongi van Someren, 1954: **Culex (Culiciomyia)**
fusca (Leicester, 1908): **Mimomyia (Ingramia)**
fusca Theobald, 1907: **Uranotaenia (Pseudoficalbia)**
fuscana Wiedemann, 1820: **Lutzia (Metalutzia)**
fuscicinctus King & Hoogstraal, 1946: **Culex (Culiciomyia)**
fuscicolor van Someren, 1947: **Anopheles (Anopheles)**
fuscinerve (Edwards, 1914): **Neomelaniconion [Aedes (Neomelaniconion)]**
fuscipalpis (Belkin, 1962): **Finlaya [Ochlerotatus (Finlaya)]**
fuscipes Edwards, 1922: **Wyeomyia (Phoniomyia)**
fuscipleura Lee, 1946: **Tripteroides (Rachisoura)**
fuscitarsis (Belkin, 1962): **Finlaya [Ochlerotatus (Finlaya)]**
fuscivenosus Leeson, 1930: **Anopheles (Cellia)**
fuscocephala Theobald, 1907: **Culex (Culex)**
fusco pennata (Theobald, 1903): **Coquillettidia (Coquillettidia)**
fuscopteron (Theobald, 1911): **Coquillettidia (Coquillettidia)**
fuscus Hutton, 1902: **Opifex (Opifex)**
futunae (Belkin, 1962): **Stegomyia (Zoromorphus) [Aedes (Stegomyia)]**
gabaldoni Cova Garcia, Pulido F., Escalante de Ugueto & Mora R., 1987: **Uranotaenia (Uranotaenia)**
gabaldoni Vargas, 1941: **Anopheles (Anopheles)**
gabriel (Schick, 1970): 'Ochlerotatus (Protomacleaya)'
gaffigani (Reinert, 1990): **Kenknightsia [Ochlerotatus (Kenknightsia)]**
gagnei Evenhuis, 1989: **Culex (Lophoceraomyia)**
gahnicola (Marks, 1947): **Finlaya [Ochlerotatus (Finlaya)]**
gairus Root, 1927: **Culex (Microculex)**
galindoi (Schick, 1970): 'Ochlerotatus (Protomacleaya)'
galindoi Komp & Rozeboom, 1951: **Culex (Melanoconion)**
galliardii Edwards, 1941: **Culex (Eumelanomyia)**
galloisi (Yamada, 1921): **Stegomyia [Aedes (Stegomyia)]**
galloisiodes (Liu & Lu, 1984): **Stegomyia [Aedes (Stegomyia)]**
galvaoui (Correa & Ramalho, 1956): **Wyeomyia (Phoniomyia)**
galvaoui Causey, Deane & Deane, 1943: **Anopheles (Nyssorhynchus)**
galvaoui Duret, 1968: **Culex (Melanoconion)**
gambiae Giles, 1902: **Anopheles (Cellia)**
gameti Bailly-Choumara, 1966: **Culex (Culex)**
gamma Séguy, 1924: **Culex (Neoculex)**
ganapathi (Colless, 1958): **Downsiomyia [Ochlerotatus (Finlaya)]**
ganapathi Colless, 1965: **Culex (Lophoceraomyia)**
gandaensis (Huang, 2004): **Stegomyia (Mukwaya) [Aedes (Stegomyia)]**
gandarai (da Cunha Ramos, Capela & Ribeiro, 1995): **Polyleptiomyia [Aedes (Aedimorphus)]**
gani (Bonne-Wepster, 1940): **Finlaya [Ochlerotatus (Finlaya)]**
garcesi Duret, 1968: **Culex (Melanoconion)**
garciai Broche, 2000: **Culex (Culex)**

gardnerii Ludlow, 1905: **Stegomyia** [*Aedes* (*Stegomyia*)]
garioui Bailly-Choumara & Rickenbach, 1966: **Culex** (*Eumelanomyia*)
garnhami Edwards, 1930: **Anopheles** (*Cellia*)
garnhami van Someren, 1948: **Uranotaenia** (*Pseudoficalbia*)
gaudeator Dyar & Knab, 1907: **Culex** (*Microculex*)
gaudians Dyar & Nunez Tovar, 1927: **Wyeomyia** (*Wyeomyia*)
gaufini Belkin, 1962: **Culex** (*Neoculex*)
gausapata Dyar & Nunez Tovar, 1927: **Wyeomyia** (*Wyeomyia*)
gelidus Theobald, 1901: **Culex** (*Culex*)
geminus Colless, 1955: **Culex** (*Oculeomyia*)
geminus Peus, 1970: **Aedes** [*Aedes* (*Aedes*)]
geniculata (Olivier, 1791): **Dahlia** [*Ochlerotatus* (*Finlaya*)]
geniculata da Cunha Ramos & Brunhes, 2004: **Uranotaenia** (*Uranotaenia*)
genurostris Leicester, 1908: **Malaya**
geoffroyi (Reinert, 1999): **Zavortinkius** [*Ochlerotatus* (*Zavortinkius*)]
geometrica Theobald, 1901: **Uranotaenia** (*Uranotaenia*)
georgianus King, 1939: **Anopheles** (*Anopheles*)
geoskusea (Amos, 1944): **Levua** [*Ochlerotatus* (*Levua*)]
gerbergi Belkin, 1977: **Toxorhynchites** (*Lynchiella*)
gerdae Slooff, 1963: **Uranotaenia** (*Uranotaenia*)
germaini Geoffroy, 1974: **Culex** (*Eumelanomyia*)
germaini Rickenbach & Eouzan, 1970: **Eretmapodites**
gibbinsi (Edwards, 1935): **Aedimorphus** [*Aedes* (*Aedimorphus*)]
gibbinsi Evans, 1935: **Anopheles** (*Cellia*)
gibbosa (Delfinado, 1967): **Verrallina** (*Neomacleaya*)
gibbulus Delfinado, 1966: **Culex** (*Lophoceraomyia*)
giblini (Taylor, 1914): **Coquillettidia** (*Coquillettidia*)
gigantea Brug, 1931: **Uranotaenia** (*Pseudoficalbia*)
giganteus Ventrillon, 1906: **Culex** (*Oculeomyia*)
gigantulus (Dyar & Shannon, 1925): **Toxorhynchites** (*Toxorhynchites*)
gigas Giles, 1901: **Anopheles** (*Anopheles*)
gilcolladoi (Villa, Rodríguez & Llera, 1985): **Dahlia** [*Ochlerotatus* (*Finlaya*)]
gilesi (Peryassú, 1908): **Anopheles** (*Lophopodomyia*)
gilletti van Someren, 1949: **Eretmapodites**
gilli (Barraud, 1924): **Himalaius** [*Ochlerotatus* (*Finlaya*)]
gilliesi (van Someren, 1962): **Albuginosus** [*Aedes* (*Albuginosus*)]
gilliesi Hamon & van Someren, 1961: **Culex** (*Culiciomyia*)
giveni Edwards, 1926: **Armigeres** (*Armigeres*)
glaphyroptera (Schiner, 1864): **Culiseta** (*Culiseta*)
glaucodaemon (Dyar & Shannon, 1925): **Sabethes** (*Sabethoides*)
globocoxitus Dobrotworsky, 1953: **Culex** (*Culex*)
glyptosalpinx Harbach, Peyton & Harrison, 1984: **Culex** (*Melanoconion*)
gnomatos Sallum, Hutchings, Leila & Ferreira, 1997: **Culex** (*Melanoconion*)
goeldii Rozeboom & Gabaldon, 1941: **Anopheles** (*Nyssorhynchus*)
gombakensis (Mattingly, 1959): **Christophersiomyia** [*Aedes* (*Christophersiomyia*)]
gomezdelatorrei Levi-Castillo, 1955: **Anopheles** (*Lophopodomyia*)
gonguensis (Gong & Lu, 1986): **Jihlienius** [*Ochlerotatus* (*Finlaya*)]
gonzalezrinconesi Cova Garcia, Pulido F. & Escalante de Ugueto, 1977: **Anopheles** (*Kerteszia*)
gorgasi Duret, 1971: **Sabethes** (*Peytonulus*)
gossi Bohart, 1957: **Culex** (*Lophoceraomyia*)
gouldi Peyton & Klein, 1970: **Uranotaenia** (*Pseudoficalbia*)
gouldi (Reinert, 1972): **Aedimorphus** [*Aedes* (*Aedimorphus*)]
grabhami (Berlin 1969): **Howardina** [*Ochlerotatus* (*Howardina*)]
grabhamii Theobald, 1901: **Anopheles** (*Anopheles*)
gracicornis Sirivanakarn, 1977: **Culex** (*Lophoceraomyia*)
gracilelineatus (Bonne-Wepster, 1937): '*Ochlerotatus* (*Finlaya*)'
gracilis Leicester, 1908: **Topomyia** (*Topomyia*)
gracilis Leicester, 1908: **Zeugomyia**
gracilis Theobald, 1905: **Bironella** (*Bironella*)
grahami Edwards, 1911: **Eretmapodites**

grahamii Theobald, 1909: **Mucidus (Mucidus)** [*Ochlerotatus (Mucidus)*]
grahamii Theobald, 1910: **Culex (Culex)**
grandidieri (Blanchard, 1905): **Coquillettidia (Coquillettidia)**
grandiosus (Williston, 1900): **Toxorhynchites (Lynchiella)**
grantii Theobald, 1901: **Stegomyia** [*Aedes (Stegomyia)*]
grassei (Doucet, 1951): **Diceromyia** [*Aedes (Diceromyia)*]
grassei da Cunha Ramos & Brunhes, 2004: **Uranotaenia (Uranotaenia)**
grassei Grjebine, 1953: **Anopheles (Cellia)**
gravelyi (Edwards, 1921): **Toxorhynchites (Toxorhynchites)**
grayii Theobald, 1901: **Wyeomyia (Wyeomyia)**
greeni Rattanarithikul & Harbach, 1991: **Anopheles (Cellia)**
greenii (Theobald, 1903): **Bruceharrisonius** [*Ochlerotatus (Bruceharrisonius)*]
greenii (Theobald, 1905): **Heizmannia (Heizmannia)**
grenieri Doucet, 1951: **Uranotaenia (Pseudoficalbia)**
grenieri Eouzan, 1969: **Culex (Culiciomyia)**
grenieri Grjebine, 1964: **Anopheles (Cellia)**
grenieri Hamon & van Someren, 1961: **Eretmapodites**
grenieri (Hamon, Service, Adam & Taufflieb, 1961): **Catageiomyia** [*Aedes (Aedimorphus)*]
gressitti (Bohart, 1957): **Finlaya** [*Ochlerotatus (Finlaya)*]
gressitti Sirivanakarn, 1968: **Culex (Lophoceraomyia)**
griffithi Thurman, 1954: **Ayurakitia**
griveaudi Grjebine, 1961: **Anopheles (Cellia)**
grjebinei (Brunhes, 1977): **Mimomyia (Ingramia)**
grjebinei da Cunha Ramos & Brunhes, 2004: **Uranotaenia (Pseudoficalbia)**
grjebinei (Hamon, Taufflieb & Maillot, 1957): **Aedimorphus** [*Aedes (Aedimorphus)*]
grjebinei Ribeiro, 2004: **Toxorhynchites (Afrorhynchus)**
grossbecki (Dyar & Knab, 1906): **Ochlerotatus** (unplaced) [*Ochlerotatus (Ochlerotatus)*]
guadeloupensis (Dyar & Knab, 1906): **Toxorhynchites (Lynchiella)**
guamensis (Farner & Bohart, 1944): **Stegomyia** [*Aedes (Stegomyia)*]
guarani Shannon, 1928: **Anopheles (Nyssorhynchus)**
guarao Anduze & Capdevielle, 1949: **Anopheles (Anopheles)**
guatemala (Berlin, 1969): **Howardina** [*Ochlerotatus (Howardina)*]
guatemala Dyar & Knab, 1906: **Wyeomyia (Wyeomyia)**
guayasi Levi-Castillo, 1953: **Culex (Culex)**
guayasi Levi-Castillo, 1954: **Limatus**
gubernatoris (Giles, 1901): **Phagomyia** [*Ochlerotatus (Finlaya)*]
guedesi da Silva Mattos & Xavier, 1991: **Culex (Melanoconion)**
guerrero (Berlin, 1969): **Howardina** [*Ochlerotatus (Howardina)*]
guerreroi Cova Garcia, Sutil & Pulido, 1971: **Culex (Carrollia)**
guiarti Blanchard, 1905: **Culex (Culex)**
guizhouensis Chen & Zhao, 1985: **Culex (Culex)**
gurneyi (Belkin, 1962): **Mimomyia (Mimomyia)**
gurneyi (Stone & Bohart, 1944): **Stegomyia** [*Aedes (Stegomyia)*]
gutierrez Duret, 1971: **Wyeomyia** (subgenus uncertain)
gutzevichi (Dubitsky & Deshevykh, 1978): **Ochlerotatus** (unplaced) [*Ochlerotatus (Ochlerotatus)*]
guyanensis Clastrier, 1970: **Culex (Aedinus)**
gymnothorax Harbach & Petersen, 1992: **Sabethes (Sabethes)**
habilitator Dyar & Knab, 1906: **Culex (Culex)**
hackeri Edwards, 1921: **Anopheles (Cellia)**
hackeri Edwards, 1923: **Culex (Eumelanomyia)**
haddowi da Cunha Ramos & Brunhes, 2004: **Uranotaenia (Pseudoficalbia)**
haddowi van Someren, 1949: **Eretmapodites**
hadrognathus Harbach, 1995: **Sabethes (Peytonulus)**
haemorrhoidalis (Fabricius, 1787): **Toxorhynchites (Lynchiella)**
hailarensis Xu & Luo, 1998: **Anopheles (Anopheles)**
hainanensis Chen, 1977: **Culex (Culiciomyia)**
hakanssoni (Knight & Hurlbut, 1949): **Stegomyia** [*Aedes (Stegomyia)*]
hakusanensis (Yamaguti & Tamaboko, 1954): **Ochlerotatus** (unplaced) [*Ochlerotatus (Ochlerotatus)*]
halifaxii Theobald, 1903: **Lutzia (Metalutzia)**

halophylus Silva do Nascimento & Lourenço-de-Oliveira, 2002: **Anopheles (Nyssorhynchus)**
hamistylus (Laffoon, 1946): **Verrallina (Harbachius)**
hamoni Adam, 1962: **Anopheles (Cellia)**
hamoni Brunhes, Adam & Bailly-Choumara, 1967: **Culex (Eumelanomyia)**
hamoni Grjebine, 1953: **Uranotaenia (Uranotaenia)**
hamoni Grjebine, 1972: **Eretmapodites**
hancocki (van Someren, 1962): **Vansomerenis [Ochlerotatus (Finlaya)]**
hancocki Edwards, 1929: **Anopheles (Cellia)**
hancocki Edwards, 1930: **Culex (Culex)**
hansfordi (Huang, 1997): **Stegomyia [Aedes (Stegomyia)]**
harbachi (Reinert, 1990): **Kenknightsia [Ochlerotatus (Kenknightsia)]**
hardini Miyagi, Toma & Ramalingam, 1989: **Topomyia (Topomyia)**
hargreavesi Evans, 1927: **Anopheles (Cellia)**
harinasutai (Knight, 1978): **Downsiomyia [Ochlerotatus (Finlaya)]**
harleyi Peters, 1955: **Culex (Culiciomyia)**
harperi (Knight, 1948): **Danielsia [Ochlerotatus (Finlaya)]**
harperi Evans, 1936: **Anopheles (Cellia)**
harperi van Someren, 1949: **Eretmapodites**
harrisoni Harbach & Manguin, 2007: **Anopheles (Cellia)**
harrisoni (Muspratt, 1953): **Ochlerotatus (unplaced) [Ochlerotatus (Ochlerotatus)]**
harrisoni Peyton, 1977: **Uranotaenia (Pseudoficalbia)**
harrisoni Sirivanakarn, 1977: **Culex (Culiciomyia)**
harrisonica (Reinert, 1974): **Verrallina (Neomacleaya)**
harveyi (Barraud, 1923): **Hulecoeteomyia [Ochlerotatus (Finlaya)]**
hastatus (Dyar, 1922): **Ochlerotatus (Protoculex) [Ochlerotatus (Ochlerotatus)]**
hatorii (Yamada, 1921): **Collessius (Collessius) [Ochlerotatus (Finlaya)]**
haworthi (Edwards, 1923): **Albuginosus [Aedes (Albuginosus)]**
hayashii Yamada, 1917: **Culex (Eumelanomyia)**
hebes Barraud, 1931: **Uranotaenia (Uranotaenia)**
hebrardi da Cunha Ramos & Brunhes, 2004: **Uranotaenia (Uranotaenia)**
hebridea (Edwards, 1926): **Stegomyia [Aedes (Stegomyia)]**
hectoris Giaquinto-Mira, 1931: **Anopheles (Anopheles)**
hedys Root, 1927: **Culex (Microculex)**
heiheensis Ma, 1981: **Anopheles (Anopheles)**
heischi (van Someren, 1951): **Stegomyia [Aedes (Stegomyia)]**
heiseri Baisas, 1935: **Uranotaenia (Uranotaenia)**
helenae (Reinert, 1973): **Bothaella [Aedes (Bothaella)]**
helenae Brunhes, Adam & Bailly-Choumara, 1967: **Culex (Eumelanomyia)**
helenae Ribeiro, 1992: **Toxorhynchites (Afrorhynchus)**
hemisagnosta Dyar & Knab, 1906: **Wyeomyia (Wyeomyia)**
hendersoni (Cockerell, 1918): 'Ochlerotatus (Protomacleaya)'
henrardi Edwards, 1935: **Uranotaenia (Pseudoficalbia)**
henriquei da Cunha Ramos, 1993: **Uranotaenia (Pseudoficalbia)**
hensilli (Farner, 1945): **Stegomyia [Aedes (Stegomyia)]**
hepperi Casal & Garcia, 1967: **Culex (Phytotelmatomyia)**
hermano (Lane & Coutinho, 1940): **Coquillettidia (Rhynchotaenia)**
hermsi Barr & Guptavanij, 1989: **Anopheles (Anopheles)**
hernandoi Baisas & Feliciano, 1953: **Topomyia (Topomyia)**
herrera Sutil Oramas, Pulido, F. & Amarista, M., 1987: **Culex (Melanoconion)**
hervyi Brunhes, le Goff & Geoffroy, 1999: **Anopheles (Cellia)**
hervyi da Cunha Ramos & Brunhes, 2004: **Uranotaenia (Pseudoficalbia)**
hesperonotius (Marks, 1959): **Ochlerotatus (unplaced) [Ochlerotatus (Ochlerotatus)]**
heteropus (Dyar, 1921): 'Ochlerotatus (Protomacleaya)'
heterospina Gong & Lu, 1986: **Heizmannia (Heizmannia)**
hewitti (Edwards, 1914): **Culex (Lophoceraomyia)**
hexacis (Martini, 1931): **Toxorhynchites (Ankylorhynchus)**
hexodontus (Dyar, 1916): **Ochlerotatus (unplaced) [Ochlerotatus (Ochlerotatus)]**
hightoni van Someren, 1947: **Eretmapodites**
hilli (Edwards, 1926): **Culiseta (Neotheobaldia)**
hilli Edwards, 1922: **Culex (Lophoceraomyia)**

hilli Woodhill & Lee, 1944: **Anopheles (Cellia)**
himalayensis Edwards, 1922: **Heizmannia (Heizmannia)**
hinesorum Schmidt, 2001: **Anopheles (Cellia)**
hinglungensis Chu, 1957: **Culex (Eumelanomyia)**
hirsuta (Hill & Hill, 1946): **Wyeomyia (Wyeomyia)**
hirsutifemora Peters, 1964: **Uranotaenia (Pseudoficalbia)**
hirsutus (Theobald, 1901): **Aedimorphus [Aedes (Aedimorphus)]**
hirtipalpis Sirivanakarn, 1977: **Culex (Lophoceraomyia)**
hirtusa Gong, 1989: **Topomyia (Topomyia)**
hispida (Delfinado, 1967): **Verrallina (Neomacleaya)**
hispida (Theobald, 1910): **Mimomyia (Mimomyia)**
hodgkini (Marks, 1959): **Ochlerotatus** (unplaced) [**Ochlerotatus (Ochlerotatus)**]
hodgkini (Wharton, 1962): **Coquillettidia (Coquillettidia)**
hodgkini Reid, 1962: **Anopheles (Anopheles)**
hoffmani Root, 1927: **Limatus**
hogsbackensis (Huang, 2004): **Stegomyia [Aedes (Stegomyia)]**
hoguei (Belkin, 1962): **Stegomyia [Aedes (Stegomyia)]**
hokkaidensis (Tanaka, Mizusawa & Saugstad, 1979): **Ochlerotatus** (unplaced) [**Ochlerotatus (Ochlerotatus)**]
hollandi Taylor, 1934: **Bironella (Brugella)**
hollandia (King & Hoogstraal, 1946): **Patmarksia [Ochlerotatus (Finlaya)]**
hollingsheadi (Belkin, 1962): **Finlaya [Ochlerotatus (Finlaya)]**
holmbergii Lynch Arribalzaga, 1891: **Psorophora (Psorophora)**
holocinctus (Edwards, 1941): **Aedimorphus [Aedes (Aedimorphus)]**
homoeopus (Dyar, 1922): '**Ochlerotatus (Protomacleaya)**'
homunculus Komp, 1937: **Anopheles (Kerteszia)**
hongayi Galliard & Ngu, 1947: **Uranotaenia (Pseudoficalbia)**
hoogstraali (Knight & Rozeboom, 1946): **Scutomyia [Aedes (Scutomyia)]**
hoogstraali Baisas, 1947: **Tripteroides (Tripteroides)**
hopkinsi Edwards, 1932: **Culex (Culex)**
hopkinsi Edwards, 1932: **Uranotaenia (Uranotaenia)**
hopkinsi (Edwards, 1936): **Catageiomyia [Aedes (Aedimorphus)]**
horotoi (Taylor, 1972): **Finlaya [Ochlerotatus (Finlaya)]**
horrescens (Edwards, 1935): **Stegomyia [Aedes (Stegomyia)]**
horrida (Dyar & Knab, 1908): **Psorophora (Janthinosoma)**
horridus Edwards, 1922: **Culex (Eumelanomyia)**
hortator (Dyar & Knab, 1907): **Sallumia [Ochlerotatus (Ochlerotatus)]**
hortensis Ficalbi, 1889: **Culex (Maillotia)**
hosautos Dyar & Knab, 1907: **Wyeomyia (Miamiya)**
houghtoni Feng, 1941: **Topomyia (Suaymyia)**
howardi Belkin & Hogue, 1959: **Deinocerites**
howardi Lane & Cerqueira, 1942: **Wyeomyia (Spilonympha)**
howardii Coquillett, 1901: **Psorophora (Psorophora)**
huangae (Reinert, 1999): **Zavortinkius [Ochlerotatus (Zavortinkius)]**
huangae Meng, 1958: **Culex (Culex)**
hughi Lambert & Coetzee, 1982: **Anopheles (Cellia)**
hui (Bohart, 1957): **Finlaya [Ochlerotatus (Finlaya)]**
humboldti (Lane & Cerqueira, 1942): **Runchomyia (Runchomyia)**
humeralis (Edwards, 1922): **Macleaya (Chaetocruimyia) [Ochlerotatus (Chaetocruimyia)]**
humeralis Dyar & Knab, 1916: **Mansonia (Mansonia)**
hungaricus (Mihalyi, 1955): **Ochlerotatus** (unplaced) [**Ochlerotatus (Ochlerotatus)**]
hunteri (Strickland, 1916): **Anopheles (Anopheles)**
hurlbuti (Lien, 1967): **Bruceharrisonius [Ochlerotatus (Bruceharrisonius)]**
hurlbuti Belkin, 1962: **Culex (Lophoceraomyia)**
husaini Qutubuddin, 1947: **Uranotaenia (Pseudoficalbia)**
hutchinsoni Barraud, 1924: **Culex (Culex)**
hybrida (Leicester, 1908): **Mimomyia (Mimomyia)**
hybridus (Leicester, 1908): **Tripteroides (Tripteroides)**
hybridus Edwards, 1914: **Armigeres (Armigeres)**
hypoptes (Knab, 1907): **Toxorhynchites (Lynchiella)**

hyrcanus (Pallas, 1771): **Anopheles (Anopheles)**
hystera Dyar & Knab, 1913: **Uranotaenia (Uranotaenia)**
ibis (Barraud, 1931): **Christophersomyia** [*Aedes (Christophersomyia)*]
ichiromiyagii Toma & Higa, 2004: **Ficalbia**
idanus (Schick, 1970): '*Ochlerotatus (Protomacleaya)*'
identicus Dyar & Knab, 1907: **Sabethes (Peytonulus)**
idiogenes Harbach, 1994: **Sabethes (Sabethinus)**
idjenensis (Brug, 1934): **Downsiomyia** [*Ochlerotatus (Finlaya)*]
idottus Dyar, 1920: **Culex (Melanoconion)**
ignotus Harbach, 1995: **Sabethes (Peytonulus)**
iguassuensis Barbosa, da Silva & Sallum, 2007: **Mansonia (Mansonia)**
ikelos Forattini & Sallum, 1995: **Culex (Melanoconion)**
imitata Baisas, 1946: **Kimia**
imitator Theobald, 1903: **Culex (Microculex)**
imparis Peyton & Harbach, 2000: **Onirion**
impatibilis (Walker, 1859): **Scutomyia** [*Aedes (Scutomyia)*]
impatiens (Walker, 1848): **Culiseta (Culiseta)**
imperfectus (Dobrotworsky, 1962): **Ochlerotatus** (unplaced) [*Ochlerotatus (Ochlerotatus)*]
impiger (Walker, 1848): **Ochlerotatus** (unplaced) [*Ochlerotatus (Ochlerotatus)*]
implexus (Theobald, 1903): **Anopheles (Anopheles)**
implicatus (Vockeroth, 1954): **Ochlerotatus** (unplaced) [*Ochlerotatus (Ochlerotatus)*]
imposter Sirivanakarn, 1977: **Culex (Lophoceraomyia)**
impostor (Schick, 1970): '*Ochlerotatus (Protomacleaya)*'
imprimens (Walker, 1860): **Edwardsaedes** [*Aedes (Edwardsaedes)*]
impudicus Ficalbi, 1890: **Culex (Neoculex)**
inadmirabilis Dyar, 1928: **Culex (Melanoconion)**
inaequalis Grabham, 1907: **Howardina** [*Ochlerotatus (Howardina)*]
inatonii Kamimura & Wada, 1974: **Culex (Barraudius)**
incaudata (Root, 1928): **Wyeomyia (Phoniomyia)**
incerta (Edwards, 1922): **Verrallina (Neomacleaya)**
inchoatus Barraud, 1927: **Armigeres (Leicesteria)**
incidens (Thomson, 1869): **Culiseta (Culiseta)**
inclinata Thurman, 1959: **Topomyia (Topomyia)**
incognita Galindo, Blanton & Peyton, 1954: **Uranotaenia (Uranotaenia)**
incognitus Baisas, 1938: **Culex (Culex)**
incognitus Brug, 1931: **Anopheles (Cellia)**
incomptas Ramalingam & Pillai, 1972: **Malaya**
incomptus (Arnell, 1976): **Ochlerotatus (Ochlerotatus)**
incomptus Bram & Rattanarithikul, 1967: **Culex (Lophoceraomyia)**
inconspicua (Lee, 1937): **Culiseta (Culicella)**
inconspicuus (Theobald, 1908): **Culex (Eumelanomyia)**
increpitus (Dyar, 1916): **Ochlerotatus** (unplaced) [*Ochlerotatus (Ochlerotatus)*]
inculus Colless, 1965: **Culex (Lophoceraomyia)**
indecorabilis Leicester, 1908: **Verrallina (Harbachius)**
indefinitus (Ludlow, 1904): **Anopheles (Cellia)**
indeterminatus Baisas & Ubaldo-Pagayon, 1953: **Tripteroides (Tripteroides)**
indiana Edwards, 1930: **Mansonia (Mansonioides)**
indica (Theobald, 1905): **Heizmannia (Heizmannia)**
indica (Theobald, 1907): **Verrallina (Neomacleaya)**
indicus (Barraud, 1929): **Tripteroides (Tripteroides)**
indicus Evenhuis & Steffan, 1986: **Toxorhynchites (Toxorhynchites)**
indonesiae (Mattingly, 1958): **Canraedes** [*Aedes (Canraedes)*]
indubitans Dyar & Shannon, 1925: **Mansonia (Mansonia)**
inermis (Colless, 1958): **Downsiomyia** [*Ochlerotatus (Finlaya)*]
inexpectatus (Bonne-Wepster, 1948): **Ochlerotatus** (unplaced) [*Ochlerotatus (Ochlerotatus)*]
infantulus Edwards, 1922: **Culex (Lophoceraomyia)**
infinis (Dyar & Knab, 1906): **Psorophora (Grabhamia)**
infirmatus (Dyar & Knab, 1906): **Ochlerotatus (Ochlerotatus)**
inflictus Theobald, 1901: **Culex (Culex)**
infoliatus Bonne-Wepster & Bonne, 1920: **Culex (Carrollia)**

infula Theobald, 1901: *Culex (Oculeomyia)*
ingrami (Edwards, 1930): *Hopkinsius (Hopkinsius)* [*Ochlerotatus (Finlaya)*]
ingrami Edwards, 1916: *Culex (Culex)*
inhibitor Dyar & Knab, 1906: *Culex (Melanoconion)*
inimitabilis Dyar & Knab, 1906: *Culex (Microculex)*
ininicola Fauran & Pajot, 1974: *Wyeomyia* (subgenus uncertain)
ininii Senevet & Abonnenc, 1938: *Anopheles (Nyssorhynchus)*
innovator Evans, 1924: *Culex (Melanoconion)*
inornata (Theobald, 1905): *Culex* (subgenus uncertain)
inornata (Williston, 1893): *Culiseta (Culiseta)*
inornatus (Walker, 1865): *Toxorhynchites (Toxorhynchites)*
inornatus Newstead, 1907: *Eretmapodites*
inquinata (Edwards, 1922): *Phagomyia* [*Ochlerotatus (Finlaya)*]
insequens Marks, 1989: *Culex (Lophoceraomyia)*
insigniforceps Clastrier & Claustre, 1978: *Culex (Carrollia)*
insignis (Carter, 1911): *Culex (Eumelanomyia)*
insolens (Edwards, 1936): *Catageiomyia* [*Aedes (Aedimorphus)*]
insolitus (Coquillett, 1906): '*Ochlerotatus (Protomacleaya)*'
insulaeflorum (Swellengrebel & Swellengrebel de Graaf, 1920): *Anopheles (Anopheles)*
insularia (Dyar & Knab, 1906): *Psorophora (Grabhamia)*
insularis Sirivanakarn, 1968: *Culex (Lophoceraomyia)*
interfor Dyar, 1928: *Culex (Culex)*
intermedia (Barraud, 1929): *Mimomyia (Mimomyia)*
intermediatus Baisas & Ubaldo-Pagayon, 1953: *Tripteroides (Tripteroides)*
intermedius (Danilov & Gornostaeva, 1987): *Ochlerotatus* (unplaced) [*Ochlerotatus (Ochlerotatus)*]
intermedius (Lutz, 1904): *Sabethes (Sabethinus)*
intermedius (Peryassú, 1908): *Anopheles (Anopheles)*
intermedius Edwards, 1936: *Eretmapodites*
intermedius Lane & Whitman, 1951: *Culex (Microculex)*
interrogator Dyar & Knab, 1906: *Culex (Culex)*
interruptus (Reinert, 1999): *Zavortinkius* [*Ochlerotatus (Zavortinkius)*]
interruptus Puri, 1929: *Anopheles (Anopheles)*
intonca Dyar & Knab, 1910: *Wyeomyia (Hystatomyia)*
intonsus Galindo & Blanton, 1954: *Culex (Melanoconion)*
intrincatus Brèthes, 1916: *Culex (Melanoconion)*
introlatus Colless, 1957: *Anopheles (Cellia)*
intrudens (Dyar, 1919): *Ochlerotatus (Woodius)* [*Ochlerotatus (Ochlerotatus)*]
inundatus Reinert, 1997: *Anopheles (Anopheles)*
invidiosus Theobald, 1901: *Culex (Culex)*
invocator Pazos, 1908: *Culex (Melanoconion)*
iolambdis Dyar, 1918: *Culex (Melanoconion)*
ioliota (Dyar & Knab, 1913): *Howardina* [*Ochlerotatus (Howardina)*]
iphis Barraud, 1924: *Culex (Eumelanomyia)*
iracunda (Walker, 1848): *Coquillettia (Coquillettia)*
irenicus Schmidt, 2003: *Anopheles (Cellia)*
irianensis Miyagi & Toma, 1997: *Topomyia (Topomyia)*
iriartei Cova Garcia, Pulido F., Escalante de Ugueto & Mora R., 1987: *Uranotaenia (Uranotaenia)*
iridescens (Lutz, 1905): *Culex (Carrollia)*
iridicolor Dyar, 1921: *Haemagogus (Haemagogus)*
iriomotensis (Tanaka & Mizusawa, 1973): *Verrallina (Verrallina)*
irritans (Theobald, 1901): *Catageiomyia* [*Aedes (Aedimorphus)*]
isabellae Duret, 1968: *Culex (Melanoconion)*
iwi (Marks, 1955): *Phagomyia* [*Ochlerotatus (Finlaya)*]
iyengari (Edwards, 1923): *Petermattinglyius* [*Aedes (Diceromyia)*]
iyengari Mattingly & Rageau, 1958: *Culex (Culex)*
jacksoni Edwards, 1934: *Culex (Culex)*
jacksoni Edwards, 1935: *Uranotaenia (Pseudoficalbia)*
jacksoni Mattingly, 1949: *Ficalbia*
jacobinae (Serafim & Davis, 1933): *Ochlerotatus* (unplaced) [*Ochlerotatus (Ochlerotatus)*]
jacobsoni (Edwards, 1930): *Malaya*

jalisco Berlin, 1974: *Culex (Micraedes)*
jamaicensis Theobald, 1901: *Psorophora (Grabhamia)*
jamesi (Edwards, 1914): *Aedimorphus* [*Aedes (Aedimorphus)*]
jamesii Theobald, 1901: *Anopheles (Cellia)*
jamoti (Hamon & Rickenbach, 1954): *Neomelaniconion* [*Aedes (Neomelaniconion)*]
janconnae Wilkerson & Sallum, 2009: *Anopheles (Nyssorhynchus)*
jani Rickenbach & Lombrici, 1976: *Eretmapodites*
janitor Theobald, 1903: *Culex (Culex)*
janthinomys Dyar, 1921: *Haemagogus (Haemagogus)*
japonica (Theobald, 1901): *Hulecoeteomyia* [*Ochlerotatus (Finlaya)*]
javaensis Miyagi & Toma, 1995: *Topomyia (Topomyia)*
javanensis Bonne-Wepster, 1934: *Culex (Culiciomyia)*
jeansottei (Doucet, 1950): *Mimomyia (Ingramia)*
jebudensis Froud, 1944: *Anopheles (Cellia)*
jefferyi Sirivanakarn, 1977: *Culex (Eumelanomyia)*
jenningsi Dyar & Knab, 1907: *Culex (Microculex)*
jenseni (de Meijere, 1910): *Culex (Lophoceraomyia)*
jeyporiensis James, 1902: *Anopheles (Cellia)*
jinhongensis Dong, Dong & Zhou, 2003: *Uranotaenia (Pseudoficalbia)*
jocasta Komp & Rozeboom, 1951: *Culex (Melanoconion)*
jocosa (Dyar & Knab, 1908): *Wyeomyia (Dendromyia)*
johni Cova Garcia, Pulido F. & Escalante de Ugueto, 1979: *Culex (Neoculex)*
johnnyi Duret, 1968: *Culex (Melanoconion)*
johnsoni (Laffoon, 1946): *Verrallina (Neomacleaya)*
johnsoni Galindo & Mendez, 1961: *Culex (Melanoconion)*
johnstonii (Grabham, 1905): *Psorophora (Janthinosoma)*
johorensis (Reinert, 1974): *Verrallina (Neomacleaya)*
joloensis (Ludlow, 1904): *Armigeres (Armigeres)*
jorgi (Carpintero & Leguizamón, 2000): *Ochlerotatus (Chrysoconops)* [*Ochlerotatus (Ochlerotatus)*]
josephinae (Marks, 1958): *Finlaya* [*Ochlerotatus (Finlaya)*]
josephineae Baisas, 1935: *Culex (Lophoceraomyia)*
josiahae (Huang, 1988): *Stegomyia (Mukwaya)* [*Aedes (Stegomyia)*]
joucouri da Cunha Ramos & Brunhes, 2004: *Uranotaenia (Uranotaenia)*
joyoni Brunhes, 1977: *Orthopodomyia*
jubifer Komp & Brown, 1935: *Culex (Melanoconion)*
judaicus Edwards, 1926: *Culex (Neoculex)*
judithae Zavortink, 1969: *Anopheles (Anopheles)*
jugraensis (Leicester, 1908): *Armigeres (Armigeres)*
jugraensis Leicester, 1908: *Hulecoeteomyia* [*Ochlerotatus (Finlaya)*]
juppi (McIntosh, 1973): *Ochlerotatus (Juppius)* [*Ochlerotatus (Ochlerotatus)*]
juxtahirsuta Belkin, Heinemann & Page, 1970: *Wyeomyia (Wyeomyia)*
juxtamansonii (Chagas, 1907): *Coquillettidia (Rhynchotaenia)*
kabaenensis (Brug, 1939): *Geoskusea* [*Ochlerotatus (Geoskusea)*]
kaimosi (van Someren, 1946): *Toxorhynchites (Afrorhynchus)*
kana Tanaka, Mizusawa & Saugstad, 1979: *Heizmannia (Heizmannia)*
kanarensis (Edwards, 1934): *Dendroskusea* [*Aedes (Diceromyia)*]
kanhsienensis Tung, 1955: *Heizmannia (Heizmannia)*
kanyamwerima van Someren, 1951: *Culex (Eumelanomyia)*
kapretwae (Edwards, 1941): *Albuginosus* [*Aedes (Albuginosus)*]
karandalaensis (Wolfs, 1951): *Coquillettidia (Coquillettidia)*
karoensis (Muspratt, 1961): *Aedimorphus* [*Aedes (Aedimorphus)*]
karwari (Barraud, 1924): *Kenknightsia* [*Ochlerotatus (Kenknightsia)*]
karwari (James, 1903): *Anopheles (Cellia)*
kasachstanicus (Gutsevich, 1962): *Ochlerotatus* (unplaced) [*Ochlerotatus (Ochlerotatus)*]
katherinensis (Woodhill, 1949): *Stegomyia* [*Aedes (Stegomyia)*]
kaviengensis Sirivanakarn, 1968: *Culex (Lophoceraomyia)*
keefeii (King & Hoogstraal, 1946): '*Ochlerotatus (Finlaya)*'
kelabitensis Miyagi & Toma, 2010: *Topomyia (Suaymyia)*
kempi (Edwards, 1921): *Toxorhynchites (Toxorhynchites)*
keniensis (van Someren, 1946): *Stegomyia* [*Aedes (Stegomyia)*]

keniensis Evans, 1931: **Anopheles (Cellia)**
kennethi (Muspratt, 1956): **Albuginosus** [Aedes (Albuginosus)]
kenyae (van Someren, 1946): **Stegomyia** [Aedes (Stegomyia)]
kesseli (Huang & Hitchcock, 1980): **Stegomyia** [Aedes (Stegomyia)]
kesseli Belkin, 1962: **Culex (Culex)**
kesseli Ramalingam, 1987: **Armigeres (Armigeres)**
khazani (Edwards, 1922): **Phagomyia** [Ochlerotatus (Finlaya)]
khazani Edwards, 1922: **Culex (Eumelanomyia)**
kiangsiensis (Tung, 1955): **Phagomyia** [Ochlerotatus (Finlaya)]
kilara van Someren, 1951: **Culex (Eumelanomyia)**
killertonis (Huang, 1968): **Verrallina (Verrallina)**
kinabaluensis Ramalingam, 1972: **Armigeres (Armigeres)**
kinabaluensis Sirivanakarn, 1976: **Culex (Oculeomyia)**
kingi Christophers, 1923: **Anopheles (Cellia)**
kingi Lee, 1946: **Tripteroides (Rachisoura)**
kingianus Edwards, 1922: **Culex (Eumelanomyia)**
kiriensis Klein & Sirivanakarn, 1970: **Culex (Eumelanomyia)**
kiriromi (Klein, 1969): **Mimomyia (Ingramia)**
kivuensis (Edwards, 1941): **Stegomyia (Mukwaya)** [Aedes (Stegomyia)]
kleini (Reinert, 1973): **Bothaella** [Aedes (Bothaella)]
kleini Rueda, 2005: **Anopheles (Anopheles)**
klossi (Edwards, 1921): **Toxorhynchites (Toxorhynchites)**
knabi (Coquillett, 1906): 'Ochlerotatus (Protomacleaya)'
knabi Lane & Cerqueira, 1942: **Wyeomyia** (subgenus uncertain)
knighiti (Stone & Bohart, 1944): **Finlaya** [Ochlerotatus (Finlaya)]
knighiti Baisas & Ubaldo-Pagayon, 1953: **Tripteroides (Tripteroides)**
kochi (Dönitz, 1901): **Finlaya** [Ochlerotatus (Finlaya)]
kochi Dönitz, 1901: **Anopheles (Cellia)**
kohkutensis (Mattingly, 1958): **Canraedes** [Aedes (Canraedes)]
kokhani Vythilingam, Jeffery & Harbach, 2007: **Anopheles (Cellia)**
kolambuganensis Baisas, 1932: **Anopheles (Cellia)**
kolhapuriensis Sathe & Girhe, 2002: 'Aedes'
koli Peyton & Klein, 1970: **Uranotaenia (Pseudoficalbia)**
koliensis Owen, 1945: **Anopheles (Cellia)**
kompí (Vargas & Downs, 1950): 'Ochlerotatus (Protomacleaya)'
kompí Edwards, 1930: **Anopheles (Stethomyia)**
kompí Valencia, 1973: **Culex (Carrollia)**
komponga (Klein, 1973): **Verrallina (Neomacleaya)**
konderi Galvão & Damasceno, 1942: **Anopheles (Nyssorhynchus)**
koreica (Edwards, 1917): **Hulecoeteomyia** [Ochlerotatus (Finlaya)]
koreicoides (Sasa, Kano & Hayashi, 1950): 'Ochlerotatus (Finlaya)'
koreicus Yamada & Watanabe, 1918: **Anopheles (Anopheles)**
kosiensis Coetzee, Segerman & Hunt, 1987: **Anopheles (Cellia)**
kowiroensis Sirivanakarn, 1968: **Culex (Lophoceraomyia)**
kraussi Grjebine, 1953: **Uranotaenia (Pseudoficalbia)**
krombeini (Huang, 1975): **Stegomyia** [Aedes (Stegomyia)]
krymmontanus (Alekseev, 1989): **Ochlerotatus (Rusticoidus)**
kuchingensis Edwards, 1915: **Armigeres (Armigeres)**
kuhnsi King & Hoogstraal, 1955: **Culex (Lophoceraomyia)**
kukenan Anduze, 1942: **Culex (Microculex)**
kummi (Edwards, 1930): **Pseudarmigeres** [Aedes (Pseudarmigeres)]
kummi Edwards, 1939: **Orthopodomyia**
kummi Komp & Rozeboom, 1951: **Culex (Melanoconion)**
kummi Lane & Cerqueira, 1942: **Wyeomyia (Cruzmyia)**
kusaiensis Bohart, 1957: **Culex (Lophoceraomyia)**
kweiyangensis Yao & Wu, 1944: **Anopheles (Anopheles)**
kyondawensis Abraham, 1947: **Anopheles (Baimaia)**
kyotoensis Yamaguti & LaCasse, 1952: **Culex (Culiciomyia)**
labesba Howard, Dyar & Knab, 1913: **Wyeomyia (Wyeomyia)**
labranchiae Falleroni, 1926: **Anopheles (Anopheles)**

lacani Grjebine, 1953: **Anopheles (Cellia)**
lacani Rickenbach & Eouzan, 1970: **Eretmapodites**
lacertosus Komp & Rozeboom, 1951: **Culex (Melanoconion)**
lactor Dyar & Knab, 1906: **Culex (Phenacomyia)**
lactea (Knight, 1946): **Downsiomyia** [**Ochlerotatus (Finlaya)**]
lacustris (Edwards, 1935): **Mimomyia (Mimomyia)**
lacuum Edwards, 1922: **Armigeres (Armigeres)**
lafooni (Knight & Rozeboom, 1946): **Scutomyia** [**Aedes (Scutomyia)**]
lafooni Belkin, 1962: **Culex (Lophoceraomyia)**
laffosseae da Cunha Ramos & Brunhes, 2004: **Uranotaenia (Pseudoficalbia)**
laguna (Arnell & Nielsen, 1972): **Jarnellius** [**Ochlerotatus (Ochlerotatus)**]
lahillei Bachmann & Casal, 1962: **Culex (Culex)**
lairdi Belkin, 1962: **Culex (Lophoceraomyia)**
lakei Sirivanakarn, 1968: **Culex (Lophoceraomyia)**
lamborni (Edwards, 1923): **Bifidistylus** [**Aedes (Aedimorphus)**]
lambrechtii (van Someren, 1971): **Skusea** [**Aedes (Skusea)**]
lamellata (Bonne-Wepster & Bonne, 1920): **Wyeomyia (Hystatomyia)**
lamellifera (Bohart & Ingram, 1946): **Lorrainea** [**Aedes (Lorrainea)**]
lampangensis Sirivanakarn, 1973: **Culex (Culiciomyia)**
lampangensis Thurman, 1959: **Hodgesia**
lampropus (Howard, Dyar & Knab, 1913): **Trichoprosopon**
laneanus Corrêa & Cerqueira, 1944: **Anopheles (Kerteszia)**
lanei (Antunes, 1937): **Trichoprosopon**
lanei Cerqueira, 1961: **Sabethes (Sabethes)**
lanei de Oliveira Coutinho & Forattini, 1962: **Culex (Microculex)**
lanei Galvão & Amaral, 1938: **Anopheles (Nyssorhynchus)**
lanei Martinez & Prosen, 1953: **Uranotaenia (Uranotaenia)**
lanei Shannon & Cerqueira, 1943: **Psorophora (Janthinosoma)**
langata (van Someren, 1946): **Stegomyia** [**Aedes (Stegomyia)**]
laniger (Wiedemann, 1820): **Mucicus (Mucicus)** [**Ochlerotatus (Mucicus)**]
lankaensis (Stone & Knight, 1958): **Verrallina (Neomacleaya)**
lanyuensis Lien, 1968: **Orthopodomyia**
laoagensis (Knight, 1946): **Downsiomyia** [**Ochlerotatus (Finlaya)**]
laoensis Toma & Miyagi, 2003: **Armigeres (Armigeres)**
laplantei Hamon, Adam & Mouchet, 1955: **Culex (Eumelanomyia)**
lasaensis (Meng, 1962): **Ochlerotatus** (unplaced) [**Ochlerotatus (Ochlerotatus)**]
lasiopalpis Sirivanakarn, 1977: **Culex (Lophoceraomyia)**
lassalli (Bonne-Wepster & Bonne, 1921): **Wyeomyia (Phoniomyia)**
latens Sallum & Peyton, 2005: **Anopheles (Cellia)**
lateralis Ludlow, 1905: **Uranotaenia (Uranotaenia)**
lateralis Petrocchi, 1927: **Wyeomyia (Nunezia)**
laticinctus Edwards, 1913: **Culex (Culex)**
laticlasper Galindo & Blanton, 1954: **Culex (Culex)**
latifolius Delfinado, 1966: **Culex (Eumelanomyia)**
latipennis (Delfinado, 1967): **Verrallina (Neomacleaya)**
latispinus Gong & Ji, 1989: **Tripteroidea (Tripteroidea)**
latisquama (Coquillett, 1906): **Culex (Tinolestes)**
latisquama (Edwards, 1927): **Tripteroidea (Rachisoura)**
latus Dobrotworsky, 1956: **Culex (Neoculex)**
laureli Baisas, 1935: **Culex (Eumelanomyia)**
lauriei Carter, 1920: '**Ochlerotatus (Finlaya)**'
lavatae Stone & Bohart, 1944: **Culex (Lophoceraomyia)**
lavieri Doucet, 1950: **Uranotaenia (Pseudoficalbia)**
lawtoni Baisas, 1946: **Zeugomyia**
leberi Boreham, 1970: **Mansonia (Mansonia)**
lebiedi da Cunha Ramos & Brunhes, 2004: **Uranotaenia (Uranotaenia)**
ledgeri (Huang, 1981): **Stegomyia** [**Aedes (Stegomyia)**]
leei (Berlin, 1969): **Howardina** [**Ochlerotatus (Howardina)**]
leei (Wharton, 1947): **Malaya**
leei King & Hoogstraal, 1955: **Culex (Lophoceraomyia)**

leei Peters, 1959: ***Tripteroides (Rachisoura)***
leei Stone & Barreto, 1969: ***Galindomyia***
leesoni (Edwards, 1932): ***Aedimorphus*** [*Aedes (Aedimorphus)*]
leesoni Evans, 1931: ***Anopheles (Cellia)***
legoffi da Cunha Ramos & Brunhes, 2004: ***Uranotaenia (Pseudoficalbia)***
lehcharlesi Miyagi & Toma, 2008: ***Topomyia (Suaymyia)***
leiboensis Chu, 1981: ***Uranotaenia (Pseudoficalbia)***
leicesteri (Edwards, 1917): ***Verrallina (Neomacleaya)***
leicesteri Theobald, 1904: ***Toxorhynchites (Toxorhynchites)***
leilae (King & Hoogstraal, 1947): ***Verrallina (Verrallina)***
lemuriae Ribeiro, 2004: ***Toxorhynchites (Afrorhynchus)***
leonardi Belkin, 1962: ***Culex (Neoculex)***
leonis (Colless, 1958): ***Downsiomyia*** [*Ochlerotatus (Finlaya)*]
lepchana (Barraud, 1923): ***Danielsia*** [*Ochlerotatus (Finlaya)*]
lepidocoxitus Dong, Zhou & Dong, 1995: ***Armigeres (Leicesteria)***
lepidonotus (Edwards, 1920): ***Ochlerotatus (Rusticoidus)***
lepidotus Zavortink, 1973: ***Anopheles (Kerteszia)***
lepidus (Cerqueira & Paraense, 1945): ***Ochlerotatus*** (unplaced) [*Ochlerotatus (Ochlerotatus)*]
leptolabis (Edwards, 1936): ***Aedimorphus*** [*Aedes (Aedimorphus)*]
lerozeboomi (Reinert, 1990): ***Kenknightia*** [*Ochlerotatus (Kenknightia)*]
lesteri Baisas & Hu, 1936: ***Anopheles (Anopheles)***
letabensis Lambert & Coetzee, 1982: ***Anopheles (Cellia)***
letifer Sandosham, 1944: ***Anopheles (Anopheles)***
leucarthritis (Speiser, 1909): ***Aedimorphus*** [*Aedes (Aedimorphus)*]
leucocelaenus (Dyar & Shannon, 1924): ***Haemagogus (Conopostegus)***
leucocnemis Martini, 1931: ***Psorophora (Grabhamia)***
leucomelas (Meigen, 1804): ***Ochlerotatus*** (unplaced) [*Ochlerotatus (Ochlerotatus)*]
leucomeres (Giles, 1904): ***Kenknightia*** [*Ochlerotatus (Kenknightia)*]
leucophoebus (Galindo, Carpenter & Trapido, 1953): ***Haemagogus (Conopostegus)***
leucopous Graham, 1909: ***Eretmapodites***
leucoptera (Theobald, 1907): ***Uranotaenia (Uranotaenia)***
leucopus (Dyar & Knab, 1906): ***Johnbelkinia***
leucosphyrus Dönitz, 1901: ***Anopheles (Cellia)***
leucostigma Lutz, 1904: ***Wyeomyia (Menolepis)***
leucotaeniatus (Komp, 1938): ***Haemagogus (Conopostegus)***
leucotarsis Thurman, 1959: ***Topomyia (Suaymyia)***
levicastilloi Grjebine, 1986: ***Mimomyia (Ingramia)***
levicastilloi Lane, 1945: ***Culex (Culex)***
lewelleni (Starkey & Webb, 1946): ***Finlaya*** [*Ochlerotatus (Finlaya)*]
lewisi Ludlow, 1920: ***Anopheles (Anopheles)***
lewisi Ribeiro, 1991: ***Toxorhynchites (Toxorhynchites)***
liangshanensis Kang, Tan, Cao, Cheng, Yang & Huang, 1984: ***Anopheles (Anopheles)***
liberiensis Peters, 1955: ***Culex (Culiciomyia)***
lii Wu, 1936: ***Heizmannia (Heizmannia)***
lilii Theobald, 1910: ***Stegomyia (Mukwaya)*** [*Aedes (Stegomyia)*]
limacifer Komp, 1936: ***Culex (Melanoconion)***
limai Lane & Cerqueira, 1942: ***Wyeomyia (Miamiya)***
limosus King, 1932: ***Anopheles (Cellia)***
lindesayi Giles, 1900: ***Anopheles (Anopheles)***
lindsayi Thurman, 1959: ***Topomyia (Topomyia)***
linealis (Skuse, 1889): ***Coquillettia (Coquillettia)***
lineata (Taylor, 1914): ***Verrallina (Verrallina)***
lineata (von Humboldt, 1819): ***Psorophora (Psorophora)***
lineatopenne (Ludlow, 1905): ***Neomelaniconion*** [*Aedes (Neomelaniconion)*]
lineatus (Theobald, 1912): ***Culex (Afroculex)***
linesi (Marks, 1964): ***Ochlerotatus*** (unplaced) [*Ochlerotatus (Ochlerotatus)*]
lipovskyi Belkin, 1950: ***Tripteroides (Tripteroides)***
listeri de Meillon, 1931: ***Anopheles (Cellia)***
litoral Bohart, 1946: ***Culex (Culex)***
litoral King, 1932: ***Anopheles (Cellia)***

litorea (Colless, 1958): **Downsiomyia** [*Ochlerotatus* (*Finlaya*)]
litorea (Shute, 1928): **Culiseta** (**Culicella**)
littlechildi (Edwards, 1930): **Tripteroides** (**Tripteroides**)
littlechildi (Taylor, 1933): **Macleaya** (**Macleaya**) [*Ochlerotatus* (*Macleaya*)]
littleri (Taylor, 1914): **Culiseta** (**Austrotheobaldia**)
litwakae (Reinert, 1990): **Kenknightia** [*Ochlerotatus* (*Kenknightia*)]
litwakae Harbach, 1985: **Culex** (**Culex**)
lloreti Gil Collado, 1936: **Anopheles** (**Cellia**)
lokojoensis (Service, 1959): **Catageiomyia** [*Aedes* (*Aedimorphus*)]
longiareolata (Macquart, 1838): **Culiseta** (**Allotheobaldia**)
longicornis Grjebine, 1986: **Mimomyia** (**Ingramia**)
longicornis Sirivanakarn, 1976: **Culex** (**Oculeomyia**)
longifilamentus (Su & Zhang, 1988): **Ochlerotatus** (unplaced) [*Ochlerotatus* (*Ochlerotatus*)]
longiforceps (Edwards, 1929): **Geoskusea** [*Ochlerotatus* (*Geoskusea*)]
longipalpus Lee, 1946: **Tripteroides** (**Rachisoura**)
longipalpis (Grünberg, 1905): **Zavortinkius** [*Ochlerotatus* (*Zavortinkius*)]
longipalpis (Leicester, 1904): **Armigeres** (**Leicesteria**)
longipalpis (Theobald, 1903): **Anopheles** (**Cellia**)
longipalpis Dong, Zhou & Dong, 1997: **Tripteroides** (**Rachionotomyia**)
longipalpus Randolph & O'Neill, 1944: **Psorophora** (**Janthinosoma**)
longipes (Fabricius, 1805): **Johnbelkinia**
longirostris (Leicester, 1908): **Rhinoskusea** [*Ochlerotatus* (*Rhinoskusea*)]
longirostris Brug, 1928: **Anopheles** (**Cellia**)
longirostris Leicester, 1908: **Uranotaenia** (**Uranotaenia**)
longirostris Theobald, 1901: **Wyeomyia** (**Phoniomyia**)
longisetata (Edwards, 1936): **Aedimorphus** [*Aedes* (*Aedimorphus*)]
longisetosa Gong, 1994: **Topomyia** (**Topomyia**)
longisiphonus Dong, Zhou & Don, 2001: **Tripteroides** (**Tripteroides**)
longitubus da Cunha Ramos & Brunhes, 2004: **Uranotaenia** (**Pseudoficalbia**)
lopesi (Correa & Ramalho, 1956): **Wyeomyia** (**Phoniomyia**)
lopesi Sirivanakarn & Jakob, 1979: **Culex** (**Melanoconion**)
lopezii Cova Garcia, Sutil Oramas & Pulido F., 1974: **Wyeomyia** (**Hystatomyia**)
lophoventralis (Theobald, 1910): **Phagomyia** [*Ochlerotatus* (*Finlaya*)]
lorengau Peters, 1963: **Tripteroides** (**Tripteroides**)
lorrainae (Berlin, 1969): **Howardina** [*Ochlerotatus* (*Howardina*)]
lottei (Hamon & Brengues, 1965): **Catageiomyia** [*Aedes* (*Aedimorphus*)]
lounibosi Gillies & Coetzee, 1987: **Anopheles** (**Cellia**)
lovettiae Evans, 1934: **Anopheles** (**Cellia**)
lowii Theobald, 1901: **Uranotaenia** (**Uranotaenia**)
lowisii (Theobald, 1910): **Aedimorphus** [*Aedes* (*Aedimorphus*)]
lucaris Colless, 1965: **Culex** (**Lophoceraomyia**)
lucaris Macdonald & Mattingly, 1960: **Udaya**
lucianus (Muspratt, 1959): **Mucidus** (**Mucidus**) [*Ochlerotatus* (*Mucidus*)]
lucifer (Howard, Dyar & Knab, 1913): **Haemagogus** (**Haemagogus**)
lucifugus Komp, 1936: **Culex** (**Melanoconion**)
lucyae van Someren, 1954: **Uranotaenia** (**Pseudoficalbia**)
ludlowae (Theobald, 1903): **Anopheles** (**Cellia**)
ludlowae Brunetti, 1920: **Ficalbia**
ludlowae Dyar & Shannon, 1925: **Uranotaenia** (**Uranotaenia**)
lugubris (Barraud, 1928): **Verrallina** (**Verrallina**)
lui Gong & Li, 1999: **Heizmannia** (**Mattinglyia**)
lui Lien, 1968: **Uranotaenia** (**Pseudoficalbia**)
luna Belkin, Heinemann & Page, 1970: **Wyeomyia** (**Wyeomyia**)
lunata (Theobald, 1901): **Isostomyia**
lunda da Cunha Ramos, 1993: **Uranotaenia** (**Pseudoficalbia**)
lungae Belkin & Schlosser, 1944: **Anopheles** (**Cellia**)
lunulata (King & Hoogstraal, 1946): **Geoskusea** [*Ochlerotatus* (*Geoskusea*)]
luridum (McIntosh, 1971): **Neomelaniconion** [*Aedes* (*Neomelaniconion*)]
lutea (Belkin, 1962): **Coquillettidia** (**Coquillettidia**)
lutea (Ludlow, 1905): **Finlaya** [*Ochlerotatus* (*Finlaya*)]

luteifemur (Edwards, 1926): *Ochlerotatus* (unplaced) [*Ochlerotatus* (*Ochlerotatus*)]
luteocephala Newstead, 1907: *Stegomyia* [*Aedes* (*Stegomyia*)]
luteola Edwards, 1934: *Uranotaenia* (*Pseudoficalbia*)
luteolaterale (Theobald, 1901): *Neomelaniconion* [*Aedes* (*Neomelaniconion*)]
luteopleurus (Theobald, 1903): *Culex* (*Anoedioporpa*)
luteostriata (Robinson, 1950): *Vansomerenis* [*Ochlerotatus* (*Finlaya*)]
luteoventralis Theobald, 1901: *Wyeomyia* (*Dendromyia*)
lutescens (Theobald, 1901): *Toxorhynchites* (*Afrorhynchus*)
lutescens Leicester, 1908: *Uranotaenia* (*Pseudoficalbia*)
lutzi (da Costa Lima, 1930): *Wyeomyia* (*Miamyia*)
lutzii (Theobald, 1901): *Psorophora* (*Janthinosoma*)
lutzii Cruz, 1901: *Anopheles* (*Nyssorhynchus*)
luxodens Hall, Howard & Harbach, 1999: *Sabethes* (*Peytonulus*)
luzonensis (Ludlow, 1905): *Mimomyia* (*Etorleptiomyia*)
luzonensis (Rozeboom, 1946): *Kenknightsia* [*Ochlerotatus* (*Kenknightsia*)]
luzonensis Sirivanakarn, 1976: *Culex* (*Oculeomyia*)
lygrus Root, 1927: *Culex* (*Culex*)
lynchi (Shannon, 1931): *Coquillettidia* (*Rhynchoetaenia*)
mabinii Baisas & Ubaldo-Pagayon, 1953: *Tripteroides* (*Tripteroides*)
macaensis Ribeiro, 1997: *Toxorhynchites* (*Toxorhynchites*)
macarthuri Colless, 1956: *Anopheles* (*Cellia*)
macdonaldi Colless, 1965: *Culex* (*Lophoceraomyia*)
macdonaldi Mattingly, 1957: *Heizmannia* (*Heizmannia*)
macdougalli (Edwards, 1922): *Collessius* (*Collessius*) [*Ochlerotatus* (*Finlaya*)]
macfarlanei (Edwards, 1914): *Collessius* (*Collessius*) [*Ochlerotatus* (*Finlaya*)]
macfarlanei Edwards, 1914: *Uranotaenia* (*Uranotaenia*)
macfieii Edwards, 1923: *Culex* (*Culiciomyia*)
machadoi da Cunha Ramos, 1986: *Uranotaenia* (*Uranotaenia*)
machadoi Mattos, Guedes & Xavier, 1978: *Culex* (*Phytotelmatomyia*)
machardy Edwards, 1930: *Anopheles* (*Cellia*)
macintoshi (Marks, 1959): *Ochlerotatus* (unplaced) [*Ochlerotatus* (*Ochlerotatus*)]
mackerrasi (Taylor, 1927): *Patmarksia* [*Ochlerotatus* (*Finlaya*)]
macmillani (Marks, 1964): *Macleaya* (*Chaetocruimyia*) [*Ochlerotatus* (*Chaetocruimyia*)]
macrodixoa (Dyar & Shannon, 1925): *Verrallina* (*Neomacleaya*)
macrostylus Sirivanakarn & Ramalingam, 1976: *Culex* (*Eumelanomyia*)
maculatus Theobald, 1901: *Anopheles* (*Cellia*)
maculipalpis Giles, 1902: *Anopheles* (*Cellia*)
maculipennis (Theobald, 1911): *Coquillettidia* (*Coquillettidia*)
maculipennis Meigen, 1818: *Anopheles* (*Anopheles*)
maculipes (Theobald, 1903): *Anopheles* (*Anopheles*)
maculipleura Leicester, 1908: *Uranotaenia* (*Pseudoficalbia*)
madagascarensis (van Someren, 1949): *Diceromyia* [*Aedes* (*Diceromyia*)]
madagascarensis da Cunha Ramos & Brunhes, 2004: *Uranotaenia* (*Pseudoficalbia*)
madagascarensis Ribeiro, 2004: *Toxorhynchites* (*Afrorhynchus*)
madagascarica Brunhes, Bousès & da Cunha Ramos, 2011: *Aedeomyia* (*Aedeomyia*)
madagascarica da Cunha Ramos & Brunhes, 2004: *Uranotaenia* (*Uranotaenia*)
madininensis Senevet, 1936: *Culex* (*Melanoconion*)
madrensis Baisas, 1946: *Orthopodomyia*
maehleri (Bohart, 1957): *Stegomyia* [*Aedes* (*Stegomyia*)]
maffii (Taylor & Tenorio, 1974): *Finlaya* [*Ochlerotatus* (*Finlaya*)]
magna (Theobald, 1905): *Runchomyia* (*Ctenogoeldia*)
magnesianus (Edwards, 1924): *Tripteroides* (*Tripteroides*)
magnificus (Leicester, 1908): *Toxorhynchites* (*Toxorhynchites*)
magnus (Theobald, 1901): *Deinocerites*
magnus (Theobald, 1908): *Armigeres* (*Leicesteria*)
mahaffyi van Someren, 1949: *Eretmapodites*
mahantai Bhattacharyya, Prakash, Mohapatra & Sarma, 2009: *Armigeres* (*Armigeres*)
maiae (Edwards, 1917): *Armigeres* (*Armigeres*)
majidi Young & Majid, 1928: *Anopheles* (*Cellia*)
malayensis (Colless, 1962): *Stegomyia* [*Aedes* (*Stegomyia*)]

malayensis Sirivanakarn, 1972: *Culex (Eumelanomyia)*
malayi (Leicester, 1908): *Culex (Eumelanomyia)*
malayi (Theobald, 1901): *Armigeres (Armigeres)*
malayi Delfinado & Hodges, 1968: *Tripteroides (Tripteroides)*
malayi Leicester, 1908: *Hodgesia*
malaysiensis Ramalingam & Banu, 1987: *Topomyia (Topomyia)*
malefactor Dyar & Knab, 1907: *Anopheles (Anopheles)*
malfeyti (Newstead, 1907): *Ficalbia*
maliensis Bailly-Choumara & Adam, 1959: *Anopheles (Cellia)*
malikuli (Huang, 1973): *Stegomyia (Huangmyia)* [*Aedes (Stegomyia)*]
mallochi (Taylor, 1944): '*Ochlerotatus (Finlaya)*'
malvari Baisas & Ubaldo-Pagayon, 1953: *Tripteroides (Tripteroides)*
mammilifer (Leicester, 1908): *Culex (Lophoceraomyia)*
mamoedjoensis (Mattingly, 1958): *Canraedes* [*Aedes (Canraedes)*]
manakaraensis da Cunha Ramos & Brunhes, 2004: *Uranotaenia (Pseudoficalbia)*
manalangi Baisas, 1935: *Armigeres (Armigeres)*
manalangi Mendoza, 1940: *Anopheles (Anopheles)*
mangyanus (Banks, 1906): *Anopheles (Cellia)*
manhi Harbach & Cook, 2010: *Bothaella*
manicatus (Edwards, 1921): *Toxorhynchites (Toxorhynchites)*
manopi Thurman, 1959: *Toxorhynchites (Toxorhynchites)*
mansouri (Qutubuddin, 1959): *Aedimorphus* [*Aedes (Aedimorphus)*]
manusensis Sirivanakarn, 1975: *Culex (Eumelanomyia)*
maplei Knight & Hurlbut, 1949: *Culex (Culiciomyia)*
maracayensis Evans, 1923: *Culex (Culex)*
marajoara Galvão & Damasceno, 1942: *Anopheles (Nyssorhynchus)*
marceli (Mattingly, 1953): *Malaya*
marcelleae Adam & Hamon, 1959: *Eretmapodites*
marchettei Garcia, Jeffery & Rudnick, 1969: *Culiseta (Climacura)*
margarsen (Dyar & Shannon, 1925): *Verrallina (Neomacleaya)*
margina Gong & Lu, 1995: *Topomyia (Topomyia)*
mariae (Bourroul, 1904): *Toxorhynchites (Lynchiella)*
mariae (Sergent & Sergent, 1903): *Acartomyia* [*Ochlerotatus (Ochlerotatus)*]
marinkellei (Berlin, 1969): *Howardina* [*Ochlerotatus (Howardina)*]
marksae Dobrotworsky, 1965: *Tripteroides (Polylepidomyia)*
marksae Grjebine, 1986: *Mimomyia (Ingramia)*
marksae King & Hoogstraal, 1955: *Culex (Lophoceraomyia)*
marquesensis Stone & Rosen, 1953: *Culex (Culex)*
marshallensis (Stone & Bohart, 1944): *Stegomyia* [*Aedes (Stegomyia)*]
marshallii (Theobald, 1901): *Albuginosus* [*Aedes (Albuginosus)*]
marshallii (Theobald, 1903): *Anopheles (Cellia)*
marteri Senevet & Prunnelle, 1927: *Anopheles (Anopheles)*
martiali Senevet & Abonnenc, 1939: *Limatus*
martinei (Doucet, 1951): *Mimomyia (Etorleptiomyia)*
martineti (Senevet, 1937): *Ochlerotatus* (unplaced) [*Ochlerotatus (Ochlerotatus)*]
martinezi (Berlin, 1969): *Howardina* [*Ochlerotatus (Howardina)*]
martinezi Casal & García, 1968: *Culex (Melanoconion)*
martinii Medschid, 1930: *Culex (Neoculex)*
martinius Shingarev, 1926: *Anopheles (Anopheles)*
mascarensis (MacGregor, 1924): *Stegomyia (Stegomyia)* [*Aedes (Stegomyia)*]
mascarensis de Meillon, 1947: *Anopheles (Cellia)*
masculinus (Mattingly, 1958): *Canraedes* [*Aedes (Canraedes)*]
mashonaensis Theobald, 1901: *Uranotaenia (Pseudoficalbia)*
masoalensis (Fontenille & Brunhes, 1985): *Aedimorphus* [*Aedes (Aedimorphus)*]
masseyi (Edwards, 1923): *Stegomyia* [*Aedes (Stegomyia)*]
mathesoni Belkin & Heinemann, 1975: *Psorophora (Janthinosoma)*
mathesoni Belkin & Hogue, 1959: *Deinocerites*
mathesoni Belkin, 1950: *Tripteroides (Rachisoura)*
mathesoni Lane, 1943: *Uranotaenia (Uranotaenia)*
mathioti (Fontenille & Brunhes, 1985): *Aedimorphus* [*Aedes (Aedimorphus)*]

mattinglyi Grjebine, 1986: *Mimomyia (Ingramia)*
mattinglyi (Hamon & Rickenbach, 1954): *Aedimorphus* [*Aedes (Aedimorphus)*]
mattinglyi Hamon & van Someren, 1961: *Eretmapodites*
mattinglyi Knight, 1953: *Culex (Culex)*
mattinglyi Lane, 1953: *Wyeomyia (Cruzmyia)*
mattinglyi Qutubuddin, 1951: *Uranotaenia (Pseudoficalbia)*
mattinglyi Thurman, 1959: *Heizmannia (Heizmannia)*
mattinglyorum (Huang, 1994): *Stegomyia* [*Aedes (Stegomyia)*]
mattogrossensis Lutz & Neiva, 1911: *Anopheles (Anopheles)*
mauesensis Lane, 1945: *Culex (Culex)*
maverlius Reinert, 1997: *Anopheles (Anopheles)*
maxgermaini (Huang, 1990): *Stegomyia* [*Aedes (Stegomyia)*]
maxi Dyar, 1928: *Culex (Culex)*
maxima Leicester, 1908: *Uranotaenia (Pseudoficalbia)*
maximus Edwards, 1922: *Armigeres (Armigeres)*
maxinocca Dyar, 1920: *Culex (Melanoconion)*
mayeri Edwards, 1912: *Uranotaenia (Uranotaenia)*
mayottensis Brunhes, 1977: *Uranotaenia (Uranotaenia)*
mccormicki (Belkin, 1962): *Verrallina (Verrallina)*
mcdonaldi (Belkin, 1962): *Ochlerotatus (Gilesia)* [*Ochlerotatus (Ochlerotatus)*]
mcdonaldi Belkin & Hogue, 1959: *Deinocerites*
mcintoshii (Huang, 1985): *Neomelaniconion* [*Aedes (Neomelaniconion)*]
medialis (Brug, 1932): *Huaedes* [*Aedes (Huaedes)*]
medioalbipes Lutz, 1904: *Wyeomyia (Wyeomyia)*
mediolineata (Theobald, 1904): *Mimomyia (Etorleptiomyia)*
mediolineatus (Theobald, 1901): *Aedimorphus* [*Aedes (Aedimorphus)*]
mediopunctata Theobald, 1905: *Stegomyia (Huangmyia)* [*Aedes (Stegomyia)*]
mediopunctatus Lutz, 1903: *Anopheles (Anopheles)*
mediovittata (Coquillett, 1906): *Gymnometopa* [*Ochlerotatus (Gymnometopa)*]
medleri (Knight & Laffoon, 1946): *Finlaya* [*Ochlerotatus (Finlaya)*]
mefouensis (Ferrara, 1974): *Diceromyia* [*Aedes (Diceromyia)*]
megafolius Chen & Dong, 1992: *Culex (Eumelanomyia)*
megaloba Luh, Chao & Heu, 1974: *Culiseta (Culiseta)*
megaonychus Yang, Li & Chen, 1993: *Culex (Culiciomyia)*
melanesiensis Belkin, 1955: *Tripteroides (Polylepidomyia)*
melanesiensis Belkin, 1962: *Mansonia (Mansonioides)*
melanimon (Dyar, 1924): *Ochlerotatus* (unplaced) [*Ochlerotatus (Ochlerotatus)*]
melanocephala Dyar & Knab, 1906: *Wyeomyia* (subgenus uncertain)
melano nymphae Dyar, 1924: *Sabethes (Sabethinus)*
melanoon Hackett, 1934: *Anopheles (Anopheles)*
melanophylum Dyar & Knab, 1907: *Deinocerites*
melanopous Graham, 1909: *Eretmapodites*
melanoptera (Giles, 1904): *Phagomyia* [*Ochlerotatus (Finlaya)*]
melanopus Dyar, 1919: *Wyeomyia (Wyeomyia)*
melanota Cerqueira, 1943: *Psorophora (Janthinosoma)*
melanura (Coquillett, 1902): *Culiseta (Climacura)*
melas Theobald, 1903: *Anopheles (Cellia)*
memorans (Bonne-Wepster, 1930): *Coquillettidia (Coquillettidia)*
mendacis (Daniels, 1908): *Tripteroides (Tripteroides)*
mendiolai Baisas, 1935: *Uranotaenia (Uranotaenia)*
mengalagensis Ma, 1981: *Anopheles (Anopheles)*
mengi Chen, Wang & Zhao, 1989: *Uranotaenia (Pseudoficalbia)*
mengi Dong, Wang & Lu, 1990: *Topomyia (Suaymyia)*
menglaensis Dong, Zhou & Dong, 2002: *Armigeres (Leicesteria)*
menglianensis Lu & Gong, 1986: *Heizmannia (Heizmannia)*
menglianeroides Dong, Dong & Zhou, 2003: *Heizmannia (Heizmannia)*
menoni (Mattingly, 1958): *Paraedes* [*Aedes (Paraedes)*]
meprai (Martinez & Prosen, 1953): *Ochlerotatus (Ochlerotatus)*
meraukensis Venhuis, 1932: *Anopheles (Cellia)*
mercurator (Dyar, 1920): *Ochlerotatus* (unplaced) [*Ochlerotatus (Ochlerotatus)*]

meronephada Dyar & Shannon, 1925: *Catataomyia* [*Aedes* (*Diceromyia*)]
merus Dönitz, 1902: *Anopheles* (*Cellia*)
mesodentatus Komp & Kumm, 1938: *Haemagogus* (*Haemagogus*)
mesodenticulatus Galindo & Mendez, 1961: *Culex* (*Melanoconion*)
messeae Falleroni, 1926: *Anopheles* (*Anopheles*)
metallica (Edwards, 1912): *Stegomyia* [*Aedes* (*Stegomyia*)]
metallica (Theobald, 1901): *Coquillettidia* (*Coquillettidia*)
metallicus Leicester, 1904: *Toxorhynchites* (*Toxorhynchites*)
metatarsata Edwards, 1914: *Uranotaenia* (*Uranotaenia*)
metempsytus Dyar, 1921: *Culex* (*Carrollia*)
metoecopus (Dyar, 1925): '*Ochlerotatus* (*Protomacleaya*)'
mexicana (Bellardi, 1859): *Psorophora* (*Janthinosoma*)
miaolingensis Chen, 1982: *Culex* (*Eumelanomyia*)
micans Leicester, 1908: *Uranotaenia* (*Uranotaenia*)
michaelikati (van Someren, 1946): *Pseudarmigeres* [*Aedes* (*Pseudarmigeres*)]
mickevichae (Huang, 1988): *Stegomyia* [*Aedes* (*Stegomyia*)]
micolo Ribeiro, da Cunha Ramos, Capela & Pires, 1998: *Culex* (*Eumelanomyia*)
microannulata (Theobald, 1911): *Coquillettidia* (*Coquillettidia*)
microcala (Dyar, 1929): *Tripteroides* (*Tricholeptomyia*)
microlepis (Edwards, 1927): *Tripteroides* (*Polylepidomyia*)
micromelas Edwards, 1934: *Uranotaenia* (*Pseudoficalbia*)
microphyllus Root, 1927: *Culex* (*Microculex*)
micropterus (Giles, 1901): *Dendroskusea* [*Aedes* (*Diceromyia*)]
microsticta (Edwards, 1936): *Catageomyia* [*Aedes* (*Aedimorphus*)]
mijanae Brunhes, Adam & Bailly-Choumara, 1967: *Culex* (*Eumelanomyia*)
mikrokopion (Knight & Harrison, 1988): *Downsiomyia* [*Ochlerotatus* (*Finlaya*)]
millecampsi Lips, 1960: *Anopheles* (*Cellia*)
milleri (Dyar, 1922): *Ochlerotatus* (unplaced) [*Ochlerotatus* (*Ochlerotatus*)]
millironi Belkin, 1962: *Culex* (*Neoculex*)
milloti Doucet, 1949: *Culex* (*Culiciomyia*)
milloti Doucet, 1951: *Orthopodomyia*
milloti Grjebine & Lacan, 1953: *Anopheles* (*Cellia*)
milloti Grjebine, 1986: *Mimomyia* (*Ingramia*)
milnensis (King & Hoogstraal, 1947): *Verrallina* (*Verrallina*)
milnensis Lee, 1944: *Armigeres* (*Armigeres*)
milsoni (Taylor, 1915): *Dobrotworskyius* [*Ochlerotatus* (*Finlaya*)]
milwardi Xavier & da Silva Mattos, 1972: *Culex* (*Melanoconion*)
mimeticus Noè, 1899: *Culex* (*Culex*)
mimomyiaformis (Newstead, 1907): *Mimomyia* (*Mimomyia*)
mimuloides Barraud, 1924: *Culex* (*Culex*)
mimulus Edwards, 1915: *Culex* (*Culex*)
minima (Theobald, 1901): *Ficalbia*
minimus (Theobald, 1905): *Toxorhynchites* (*Toxorhynchites*)
minimus Theobald, 1901: *Anopheles* (*Cellia*)
minjensis Sirivanakarn, 1968: *Culex* (*Lophoceraomyia*)
minnesotae Barr, 1957: *Culiseta* (*Culicella*)
minor (Leicester, 1908): *Culex* (*Lophoceraomyia*)
minor da Costa Lima, 1929: *Anopheles* (*Anopheles*)
minor Leicester, 1908: *Topomyia* (*Topomyia*)
minutissimus (Theobald, 1907): *Culex* (*Lophoceraomyia*)
minuta (Theobald, 1901): *Catageomyia* [*Aedes* (*Aedimorphus*)]
miraculosus Bonne-Wepster, 1937: *Culex* (*Culex*)
mirans Sallum & Peyton, 2005: *Anopheles* (*Cellia*)
mirificus Edwards, 1913: *Culex* (*Culex*)
misionensis Duret, 1953: *Culex* (*Melanoconion*)
mitchellae (Dyar, 1905): *Ochlerotatus* (*Culicelsa*) [*Ochlerotatus* (*Ochlerotatus*)]
mitchellii (Theobald, 1905): *Wyeomyia* (*Wyeomyia*)
mixta (Edwards, 1936): *Catageomyia* [*Aedes* (*Aedimorphus*)]
miyagii Mogi & Toma, 1999: *Culex* (*Acallyntrum*)
miyagii Toma & Mogi, 2003: *Kimia*

mjobergi (Edwards, 1926): *Downsiomyia* [*Ochlerotatus* (*Finlaya*)]
moctezuma (Dyar & Knab, 1906): *Toxorhynchites* (*Lynchiella*)
modesta (King & Hoogstraal, 1946): *Mimomyia* (*Mimomyia*)
modesta Leicester, 1908: *Uranotaenia* (*Pseudoficalbia*)
modestus Ficalbi, 1890: *Culex* (*Barraudius*)
moerbista (Dyar & Knab, 1919): *Wyeomyia* (subgenus uncertain)
moghulensis Christophers, 1924: *Anopheles* (*Cellia*)
mogii Miyagi, Toma & Higa, 2004: *Mimomyia* (*Ingramia*)
mohani (Knight, 1969): *Downsiomyia* [*Ochlerotatus* (*Finlaya*)]
mohani Sirivanakarn, 1977: *Culex* (*Eumelanomyia*)
mollis Dyar & Knab, 1906: *Culex* (*Culex*)
moloiensis (Taylor, 1929): *Macleaya* (*Chaetocruimyia*) [*Ochlerotatus* (*Chaetocruimyia*)]
monetifer (Dyar, 1920): *Tripterooides* (*Tripterooides*)
monetus (Edwards, 1935): *Zavortinkius* [*Ochlerotatus* (*Zavortinkius*)]
mongiro van Someren, 1951: *Culex* (*Culiciomyia*)
monocellatus (Marks, 1948): '*Ochlerotatus* (*Finlaya*)'
monotrichus (Edwards, 1936): *Neomelaniconion* [*Aedes* (*Neomelaniconion*)]
montana Ingram & de Meillon, 1927: *Uranotaenia* (*Pseudoficalbia*)
montanus Stanton & Wacker, 1917: *Anopheles* (*Anopheles*)
montchadskyi (Dubitsky, 1968): *Ochlerotatus* (unplaced) [*Ochlerotatus* (*Ochlerotatus*)]
monticola (Belkin & McDonald, 1957): *Jarnellius* [*Ochlerotatus* (*Ochlerotatus*)]
moralesi (Dyar & Knab, 1919): *Shannoniana*
moramangae da Cunha Ramos & Brunhes, 2004: *Uranotaenia* (*Uranotaenia*)
moresbyensis Peters, 1963: *Uranotaenia* (*Uranotaenia*)
morsitans (Theobald, 1901): *Culiseta* (*Culicella*)
mortiauxi Cunha Ramos & Ribeiro, 1990: *Eretmapodites*
mortiauxi Edwards, 1938: *Anopheles* (*Cellia*)
moucheti (Hamon & Adam, 1955): *Malaya*
moucheti (Ravaonjanahary & Brunhes, 1977): *Skusea* [*Aedes* (*Skusea*)]
moucheti Evans, 1923: *Culex* (*Kitzmilleria*)
moucheti Evans, 1925: *Anopheles* (*Cellia*)
moufiedi Peyton, 1977: *Uranotaenia* (*Pseudoficalbia*)
moultoni Edwards, 1914: *Armigeres* (*Armigeres*)
moultoni Edwards, 1914: *Uranotaenia* (*Pseudoficalbia*)
mousinhoi de Meillon & Pereira, 1940: *Anopheles* (*Cellia*)
mpusiensis (Huang, 2004): *Stegomyia* [*Aedes* (*Stegomyia*)]
mubiensis Luh & Shih, 1958: *Aedes* [*Aedes* (*Aedes*)]
mucidus (Karsch, 1887): *Mucidus* (*Mucidus*) [*Ochlerotatus* (*Mucidus*)]
muehlensi Petrocchi, 1927: *Wyeomyia* (*Phoniomyia*)
muelleri (Dyar, 1920): *Lewnielsenius* [*Ochlerotatus* (*Ochlerotatus*)]
mulrennani Basham, 1948: *Culex* (*Melanoconion*)
multicinctus Edwards, 1930: *Anopheles* (*Cellia*)
multicolor Cambouliu, 1902: *Anopheles* (*Cellia*)
multifolium (King & Hoogstraal, 1947): *Verrallina* (*Verrallina*)
multiplex (Theobald, 1903): *Ochlerotatus* (*Pseudoskusea*)
mundulus Grünberg, 1905: *Culex* (*Eumelanomyia*)
muroafcete (Huang, 1997): *Stegomyia* [*Aedes* (*Stegomyia*)]
murphyi Gillies & de Meillon, 1968: *Anopheles* (*Cellia*)
murrelli Lien, 1968: *Culex* (*Culex*)
muruae Sirivanakarn, 1968: *Culex* (*Lophoceraomyia*)
musarum Edwards, 1932: *Culex* (*Culex*)
musarum Edwards, 1936: *Uranotaenia* (*Pseudoficalbia*)
muspratti Hamon & Lambrecht, 1959: *Culex* (*Culiciomyia*)
mutator Dyar & Knab, 1906: *Culex* (*Melanoconion*)
mutila (Edwards, 1936): *Catageiomyia* [*Aedes* (*Aedimorphus*)]
mystes Dyar, 1924: *Wyeomyia* (*Spilonympha*)
mzooi (van Someren, 1962): *Zavortinkius* [*Ochlerotatus* (*Zavortinkius*)]
nailoni King & Hoogstraal, 1946: *Culex* (*Culiciomyia*)
nairobiensis (van Someren, 1946): *Toxorhynchites* (*Afrorhynchus*)
nakuruensis Mattingly, 1951: *Culex* (*Culex*)

namibiensis Coetsee, 1984: **Anopheles (Anopheles)**
natalensis (Edwards, 1930): **Pseudarmigeres** [Aedes (*Pseudarmigeres*)]
natalensis (Hill & Haydon, 1907): **Anopheles (Cellia)**
nataliae Belkin, 1945: **Anopheles (Cellia)**
nataliae Gornostaeva, 2005: **Aedes** [Aedes (*Aedes*)]
nataliae Lynch Arribálzaga, 1891: **Uranotaenia (Uranotaenia)**
natronius (Edwards, 1932): **Aedimorphus** [Aedes (*Aedimorphus*)]
navalis Edwards, 1926: **Culex (Lophoceraomyia)**
neavei Theobald, 1906: **Culex (Culex)**
nebulosus Arnell, 1973: **Haemagogus (Haemagogus)**
nebulosus Theobald, 1901: **Culex (Culiciomyia)**
neglectus Lutz, 1904: **Culex (Microculex)**
negrensis Gordon & Evans, 1922: **Wyeomyia** (subgenus uncertain)
neireti Edwards, 1920: **Uranotaenia (Uranotaenia)**
neivai (Lane & Coutinho, 1940): **Coquillettidia (Rhynchotaenia)**
neivai Howard, Dyar & Knab, 1913: **Anopheles (Kerteszia)**
nemophilous Peyton & Ramalingam, 1988: **Anopheles (Cellia)**
nemorosa Gong, 1996: **Kimia**
neoafricana (Cornet, Valade & Dieng, 1978): **Stegomyia** [Aedes (*Stegomyia*)]
neogalloisi (Chen & Chen, 2000): **Stegomyia** [Aedes (*Stegomyia*)]
neogeorgiana (Belkin, 1962): **Finlaya** [*Ochlerotatus* (*Finlaya*)]
neomacrodixoa (King & Hoogstraal, 1947): **Verrallina (Neomacleaya)**
neomaculipalpus Curry, 1931: **Anopheles (Anopheles)**
neopandani (Bohart, 1957): **Stegomyia (Bohartius)** [Aedes (*Stegomyia*)]
neotibialis King & Hoogstraal, 1947: **Uranotaenia (Uranotaenia)**
nepenthes (Theobald, 1912): **Uranotaenia (Pseudoficalbia)**
nepenthicola (Banks, 1909): **Tripteroides (Tricholeptomysia)**
nepenthicola Miyagi & Toma, 2007: **Topomyia (Suaymyia)**
nepenthicola Steffan & Evenhuis, 1982: **Toxorhynchites (Toxorhynchites)**
nepenthis (Dyar & Shannon, 1925): **Toxorhynchites (Toxorhynchites)**
nepenthis (Edwards, 1915): **Tripteroides (Rachionotomyia)**
nepenthisimilis Mattingly, 1981: **Tripteroides (Rachionotomyia)**
nevadensis (Chapman & Barr, 1964): **Ochlerotatus** (unplaced) [*Ochlerotatus* (*Ochlerotatus*)]
ngong (van Someren, 1950): **Albuginosus** [Aedes (*Albuginosus*)]
nicaroensis Duret, 1967: **Culex (Nicaromyia)**
nicceriensis Bonne-Wepster & Bonne, 1920: **Culex (Melanoconion)**
nicoyae Adames & Hogue, 1970: **Deinocerites**
niger (Leicester, 1908): **Culex (Lophoceraomyia)**
nigeriae Edwards, 1930: **Hodgesia**
nigeriensis Ribeiro, 2005: **Toxorhynchites (Afrorhynchus)**
nigerrimus Giles, 1900: **Anopheles (Anopheles)**
nigerrimus Theobald, 1913: **Mucidus (Mucidus)** [*Ochlerotatus* (*Mucidus*)]
nigra (Theobald, 1901): **Ficalbia**
nigra Leicester, 1908: **Topomyia (Topomyia)**
nigricans (Coquillett, 1904): **Coquillettidia (Rhynchotaenia)**
nigricephala Clastrier & Claustre, 1978: **Wyeomyia** (subgenus uncertain)
nigricephala da Cunha Ramos & Brunhes, 2004: **Uranotaenia (Pseudoficalbia)**
nigricephalus (Theobald, 1901): **Aedimorphus** [Aedes (*Aedimorphus*)]
nigrimacula Lane & Whitman, 1943: **Culex** (subgenus uncertain)
nigrinus (Eckstein, 1918): **Ochlerotatus** (unplaced) [*Ochlerotatus* (*Ochlerotatus*)]
nigripalpus Theobald, 1901: **Culex (Culex)**
nigripes (Edwards, 1935): **Toxorhynchites (Toxorhynchites)**
nigripes (Theobald, 1905): **Uranotaenia (Pseudoficalbia)**
nigripes (Zetterstedt, 1838): **Ochlerotatus** (unplaced) [*Ochlerotatus* (*Ochlerotatus*)]
nigripleura da Cunha Ramos & Brunhes, 2004: **Uranotaenia (Pseudoficalbia)**
nigritarsis (Chagas, 1907): **Anopheles (Nyssorhynchus)**
nigritarsis (Wolfs, 1958): **Coquillettidia (Coquillettidia)**
nigrithorax (Macquart, 1847): **Ochlerotatus** (unplaced) [*Ochlerotatus* (*Ochlerotatus*)]
nigrithorax (Theobald, 1910): **Coquillettidia (Coquillettidia)**
nigritubus Galindo, Carpenter & Trapido, 1951: **Wyeomyia (Wyeomyia)**

nigrocanus (Martini, 1927): *Ochlerotatus* (unplaced) [*Ochlerotatus* (*Ochlerotatus*)]
nigrochracea (Bonne-Wepster, 1930): *Coquillettidia* (*Coquillettidia*)
nigromaculata Edwards, 1941: *Uranotaenia* (*Pseudoficalbia*)
nigromaculis (Ludlow, 1906): *Ochlerotatus* (*Culicelsa*) [*Ochlerotatus* (*Ochlerotatus*)]
nigropterum le Goff, Boussés & Brunhes, 2007: *Neomelaniconion*
nigropunctatus Edwards, 1926: *Culex* (*Culiciomyia*)
nigrorhynchus (Brug, 1931): *Hulecoeteomyia* [*Ochlerotatus* (*Finlaya*)]
nigrosignata (Edwards, 1917): *Coquillettidia* (*Coquillettidia*)
nigrostriatus Barraud, 1927: *Aedimorphus* [*Aedes* (*Aedimorphus*)]
nigrotarsis (Ludlow, 1908): *Verrallina* (*Neomacleaya*)
nilgircus Christophers, 1924: *Anopheles* (*Anopheles*)
nilgircus Edwards, 1916: *Culex* (*Culex*)
nili (Theobald, 1904): *Anopheles* (*Cellia*)
nimbus (Theobald, 1902): *Anopheles* (*Stethomyia*)
nimpe Nguyen, Tran & Harbach, 2000: *Anopheles* (*Anopheles*)
ninangongoensis Edwards, 1928: *Culex* (*Culex*)
ningheensis (Lei, 1989): *Collessius* (*Collessius*) [*Ochlerotatus* (*Finlaya*)]
niphadopsis (Dyar & Knab, 1918): *Ochlerotatus* (unplaced) [*Ochlerotatus* (*Ochlerotatus*)]
nippononivea (Sasa & Nakahashi, 1952): *Downsiomyia* [*Ochlerotatus* (*Finlaya*)]
nipponica (LaCasse & Yamaguti, 1948): *Downsiomyia* [*Ochlerotatus* (*Finlaya*)]
nipponica LaCasse & Yamaguti, 1950: *Culiseta* (*Culicella*)
nishikawai (Tanaka, Mizusawa & Saugstad, 1979): *Downsiomyia* [*Ochlerotatus* (*Finlaya*)]
nissanensis Lee, 1946: *Tripteroides* (*Tripteroides*)
nitens (Cerqueira, 1943): *Coquillettidia* (*Rhynchotaenia*)
nitidoventer (Giles, 1904): *Tripteroides* (*Tripteroides*)
nitidus Harrison, Scanlon & Reid, 1973: *Anopheles* (*Anopheles*)
nitidus Theobald, 1901: *Sabethes* (*Sabethes*)
nivalis (Edwards, 1926): *Ochlerotatus* (unplaced) [*Ochlerotatus* (*Ochlerotatus*)]
nivea (Ludlow, 1903): *Downsiomyia* [*Ochlerotatus* (*Finlaya*)]
nivea Leicester, 1908: *Uranotaenia* (*Uranotaenia*)
niveitaeniata (Theobald, 1907): *Culiseta* (*Culiseta*)
niveoides (Barraud, 1934): *Downsiomyia* [*Ochlerotatus* (*Finlaya*)]
niveoscutum (Zavortink, 1972): '*Ochlerotatus* (*Protomacleaya*)'
nivipes (Theobald, 1903): *Anopheles* (*Cellia*)
nivipes (Theobald, 1905): *Uranotaenia* (*Uranotaenia*)
nivipleura Leicester, 1908: *Uranotaenia* (*Pseudoficalbia*)
nivipous Theobald, 1912: *Uranotaenia* (*Pseudoficalbia*)
njombiensis (Huang, 1997): *Stegomyia* [*Aedes* (*Stegomyia*)]
njombiensis Peters, 1955: *Anopheles* (*Cellia*)
nkolbissonensis Rickenbach & Hamon, 1966: *Orthopodomyia*
nobukonis (Yamada, 1932): *Verrallina* (*Harbachius*)
nocticola Peyton, 1977: *Uranotaenia* (*Pseudoficalbia*)
noniae Reid, 1963: *Anopheles* (*Anopheles*)
normanensis (Taylor, 1915): *Ochlerotatus* (unplaced) [*Ochlerotatus* (*Ochlerotatus*)]
notabilis (Delfinado, 1967): *Verrallina* (*Neomacleaya*)
notanandai Rattanarithikul & Green, 1987: *Anopheles* (*Cellia*)
notleyi van Someren, 1949: *Anopheles* (*Cellia*)
notoscripta (Skuse, 1889): *Rampamyia* [*Ochlerotatus* (*Finlaya*)]
novaezealandiae Pillai, 1966: *Culiseta* (*Climacura*)
novaguinensis Peters, 1963: *Uranotaenia* (*Uranotaenia*)
novaguinensis Venhuis, 1933: *Anopheles* (*Cellia*)
novalbitarsis (King & Hoogstraal, 1946): *Patmarksia* [*Ochlerotatus* (*Finlaya*)]
novalbopicta (Barraud, 1931): *Stegomyia* [*Aedes* (*Stegomyia*)]
novobscura Barraud, 1934: *Uranotaenia* (*Pseudoficalbia*)
novochracea (Barraud, 1927): *Coquillettidia* (*Coquillettidia*)
novohanoverae Peters, 1963: *Tripteroides* (*Tripteroides*)
novonivea (Barraud, 1934): *Downsiomyia* [*Ochlerotatus* (*Finlaya*)]
nubicola (Laffoon, 1946): *Verrallina* (*Neomacleaya*)
nubilus (Theobald, 1903): *Ochlerotatus* (*Protoculex*) [*Ochlerotatus* (*Ochlerotatus*)]
nummatus (Edwards, 1923): *Tewarius* [*Aedes* (*Diceromyia*)]

nuneztovari Gabaldon, 1940: *Anopheles (Nyssorhynchus)*
nyasae (Edwards, 1930): *Hopkinsius (Hopkinsius)* [*Ochlerotatus (Finlaya)*]
nyounae (Hamon & Adam, 1959): *Catageomyia* [*Aedes (Aedimorphus)*]
oakleyi (Stone, 1939): *Aedimorphus* [*Aedes (Aedimorphus)*]
oblita (Lutz, 1904): *Wyeomyia (Miamiya)*
obscura Edwards, 1915: *Uranotaenia (Pseudoficalbia)*
obscura Tenorio, 1975: *Bironella (Brugella)*
obscurum Lane & Cerqueira, 1942: *Trichoprosopon*
obscurus (Grünberg, 1905): *Anopheles (Anopheles)*
obscurus (Leicester, 1908): *Culex (Acalleoemyia)*
obscurus Brug, 1934: *Tripteroides (Rachisoura)*
obsoleta (Huang, 1968): *Verrallina (Verrallina)*
obturbans (Walker, 1859): *Armigeres (Armigeres)*
obturbator (Dyar & Knab, 1907): *Ochlerotatus (Ochlerotatus)*
occidentalis (Skuse, 1889): *Dobrotworskyius* [*Ochlerotatus (Finlaya)*]
occidentalis Dyar & Knab, 1906: *Anopheles (Anopheles)*
occidentayunnana (Gong & Lu, 1991): *Heizmannia (Mattinglyia)*
occulta Bonne-Wepster & Bonne, 1919: *Wyeomyia* (subgenus uncertain)
oceanica (Belkin, 1962): *Finlaya* [*Ochlerotatus (Finlaya)*]
ocellatus Theobald, 1903: *Culex* (subgenus uncertain)
ochracea (Theobald, 1903): *Coquillettidia (Coquillettidia)*
ochraceus (Theobald, 1901): *Aedimorphus* [*Aedes (Aedimorphus)*]
ochripes (Macquart, 1850): *Psorophora (Psorophora)*
ochroptera (Peus, 1935): *Culiseta (Culicella)*
ocossa Dyar & Knab, 1919: *Culex (Melanoconion)*
oedipodeios Graham, 1909: *Eretmapodites*
oedipus Root, 1927: *Culex (Melanoconion)*
ohamai Tanaka, Mizusawa & Saugstad, 1975: *Uranotaenia (Pseudoficalbia)*
oikitorakras Osorno-Mesa, 1947: *Anopheles (Lophopodomyia)*
okinawae Bohart, 1953: *Culex (Eumelanomyia)*
okinawanus (Bohart, 1946): *Bruceharrisonius* [*Ochlerotatus (Bruceharrisonius)*]
okinawensis Toma, Miyagi & Tanaka, 1990: *Toxorhynchites (Toxorhynchites)*
okuensis Brunhes, le Goff & Geoffroy, 1997: *Anopheles (Anopheles)*
oligopistus (Dyar, 1918): *Ochlerotatus (Protoculex)* [*Ochlerotatus (Ochlerotatus)*]
olimpioi Xavier, da Silva & da Silva Mattos, 1970: *Culex (Melanoconion)*
omani Belkin, 1962: *Culex (Culex)*
omissus (Edwards, 1914): *Armigeres (Leicesteria)*
omorii (Lien, 1968): *Downsiomyia* [*Ochlerotatus (Finlaya)*]
omorii Sakakibara, 1959: *Anopheles (Anopheles)*
opok (Corbet & van Someren, 1962): *Stegomyia* [*Aedes (Stegomyia)*]
orbitae (Edwards, 1922): *Aedimorphus* [*Aedes (Aedimorphus)*]
orbostiensis Dobrotworsky, 1958: *Culex (Lophoceraomyia)*
oreophilus Edwards, 1916: '*Ochlerotatus (Finlaya)*'
oresbius Harbach & Rattanarithikul, 1988: *Culex (Eumelanomyia)*
orfilai Duret, 1953: *Culex (Melanoconion)*
orientalis Barraud, 1926: *Uranotaenia (Uranotaenia)*
orientalis Edwards, 1921: *Culex (Culex)*
originator Gordon & Evans, 1922: *Culex (Anoedioporpa)*
ornata Theobald, 1909: *Uranotaenia (Pseudoficalbia)*
ornatothoracis Theobald, 1909: *Culex (Culex)*
orstom Brunhes, Adam & Bailly-Choumara, 1967: *Culex (Eumelanomyia)*
orthodoxa Dyar, 1921: *Uranotaenia (Uranotaenia)*
ortizi Vargas & Diaz Nájera, 1961: *Sabethes (Sabethes)*
oryzalimnetes Wilkerson & Motoki, 2009: *Anopheles (Nyssorhynchus)*
osornoii (Berlin, 1969): *Howardina* [*Ochlerotatus (Howardina)*]
ostentatio (Leicester, 1908): *Paraedes* [*Aedes (Paraedes)*]
oswaldoi (Peryassú, 1922): *Anopheles (Nyssorhynchus)*
otachati Klein & Sirivanakarn, 1970: *Culex (Eumelanomyia)*
oteizai Perez Viguera, 1956: *Uranotaenia (Uranotaenia)*
ototomo da Cunha Ramos, 1993: *Uranotaenia (Pseudoficalbia)*

otwayensis (Dobrotworsky, 1960): **Culiseta (Culicella)**
ousqua Dyar, 1918: **Culex (Culex)**
ovazzai (Hamon & Adam, 1959): **Aedimorphus** [*Aedes (Aedimorphus)*]
ovengensis Awono-Ambene, Simard, Antonio-Nkonkjo & Fontenille, 2004: **Anopheles (Cellia)**
oweni Belkin, 1962: **Culex (Lophoceraomyia)**
pachyurus (Edwards, 1936): **Aedimorphus** [*Aedes (Aedimorphus)*]
pacificus Edwards, 1916: **Culex (Culex)**
pagei (Ludlow, 1911): **Paraedes** [*Aedes (Paraedes)*]
pahangi (Delfinado, 1968): **Verrallina (Harbachius)**
painei (Knight, 1948): **Mucidus (Pardomyia)** [*Ochlerotatus (Mucidus)*]
painei Edwards, 1935: **Uranotaenia (Pseudoficalbia)**
pairoji Sirivanakarn, 1977: **Culex (Lophoceraomyia)**
pajoti Ramos & Ribeiro, 1982: **Culex (Culex)**
palaciosi Duret, 1968: **Culex (Melanoconion)**
palauensis (Bohart, 1957): **Stegomyia** [*Aedes (Stegomyia)*]
palawanicus (Mattingly, 1958): **Canraedes** [*Aedes (Canraedes)*]
pallescens Edwards, 1922: **Psorophora (Psorophora)**
pallida Edwards, 1925: **Mimomyia (Mimomyia)**
pallidiceps (Theobald, 1905): **Culex (Acallyntrum)**
pallidipleura da Cunha Ramos & Brunhes, 2004: **Uranotaenia (Pseudoficalbia)**
pallidiventer (Lutz, 1905): **Trichoprosopon**
pallidocephala Theobald, 1908: **Uranotaenia (Uranotaenia)**
pallidostratus (Theobald, 1907): **Aedimorphus** [*Aedes (Aedimorphus)*]
pallidothorax Dong, Dong & Wu, 2008: **Tripteroides (Rachionotomyia)**
pallidothorax Theobald, 1905: **Culex (Culiciomyia)**
pallidoventer (Theobald, 1907): **Wyeomyia (Phoniomyia)**
pallidoventer Theobald, 1903: **Uranotaenia (Uranotaenia)**
pallidus Lee, 1946: **Tripteroides (Rachisoura)**
pallidus Theobald, 1901: **Anopheles (Cellia)**
pallirostris (Edwards, 1922): **Hulecoeteomyia** [*Ochlerotatus (Finlaya)*]
pallithorax Dong, Zhou & Dong, 2004: **Armigeres (Armigeres)**
palmarum (Edwards, 1924): **Patmarksia** [*Ochlerotatus (Finlaya)*]
palmata (Lane & Cerqueira, 1942): **Wyeomyia (Phoniomyia)**
palmatus (Rodenwaldt, 1926): **Anopheles (Anopheles)**
palmeirimi de Meillon & Rebelo, 1941: **Uranotaenia (Uranotaenia)**
palpale Newstead, 1907: **Neomelaniconion** [*Aedes (Neomelaniconion)*]
palpalis Taylor, 1912: **Culex (Culex)**
paltrinierii Shidrawi & Gillies, 1988: **Anopheles (Cellia)**
paludis Theobald, 1900: **Anopheles (Anopheles)**
paludosa Galindo, Blanton & Peyton, 1954: **Uranotaenia (Uranotaenia)**
pampantai Büttiker & Beales, 1959: **Anopheles (Cellia)**
pampangensis (Ludlow, 1905): **Aedimorphus** [*Aedes (Aedimorphus)*]
pampithes (Dyar & Nunez Tovar, 1928): **Wyeomyia** (subgenus uncertain)
panamensis Adames, 1971: **Deinocerites**
panarchys Dyar, 1921: **Haemagogus (Haemagogus)**
panayensis (Ludlow, 1914): **Verrallina (Neomacleaya)**
panchgangee Sathe & Girhe, 2002: 'Aedes'
pandani (Stone, 1939): **Stegomyia (Bohartius)** [*Aedes (Stegomyia)*]
pandani (Theobald, 1912): **Uranotaenia (Pseudoficalbia)**
pandani Brunhes, 1969: **Culex (Culiciomyia)**
panocossa Dyar, 1923: **Culex (Melanoconion)**
papago (Zavortink, 1970): **Abraedes** [*Ochlerotatus (Abraedes)*]
papuae (Swellengrebel & Swellengrebel de Graaf, 1920): **Bironella (Neobironella)**
papuensis (Taylor, 1914): **Culex (Culiciomyia)**
papuensis (Taylor, 1914): **Mansonia (Mansonioides)**
papuensis (Taylor, 1914): **Patmarksia** [*Ochlerotatus (Finlaya)*]
papuensis Dobrotworsky, 1957: **Anopheles (Anopheles)**
papuensis Marks, 1960: **Topomyia (Suaymyia)**
papuensis Peters, 1963: **Armigeres (Armigeres)**
papuensis Zavortink, 1968: **Orthopodomys**

paracrybda Komp, 1936: *Culex (Melanoconion)*
paraculeatus Sirivanakarn, 1977: *Culex (Lophoceraomyia)*
paradissimilis (Rozeboom, 1946): *Kenknightia* [*Ochlerotatus (Kenknightia)*]
paradoxus Harbach, 2002: *Sabethes (Peytonulus)*
paraitepuyensis Anduze, 1941: *Sabethes (Sabethes)*
paralateralis Peters, 1964: *Uranotaenia (Uranotaenia)*
paraliae Sandosham, 1959: *Anopheles (Anopheles)*
paramaxi Duret, 1968: *Culex (Culex)*
paranensis (Brethés, 1910): *Isostomyia*
parangensis (Ludlow, 1914): *Anopheles (Cellia)*
paranovaguinensis Peters, 1963: *Uranotaenia (Uranotaenia)*
parapunctipennis Martini, 1932: *Anopheles (Anopheles)*
parasimilis (King & Hoogstraal, 1947): *Verrallina (Verrallina)*
parensis Gillies, 1962: *Anopheles (Cellia)*
parenti (de Meillon & Lavoipierre, 1944): *Mimomyia (Mimomyia)*
particeps (Adams, 1903): *Culiseta (Culiseta)*
parvipluma Edwards, 1941: *Eretmapodites*
parvus (Chagas, 1907): *Anopheles (Nyssorhynchus)*
patersoni (Shannon & del Ponte, 1928): *Ochlerotatus (Ochlerotatus)*
patientiae Floch & Fauran, 1955: *Culex (Melanoconion)*
patriciae (Mattingly, 1954): *Stegomyia* [*Aedes (Stegomyia)*]
patriciae Peyton, 1977: *Uranotaenia (Pseudoficalbia)*
pattoni Christophers, 1926: *Anopheles (Cellia)*
pauliani (Doucet, 1951): *Toxorhynchites (Afrorhynchus)*
pauliani Doucet, 1949: *Uranotaenia (Pseudoficalbia)*
pauliani Grjebine, 1950: *Eretmapodites*
pauliani Grjebine, 1953: *Aedeomyia (Lepiothauma)*
pauliani Grjebine, 1953: *Anopheles (Cellia)*
paulli Paterson & Shannon, 1927: *Psorophora (Grabhamia)*
paullusi (Stone & Farner, 1945): *Stegomyia* [*Aedes (Stegomyia)*]
pavlovskyi Casal & García, 1967: *Culex (Melanoconion)*
peccator Dyar & Knab, 1909: *Culex (Melanoconion)*
pecori (Reinert, 1990): *Kenknightia* [*Ochlerotatus (Kenknightia)*]
pectinatus (Arnell, 1976): *Ochlerotatus (Ochlerotatus)*
pectinatus (Edwards, 1914): *Armigeres (Leicesteria)*
pecuniosa (Edwards, 1922): *Molpemyia* [*Ochlerotatus (Molpemyia)*]
pedicellus King & Hoogstraal, 1947: *Culex (Neoculex)*
peditaeniatus (Leicester, 1908): *Anopheles (Anopheles)*
pedroi Sirivanakarn & Belkin, 1980: *Culex (Melanoconion)*
peipingensis (Feng, 1938): '*Ochlerotatus (Finlaya)*'
pembaensis (Theobald, 1901): *Skusea* [*Aedes (Skusea)*]
penai Sirivanakarn, 1979: *Culex (Melanoconion)*
pendleburyi (Edwards, 1930): *Toxorhynchites (Toxorhynchites)*
pendulus (Edwards, 1914): *Armigeres (Leicesteria)*
penghuensis (Lien, 1968): *Canraedes* [*Aedes (Canraedes)*]
penicillatus Edwards, 1941: *Eretmapodites*
pennai (Antunes & Lane, 1938): *Ochlerotatus (Chrysoconops)* [*Ochlerotatus (Ochlerotatus)*]
perexiguus Theobald, 1903: *Culex (Culex)*
pereyrai Duret, 1967: *Culex (Melanoconion)*
perfidiosus Edwards, 1914: *Culex (Culex)*
perfuscus Edwards, 1914: *Culex (Culex)*
peringueyi Edwards, 1924: *Culex (Maillotia)*
periskelata (Giles, 1902): *Dendroskusea* [*Aedes (Diceromyia)*]
perkinsi (Marks, 1949): *Ochlerotatus* (unplaced) [*Ochlerotatus (Ochlerotatus)*]
perkinsi Stone & Penn, 1948: *Culex (Acallyntrum)*
pernotata (Farner & Bohart, 1944): *Stegomyia* [*Aedes (Stegomyia)*]
perplexa Leicester, 1908: *Stegomyia (Huangmyia)* [*Aedes (Stegomyia)*]
perplexens (Edwards, 1932): *Mimomyia (Mimomyia)*
perplexens Ludlow, 1907: *Anopheles (Anopheles)*
perplexus Leicester, 1908: *Culex (Culex)*

perplexus Peters, 1963: *Tripteroides (Polylepidomyia)*
perryi (Belkin, 1962): *Geoskusea* [*Ochlerotatus (Geoskusea)*]
perryi Belkin, 1962: *Culex (Lophoceraomyia)*
persiensis Linton, Sedaghat & Harbach, 2003: *Anopheles (Anopheles)*
persimilis Mattingly, 1970: *Heizmannia (Heizmannia)*
personatum (Lutz, 1904): *Onirion*
pertinans (Williston, 1896): *Wyeomyia (Wyeomyia)*
pertinax (Grabham, 1906): *Ochlerotatus (Protoculex)* [*Ochlerotatus (Ochlerotatus)*]
perturbans (Walker, 1856): *Coquillettidia (Coquillettidia)*
perturbans (Williston, 1896): *Isostomyia*
perventor (Cerqueira & Costa, 1946): *Sallumia* [*Ochlerotatus (Ochlerotatus)*]
pervigilans von Bergroth, 1889: *Culex (Culex)*
peryassui Dyar & Knab, 1908: *Anopheles (Anopheles)*
pressoai (Barreto & Coutinho, 1944): *Mansonia (Mansonia)*
petersi Colless, 1960: *Culex (Lophoceraomyia)*
petragani del Vecchio, 1939: *Anopheles (Anopheles)*
petrocchiaie (Shannon & del Ponte, 1928): *Sabethes (Davisomyia)*
petroelephantus (Wijesundara, 1951): *Verrallina (Neomacleaya)*
pexa (Colless, 1958): *Downsiomyia* [*Ochlerotatus (Finlaya)*]
peytoni (Reinert, 1972): *Ayurakitia*
peytoni Bram & Rattanarithikul, 1967: *Culex (Lophoceraomyia)*
peytoni Kulasekera, Harrison & Amerasinghe, 1989: *Anopheles (Anopheles)*
peytoni Leguizamón & Carpintero, 2005: *Orthopodomyia*
phaecasiatus (Marks, 1964): *Ochlerotatus* (unplaced) [*Ochlerotatus (Ochlerotatus)*]
phaeonotus (Arnell, 1976): *Ochlerotatus (Ochlerotatus)*
phangngae Sirivanakarn, 1972: *Culex (Eumelanomyia)*
pharoensis Theobald, 1901: *Anopheles (Cellia)*
philipi Edwards, 1929: *Culex (Culex)*
philippinensis (Delfinado, 1968): *Verrallina (Neomacleaya)*
philippinensis Ludlow, 1902: *Anopheles (Cellia)*
philippinensis Sirivanakarn, 1976: *Culex (Culex)*
phillipi (van Someren, 1949): *Zavortinkius* [*Ochlerotatus (Zavortinkius)*]
philonuxia Philip, 1931: *Uranotaenia (Uranotaenia)*
phlabistus Dyar, 1920: *Culex (Melanoconion)*
phlogistus Dyar, 1920: *Culex (Melanoconion)*
phnoma (Klein, 1973): *Verrallina (Neomacleaya)*
phoeniciae (Coluzzi & Sabatini, 1968): *Acartomyia* [*Ochlerotatus (Ochlerotatus)*]
pholeter Bram & Rattanarithikul, 1967: *Culex (Lophoceraomyia)*
pholidotus Zavortink, 1973: *Anopheles (Kerteszia)*
phroso Howard, Dyar & Knab, 1915: *Wyeomyia* (subgenus uncertain)
phyllados Hutchings & Sallum, 2008: *Culex (Melanoconion)*
phyllolabis (Edwards, 1929): *Catageiomyia* [*Aedes (Aedimorphus)*]
phyllozoa (Dyar & Knab, 1907): *Orthopodomyia*
phytophagus Theobald, 1909: *Toxorhynchites (Toxorhynchites)*
pictipennis (Philippi, 1865): *Anopheles (Nyssorhynchus)*
pifanoi Anduze, 1949: *Culex (Melanoconion)*
pifanoi Cova García, Pulido F. & Escalante de Ugueto, 1981: *Uranotaenia (Uranotaenia)*
pilicauda Root, 1928: *Wyeomyia (Phoniomyia)*
pilifemoralis Wang & Feng, 1964: *Culex (Lophoceraomyia)*
pilinotum Harrison & Scanlon, 1974: *Anopheles (Anopheles)*
pilipes (Macquart, 1834): *Psorophora (Psorophora)*
pillaii (Mattingly, 1958): *Rhinoskusea* [*Ochlerotatus (Rhinoskusea)*]
pilosa Brug, 1931: *Topomyia (Topomyia)*
pilosa da Cunha Ramos & Brunhes, 2004: *Uranotaenia (Pseudoficalbia)*
pilosa Duret, 1971: *Psorophora (Janthinosoma)*
pilosus (Dyar & Knab, 1906): *Culex (Melanoconion)*
pilosus Lee, 1946: *Tripteroides (Rachisoura)*
pinarocampa Dyar & Knab, 1908: *Culex (Culex)*
pingpaensis (Chang, 1965): *Edwardsaedes* [*Aedes (Edwardsaedes)*]
pinjaurensis Barraud, 1932: *Anopheles (Anopheles)*

pionips (Dyar, 1919): *Ochlerotatus* (unplaced) [*Ochlerotatus* (*Ochlerotatus*)]
pipersalatus (Giles, 1902): *Aedimorphus* [*Aedes* (*Aedimorphus*)]
pipiens Linnaeus, 1758: *Culex* (*Culex*)
pipkini (Bohart, 1957): *Verrallina* (*Verrallina*)
plagosus (Marks, 1959): '*Ochlerotatus* (*Finlaya*)'
platylepida (Knight & Hull, 1951): *Scutomyia* [*Aedes* (*Scutomyia*)]
plectoporpe Root, 1927: *Culex* (*Melanoconion*)
pleuristriatus Theobald, 1903: *Culex* (*Microculex*)
plicatus Olivares, 1993: *Culex* (*Culex*)
plioleucus Edwards, 1941: *Eretmapodites*
plumbeus Stephens, 1828: *Anopheles* (*Anopheles*)
plumifera (King & Hoogstraal, 1946): *Phagomyia* [*Ochlerotatus* (*Finlaya*)]
plumiger Bonne-Wepster, 1948: *Tripteroides* (*Rachisoura*)
plumosa (Theobald, 1901): *Mimomyia* (*Mimomyia*)
plumosus (Brug, 1931): *Tripteroides* (*Tripteroides*)
pluvialis Barraud, 1924: *Culex* (*Eumelanomyia*)
podographicus (Dyar & Knab, 1906): '*Ochlerotatus* (*Protomacleaya*)'
pogonurum (Edwards, 1936): *Neomelaniconion* [*Aedes* (*Neomelaniconion*)]
poicilia Theobald, 1903: *Finlaya* [*Ochlerotatus* (*Finlaya*)]
poicilipes (Theobald, 1903): *Culex* (*Oculeomyia*)
pollicaris Reid, 1962: *Anopheles* (*Anopheles*)
pollinctor (Graham, 1910): *Zavortinkius* [*Ochlerotatus* (*Zavortinkius*)]
polynesiensis (Marks, 1951): *Stegomyia* [*Aedes* (*Stegomyia*)]
ponmeki Miyagi & Toma, 2001: *Tripteroides* (*Rachionotomyia*)
portesi Senevet & Abonnenc, 1941: *Culex* (*Melanoconion*)
portonovoensis (Tewari & Hiriyani, 1992): *Rhinokusea* [*Ochlerotatus* (*Rhinokusea*)]
portoricensis (Roeder, 1885): *Toxorhynchites* (*Lynchiella*)
postspiraculosus (Dobrotworsky, 1961): *Ochlerotatus* (*Pseudokusea*)
postspiraculosus Lee, 1944: *Culex* (*Neoculex*)
powderi Zavortink, 1970: *Anopheles* (*Anopheles*)
powelli (Ludlow, 1909): *Tripteroides* (*Tripteroides*)
powelli Lee, 1944: *Anopheles* (*Anopheles*)
poweri Theobald, 1905: *Stegomyia* [*Aedes* (*Stegomyia*)]
prajimi Peyton & Rattanarithikul, 1970: *Uranotaenia* (*Uranotaenia*)
pretoriensis (Theobald, 1903): *Anopheles* (*Cellia*)
principensis da Cunha Ramos, 1993: *Uranotaenia* (*Pseudoficalbia*)
prioekanensis (Brug, 1931): *Verrallina* (*Neomacleaya*)
pristinus Nagaki & Sallum, 2010: *Anopheles* (*Nyssorhynchus*)
procax Skuse, 1889: *Ochlerotatus* (unplaced) [*Ochlerotatus* (*Ochlerotatus*)]
productus Edwards, 1941: *Eretmapodites*
productus Senevet & Abonnenc, 1939: *Culex* (*Melanoconion*)
prominens (Barraud, 1923): *Phagomyia* [*Ochlerotatus* (*Finlaya*)]
propinqua Mattingly, 1970: *Heizmannia* (*Heizmannia*)
propinqua Peyton, 1977: *Uranotaenia* (*Pseudoficalbia*)
propinquus Colless, 1955: *Culex* (*Culex*)
prosecutor Séguy, 1927: *Culex* (*Culex*)
protuberans (Delfinado, 1967): *Verrallina* (*Neomacleaya*)
provocans (Walker, 1848): *Ochlerotatus* (*Rusticoides*)
proxima Mattingly, 1970: *Heizmannia* (*Heizmannia*)
proximus (Edwards, 1915): *Tripteroides* (*Tripteroides*)
pruina Theobald, 1901: *Culex* (*Culex*)
pruinosa Martini, 1935: *Psorophora* (*Grabhamia*)
psatharus Dyar, 1920: *Culex* (*Melanoconion*)
psectropus Edwards, 1930: *Hodgesia*
pseudalbolineata (Brug, 1939): *Scutomyia* [*Aedes* (*Scutomyia*)]
pseudalbopicta Borel, 1928: *Stegomyia* [*Aedes* (*Stegomyia*)]
pseudes Dyar & Knab, 1909: *Deinocerites*
pseudoafricana (Chwatt, 1949): *Stegomyia* [*Aedes* (*Stegomyia*)]
pseudoalbimanus da Cunha Ramos & Brunhes, 2004: *Uranotaenia* (*Pseudoficalbia*)
pseudoalbipes Duret, 1971: *Psorophora* (*Janthinosoma*)

pseudoandeanus Bailly-Choumara, 1966: *Culex (Eumelanomyia)*
pseudoauriceps Miyagi & Toma, 2010: *Topomyia (Suaymyia)*
pseudobarbirostris Ludlow, 1902: *Anopheles (Anopheles)*
pseudobarbus Baisas, 1946: *Topomyia (Topomyia)*
pseudoconopas (Theobald, 1910): *Coquillettidia (Coquillettidia)*
pseudodiurna (Theobald, 1910): *Verrallina (Neomacleaya)*
pseudodominicii (Komp, 1936): *Howardina [Ochlerotatus (Howardina)]*
pseudohenrardi Peters, 1955: *Uranotaenia (Pseudoficalbia)*
pseudojamesi Strickland & Chowdhury, 1927: *Anopheles (Cellia)*
pseudojanthinosoma Senevet & Abonnenc, 1946: *Culex (Culex)*
pseudoleucotarsis Thurman, 1959: *Topomyia (Suaymyia)*
pseudomaculipes (Peryassú, 1908): *Anopheles (Anopheles)*
pseudomaculipleura Peyton & Rattanarithikul, 1970: *Uranotaenia (Pseudoficalbia)*
pseudomediofasciata (Theobald, 1910): *Verrallina (Neomacleaya)*
pseudomelanoconia Theobald, 1907: *Culex (Neoculex)*
pseudomelanota Barata & Cotrim, 1971: *Psorophora (Janthinosoma)*
pseudomethysticus (Bonne-Wepster & Bonne, 1920): *Limatus*
pseudonigeria Theobald, 1910: *Stegomyia [Aedes (Stegomyia)]*
pseudonivea (Theobald, 1905): *Downsiomyia [Ochlerotatus (Finlaya)]*
pseudonormanensis (Marks, 1949): *Ochlerotatus* (unplaced) [*Ochlerotatus (Ochlerotatus)*]
pseudonummatum (Reinert, 1973): *Tewarius [Aedes (Diceromyia)]*
pseudopecten Dyar & Knab, 1906: *Wyeomyia (Decamyia)*
pseudopictus Grassi, 1899: *Anopheles (Anopheles)*
pseudopruina van Someren, 1951: *Culex (Culex)*
pseudopunctipennis Theobald, 1901: *Anopheles (Anopheles)*
pseudornatus Colless, 1960: *Culex (Lophoceraomyia)*
pseudorobusta Pajot & Fauran, 1975: *Wyeomyia (Wyeomyia)*
pseudorubithoracis Sirivanakarn, 1968: *Culex (Lophoceraomyia)*
pseudoscutellaris Theobald, 1910: *Stegomyia [Aedes (Stegomyia)]*
pseudoshillitonis da Cunha Ramos & Brunhes, 2004: *Uranotaenia (Pseudoficalbia)*
pseudosinensis Baisas, 1935: *Anopheles (Anopheles)*
pseudosinensis Colless, 1955: *Culex (Oculeomyia)*
pseudostigmaticus Dobrotworsky, 1957: *Anopheles (Anopheles)*
pseudostigmatosoma Strickman, 1990: *Culex (Culex)*
pseudosundaicus Tyagi, Hiriyan, Tewari, Ayanar, Samuel, Arunachalam, Paramasivan, Krishnamoorthy, Dhananjeyan, Leo & Rajendran, 2009: *Anopheles (Cellia)*
pseudotaenialis (Giles, 1901): *Collessius (Alloeomyia) [Ochlerotatus (Finlaya)]*
pseudotarsalis (van Someren, 1946): *Catageomyia [Aedes (Aedimorphus)]*
pseudotibiamaculatus Galvão & Barretto, 1941: *Anopheles (Lophopodomomyia)*
pseudotitillans (Theobald, 1901): *Mansonia (Mansonia)*
pseudovarietas (Reinert, 1974): *Verrallina (Neomacleaya)*
pseudovishnui Colless, 1957: *Culex (Culex)*
pseudowillmori (Theobald, 1910): *Anopheles (Cellia)*
pubescens (Edwards, 1925): *Aedimorphus [Aedes (Aedimorphus)]*
pujutensis Colless, 1948: *Anopheles (Cellia)*
pulcherrima Lynch Arribalzaga, 1891: *Uranotaenia (Uranotaenia)*
pulcherrimus Theobald, 1902: *Anopheles (Cellia)*
pulchrithorax (Edwards, 1939): *Vansomerenis [Ochlerotatus (Finlaya)]*
pulchriventer (Giles, 1901): *Gilesius [Ochlerotatus (Finlaya)]*
pulcripalpis (Rondani, 1872): *Orthopodomomyia*
pulcritarsis (Rondani, 1872): *Ochlerotatus* (unplaced) [*Ochlerotatus (Ochlerotatus)*]
pulidoi Cova Garcia & Sutil Oramas, 1974: *Culex (Microculex)*
pullatus (Coquillett, 1904): *Ochlerotatus* (unplaced) [*Ochlerotatus (Ochlerotatus)*]
pullus Theobald, 1905: *Culex (Culiciomyia)*
pullus Yamada, 1937: *Anopheles (Anopheles)*
pulverulentus (Edwards, 1922): *Indusius [Aedes (Indusius)]*
punctifemoris (Ludlow, 1921): *Aedimorphus [Aedes (Aedimorphus)]*
punctimacula Dyar & Knab, 1906: *Anopheles (Anopheles)*
punctipennis (Say, 1823): *Anopheles (Anopheles)*
punctipes (Edwards, 1921): *Petermattinglyius [Aedes (Diceromyia)]*

punctiscapularis Floch & Abonnenc, 1946: *Culex* (subgenus uncertain)
punctocostale (Theobald, 1909): *Neomelaniconion* [*Aedes* (*Neomelaniconion*)]
punctodes (Dyar, 1922): *Ochlerotatus* (unplaced) [*Ochlerotatus* (*Ochlerotatus*)]
punctolateralis (Theobald, 1903): *Tripteroides* (*Polylepidomyia*)
punctor (Kirby, 1837): *Ochlerotatus* (unplaced) [*Ochlerotatus* (*Ochlerotatus*)]
punctothoracis (Theobald, 1909): *Catageomyia* [*Aedes* (*Aedimorphus*)]
punctulatus Dönitz, 1901: *Anopheles* (*Cellia*)
purpuraceus (Brug, 1932): *Ochlerotatus* (*Gilesia*) [*Ochlerotatus* (*Ochlerotatus*)]
purpuratus (Edwards, 1921): *Tripteroides* (*Tripteroides*)
purpurea Theobald, 1910: *Molpemyia* [*Ochlerotatus* (*Molpemyia*)]
purpureifemur (Marks, 1959): *Ochlerotatus* (unplaced) [*Ochlerotatus* (*Ochlerotatus*)]
purpureipes (Aitken, 1941): *Kompia* [*Ochlerotatus* (*Kompia*)]
purpureus (Theobald, 1901): *Toxorhynchites* (*Ankylorhynchus*)
purpureus (Theobald, 1907): *Sabethes* (*Sabethes*)
purpuriventris (Edwards, 1926): *Ochlerotatus* (*Pholeomyia*) [*Ochlerotatus* (*Ochlerotatus*)]
purpursati Laveran, 1902: *Anopheles* (*Anopheles*)
pusillus (da Costa Lima, 1931): *Toxorhynchites* (*Lynchiella*)
pusillus Macquart, 1850: *Culex* (*Barraudius*)
putumayensis Matheson, 1934: *Culex* (*Melanoconion*)
pygmaea (Theobald, 1903): *Psorophora* (*Grabhamia*)
pygmaea Theobald, 1901: *Uranotaenia* (*Uranotaenia*)
pylei Baisas, 1946: *Uranotaenia* (*Pseudoficalbia*)
quadriannulatus Theobald, 1911: *Anopheles* (*Cellia*)
quadrifoliatus Komp, 1936: *Culex* (*Melanoconion*)
quadrifolium (Brug, 1934): *Verrallina* (*Verrallina*)
quadrimaculata Edwards, 1929: *Uranotaenia* (*Pseudoficalbia*)
quadrimaculatus Say, 1824: *Anopheles* (*Anopheles*)
quadripalpis (Edwards, 1914): *Culex* (*Lophoceraomyia*)
quadripunctis (Ludlow, 1910): *Mucidos* (*Pardomyia*) [*Ochlerotatus* (*Mucidos*)]
quadrispinata (King & Hoogstraal, 1947): *Verrallina* (*Verrallina*)
quadrivittata (Coquillett, 1902): *Howardina* [*Ochlerotatus* (*Howardina*)]
quascyaneus Peryassú, 1922: *Sabethes* (*Sabethes*)
quasiferinus (Mattingly, 1961): *Mucidos* (*Mucidos*) [*Ochlerotatus* (*Mucidos*)]
quasiferox (Leicester, 1908): *Toxorhynchites* (*Toxorhynchites*)
quasiguiarti Theobald, 1910: *Culex* (*Culex*)
quasihybridus Galindo & Blanton, 1954: *Culex* (*Melanoconion*)
quasilongirostris (Theobald, 1907): *Wyeomyia* (*Phoniomyia*)
quasimodesta Peyton, 1977: *Uranotaenia* (*Pseudoficalbia*)
quasioriginator Duret, 1972: *Culex* (*Anoediopora*)
quasiornatus (Taylor, 1915): *Tripteroides* (*Tripteroides*)
quasirubithorax (Theobald, 1910): '*Ochlerotatus* (*Finlaya*)'
quasirusticus (Torres Cañamares, 1951): *Ochlerotatus* (*Rusticoidus*)
quasisanguinae Leicester, 1908: *Hodgesia*
quasiscutellaris (Farner & Bohart, 1944): *Stegomyia* [*Aedes* (*Stegomyia*)]
quasiunivittatus (Theobald, 1901): *Aedimorphus* [*Aedes* (*Aedimorphus*)]
quettensis Mattingly, 1955: *Culex* (*Maillotia*)
qui Dong, Dong & Zhou, 2003: *Uranotaenia* (*Pseudoficalbia*)
quinquefasciatus Say, 1823: *Culex* (*Culex*)
quinquelineata (Edwards, 1922): *Rampamyia* [*Ochlerotatus* (*Finlaya*)]
quinquemaculata Bonne-Wepster, 1934: *Uranotaenia* (*Pseudoficalbia*)
quinquevittatus Theobald, 1901: *Eretmapodites*
quintetti Brunhes, Adam & Bailly-Choumara, 1967: *Culex* (*Eumelanomyia*)
quitensis Levi-Castillo, 1953: *Culex* (*Culex*)
rabanicola Floch & Abonnenc, 1946: *Culex* (*Melanoconion*)
rabelloi Forattini & Sallum, 1987: *Culex* (*Melanoconion*)
rachoui Duret, 1968: *Culex* (*Melanoconion*)
rachoui Galvão, 1952: *Anopheles* (*Anopheles*)
rachoui Xavier, da Silva Mattos & da Silva, 1970: *Uranotaenia* (*Uranotaenia*)
radama de Meillon, 1943: *Anopheles* (*Cellia*)
rageaui Mattingly & Adam, 1954: *Anopheles* (*Cellia*)

raghavanii Rahman, Chowdhury & Kalra, 1968: *Culex (Lophoceraomyia)*
rajah Tsukamoto, 1989: *Culex (Culiciomyia)*
rajah Tsukamoto, 1989: *Toxorhynchites (Toxorhynchites)*
rajaneae Sirivanakarn, 1968: *Culex (Lophoceraomyia)*
rajaonarivelo Brunhes & Hervy, 1995: *Orthopodomyia*
ramachandrai (Reuben, 1967): *Dendroskusea [Aedes (Diceromyia)]*
ramakrishnii Wattal & Kalra, 1965: *Culex (Culiciomyia)*
ramalai Grjebine, 1986: *Mimomyia (Ingramia)*
ramalingami (Reinert, 1974): *Verrallina (Harbachius)*
ramalingami Evenhuis & Steffan, 1986: *Toxorhynchites (Toxorhynchites)*
ramalingami Sirivanakarn, 1973: *Culex (Culiciomyia)*
rami (Barraud, 1928): *Verrallina (Neomacleaya)*
ramirezi (Vargas & Downs, 1950): *Aztecaedes [Ochlerotatus (Aztecaedes)]*
ramosa da Cunha Ramos, 1993: *Uranotaenia (Pseudoficalbia)*
rampae Peyton & Klein, 1970: *Uranotaenia (Uranotaenia)*
rampae Harbach & Somboon, 2011: *Anopheles (Cellia)*
ranci Grjebine, 1953: *Anopheles (Cellia)*
rangeli Gabaldon, Cova Garcia & Lopez, 1940: *Anopheles (Nyssorhynchus)*
rara (Delfinado, 1968): *Verrallina (Neomacleaya)*
raris (Leicester, 1908): *Toxorhynchites (Toxorhynchites)*
ratcliffei (Marks, 1959): *Ochlerotatus* (unplaced) [*Ochlerotatus (Ochlerotatus)*]
rousseoi Cova Garcia, Sutil Oramas & Pulido F., 1972: *Culex (Carrollia)*
ravaonjanaharyi Brunhes & Hervy, 1995: *Orthopodomyia*
ravenalicola da Cunha Ramos & Brunhes, 2004: *Uranotaenia (Pseudoficalbia)*
ravissei Rickenbach & Eouzan, 1970: *Eretmapodites*
raymondi (del Ponte, Castro & Garcia, 1951): *Ochlerotatus (Ochlerotatus)*
reali (Hamon & Adam, 1959): *Catageiomyia [Aedes (Aedimorphus)]*
recens Sallum & Peyton, 2005: *Anopheles (Cellia)*
recondita Edwards, 1922: *Uranotaenia (Pseudoficalbia)*
reducens Lane & Whitman, 1951: *Culex (Microculex)*
reesi (King & Hoogstraal, 1947): *Verrallina (Verrallina)*
reevesi Wirth, 1948: *Culex (Neoculex)*
refiki (Medschid, 1928): *Ochlerotatus (Rusticoidus)*
regale Peyton & Harbach, 2000: *Onirion*
regalis Dyar & Knab, 1906: *Haemagogus (Haemagogus)*
reginae (Edwards, 1922): *Dendroskusea [Aedes (Diceromyia)]*
reginae Floch & Fauran, 1955: *Culex (Microculex)*
reidi Colless, 1965: *Culex (Lophoceraomyia)*
reidi Harrison, 1973: *Anopheles (Anopheles)*
reidi Mattingly, 1957: *Heizmannia (Heizmannia)*
reinerti (Rattarithikul & Harrison, 1988): *Hulecoeteomyia [Ochlerotatus (Finlaya)]*
reinerti Peyton, 1977: *Uranotaenia (Pseudoficalbia)*
reisen Basio, 1971: *Tripterooides (Tripterooides)*
rejector Dyar & Knab, 1906: *Culex (Microculex)*
rempeli (Vockeroth, 1954): *Ochlerotatus* (unplaced) [*Ochlerotatus (Ochlerotatus)*]
renatoi Lane & Ramalho, 1960: *Culex (Phytotelmatomyia)*
rennellensis Taylor & Maffi, 1991: *Anopheles (Cellia)*
restrictor Dyar & Knab, 1906: *Culex (Anoedioparpa)*
restuans Theobald, 1901: *Culex (Culex)*
reubenae (Tewari & Hiriyan, 1992): *Tewarius [Aedes (Diceromyia)]*
reunionensis Brunhes & Hervy, 1995: *Orthopodomyia*
reversa (Lane & Cerqueira, 1942): *Runchomyia (Runchomyia)*
reyi Baisas, 1935: *Uranotaenia (Uranotaenia)*
rhodesiensis Theobald, 1901: *Anopheles (Cellia)*
rhungkiangensis (Chang & Chang, 1974): *Stegomyia [Aedes (Stegomyia)]*
rhyacophilus (da Costa Lima, 1933): *Ochlerotatus* (unplaced) [*Ochlerotatus (Ochlerotatus)*]
ribeirensis Forattini & Sallum, 1985: *Culex (Melanoconion)*
richardgarciai Jeffery, Oothuman & Rudnick, 1987: *Culex (Eumelanomyia)*
richei Klein, 1970: *Culex (Eumelanomyia)*
richeti Brunhes & Venhard, 1966: *Culex (Barraudius)*

richiardi (Ficalbi, 1889): **Coquillettidia (Coquillettidia)**
rickenbachi da Cunha Ramos, 1993: **Uranotaenia (Pseudoficalbia)**
rickenbachi Ferrara & Eouzan, 1974: **Eretmapodites**
rickenbachi (Hamon & Adam, 1959): **Aedimorphus [Aedes (Aedimorphus)]**
rickenbachi Ribeiro, 1991: **Toxorhynchites (Toxorhynchites)**
rima Theobald, 1901: **Culex (Eumelanomyia)**
riojanus Duret, 1968: **Culex (Culex)**
riparioides (Su & Zhang, 1987): **Ochlerotatus (unplaced) [Ochlerotatus (Ochlerotatus)]**
riparis King & Baisas, 1936: **Anopheles (Cellia)**
riparius (Dyar & Knab, 1907): **Ochlerotatus (unplaced) [Ochlerotatus (Ochlerotatus)]**
riverai Duret, 1970: **Uranotaenia (Uranotaenia)**
riverai Miyagi, Toma & Tsukamoto, 1983: **Tripteroides (Tripteroides)**
roversi (Bohart & Ingram, 1946): **Stegomyia [Aedes (Stegomyia)]**
rivulorum Leeson, 1935: **Anopheles (Cellia)**
rizali (Banks, 1906): **Hulecoeteomyia [Ochlerotatus (Finlaya)]**
rizzo (de Deus Palma & Galvão, 1969): **Toxorhynchites (Lynchiella)**
roai (Belkin, 1962): '**Ochlerotatus (Finlaya)**'
roberti da Cunha Ramos & Brunhes, 2004: **Uranotaenia (Uranotaenia)**
robertsi (Laffoon, 1946): **Verrallina (Harbachius)**
robinsoni (Belkin, 1962): **Stegomyia (Actinothrix) [Aedes (Stegomyia)]**
robusta Senevet & Abonnenc, 1939: **Wyeomyia (Wyeomyia)**
rochei (Doucet, 1951): **Coquillettidia (Coquillettidia)**
rodhaini Brunhes & Hervy, 1995: **Orthopodomomyia**
rodhaini Leleup & Lips, 1950: **Anopheles (Cellia)**
rodhaini Ribeiro, 1991: **Toxorhynchites (Toxorhynchites)**
rollai Cova Garcia, Pulido F. & Escalante de Ugueto, 1977: **Anopheles (Kerteszia)**
romeroi Surcouf & Gonzalez-Rincones, 1912: **Culex (subgenus uncertain)**
ronderosi de Linero, 1967: **Culex (Melanoconion)**
rondoni (Neiva & Pinto, 1922): **Anopheles (Nyssorhynchus)**
rooti (del Ponte, 1939): **Wyeomyia (subgenus uncertain)**
rooti Rozeboom, 1935: **Culex (Melanoconion)**
roperi Reid, 1950: **Anopheles (Anopheles)**
rorotaensis Floch & Abonnenc, 1946: **Culex (Melanoconion)**
rorotai Senevet, Chabelard & Abonnenc, 1942: **Wyeomyia (subgenus uncertain)**
roseni Belkin, 1962: **Culex (Culex)**
roslihashimi Miyagi & Toma, 2005: **Topomyia (Suaymyia)**
rossi Delfinado, 1966: **Uranotaenia (Pseudoficalbia)**
rossicus Dolbeskin, Gorickaja & Mitrofanova, 1930: **Aedes [Aedes (Aedes)]**
rotana (Bohart & Ingram, 1946): **Stegomyia (Bohartius) [Aedes (Stegomyia)]**
rotoruae Belkin, 1968: **Culex (Culex)**
rotumae (Belkin, 1962): **Stegomyia [Aedes (Stegomyia)]**
rotumanus (Edwards, 1929): **Tripteroides (Polylepidomyia)**
roubaudi (Doucet, 1950): **Mimomyia (Ingramia)**
roubaudi Grjebine, 1953: **Anopheles (Cellia)**
roucouyana (Bonne-Wepster & Bonne, 1920): **Wyeomyia (subgenus uncertain)**
roxasi Baisas & Ubaldo-Pagayon, 1953: **Tripteroides (Tricholeptomomyia)**
rozeboomi Baisas & Ubaldo-Pagayon, 1953: **Tripteroides (Rachionotomyia)**
rozeboomi Causey, Deane & Deane, 1944: **Chagasia**
ruarinus Edwards, 1940: **Anopheles (Cellia)**
rubensis Sasa & Takahashi, 1948: **Culex (Neoculex)**
rubiginosus (Belkin, 1962): '**Ochlerotatus (Finlaya)**'
rubinotus Theobald, 1906: **Culex (Eumelanomyia)**
rubithoracis (Leicester, 1908): **Culex (Lophoceraomyia)**
rubithoracis Leicester, 1908: **Topomyia (Topomyia)**
rubrithorax (Macquart, 1850): **Dobrotworskyius [Ochlerotatus (Finlaya)]**
rufipes (Gough, 1910): **Anopheles (Cellia)**
ruiiensis Dong, Zhou & Wang, 1997: **Heizmannia (Heizmannia)**
rupestris (Dobrotworsky, 1959): **Dobrotworskyius [Ochlerotatus (Finlaya)]**
rusticus (Rossi, 1790): **Ochlerotatus (Rusticoidus)**
ruthae Peters, 1958: **Culex (Culiciomyia)**

rutherfordi Edwards, 1922: *Uranotaenia (Uranotaenia)*
rutilus (Coquillett, 1896): *Toxorhynchites (Lynchiella)*
ruwenzori (Haddow & van Someren, 1950): *Stegomyia* [*Aedes (Stegomyia)*]
ruwenzori (van Someren, 1948): *Toxorhynchites (Afrorhynchus)*
ryukyensis Bohart, 1946: *Culex (Culiciomyia)*
sabahensis (Reinert, 1974): *Verrallina (Neomacleaya)*
sabahensis Ramalingam & Ramakrishna, 1988: *Topomyia (Topomyia)*
sabethea Lane & Cerqueira, 1942: *Wyeomyia (Miamiya)*
sacchettiae Sirivanakarn & Jakob, 1982: *Culex (Melanoconion)*
sacharovi Favre, 1903: *Anopheles (Anopheles)*
saeva Dyar & Knab, 1906: *Psorophora (Psorophora)*
sagax (Skuse, 1889): *Ochlerotatus* (unplaced) [*Ochlerotatus (Ochlerotatus)*]
saimedres (Huang, 1988): *Stegomyia* [*Aedes (Stegomyia)*]
saipanensis (Stone, 1945): *Stegomyia (Bohartius)* [*Aedes (Stegomyia)*]
salauni Rickenbach, Ferrara & Eouzan, 1968: *Eretmapodites*
salbairi Maffi & Coluzzi, 1958: *Anopheles (Cellia)*
salinarius Coquillett, 1904: *Culex (Culex)*
salisburyensis Theobald, 1901: *Culex (Maillotia)*
saltanensis Dyar, 1928: *Culex (Culex)*
samarensis Rozeboom, 1951: *Anopheles (Anopheles)*
samoensis (Theobald, 1914): *Culex (Oculeomyia)*
samoensis Stone, 1966: *Coquillettidia (Coquillettidia)*
samoana Grünberg, 1913: *Finlaya* [*Ochlerotatus (Finlaya)*]
sampaioi da Costa Lima, 1935: *Orthopodomyia*
sampi (Huang, 2004): *Stegomyia (Mukwaya)* [*Aedes (Stegomyia)*]
sanctielii Senevet & Abonnenc, 1938: *Anopheles (Nyssorhynchus)*
sandrae (Zavortink, 1972): '*Ochlerotatus (Protomacleaya)*'
sandrae Berlin, 1969: *Culex (Micraedes)*
sangengluoensis Wang, 1984: *Culex (Lophoceraomyia)*
sangitee Sathe & Girhe, 2002: '*Aedes*'
sangiti Girhe & Sathe, 2001: '*Aedes*'
sanguinae Theobald, 1904: *Hodgesia*
santamarinai Broche, 2000: *Psorophora (Grabhamia)*
saperoi (Knight, 1946): *Downsiomyia* [*Ochlerotatus (Finlaya)*]
saperoi Bohart & Ingram, 1946: *Anopheles (Anopheles)*
sapiens (Marks, 1964): *Ochlerotatus* (unplaced) [*Ochlerotatus (Ochlerotatus)*]
sapphirina (Osten Sacken, 1868): *Uranotaenia (Uranotaenia)*
saramaccensis Bonne-Wepster & Bonne, 1920: *Culex (Melanoconion)*
sardinerae Fox, 1953: *Culex (Melanoconion)*
sasai Kano, Nitahara & Awaya, 1954: *Culex (Culiciomyia)*
sasai Tanaka, Mizusawa & Saugstad, 1975: *Aedes* [*Aedes (Aedes)*]
saungi Colless, 1955: *Anopheles (Cellia)*
savoryi (Bohart, 1957): *Tanakaius* [*Ochlerotatus (Finlaya)*]
sawadwongporni Rattanarithikul & Green, 1987: *Anopheles (Cellia)*
sawyeri Causey, Deane, Deane & Sampaio, 1943: *Anopheles (Nyssorhynchus)*
saxicola (Edwards, 1922): *Hulecoeteomyia* [*Ochlerotatus (Finlaya)*]
scanloni (Reinert, 1970): *Petermattinglyius* [*Aedes (Diceromyia)*]
scanloni Bram, 1967: *Culex (Culiciomyia)*
scanloni Mattingly, 1970: *Heizmannia (Heizmannia)*
scanloni Sallum & Peyton, 2005: *Anopheles (Cellia)*
scapularis (Rondani, 1848): *Ochlerotatus (Ochlerotatus)*
scatophagoides Theobald, 1901: *Mucidus (Mucidus)* [*Ochlerotatus (Mucidus)*]
schedocyclia (Dyar & Knab, 1908): *Shannoniana*
scheuberi Carpintero & Leguizamón, 2004: *Culex (Culex)*
schicki (Zavortink, 1972): '*Ochlerotatus (Protomacleaya)*'
schicki Berlin, 1969: *Culex (Micraedes)*
schilfgardei Sirivanakarn, 1968: *Culex (Lophoceraomyia)*
schizopinax (Dyar, 1929): *Ochlerotatus* (unplaced) [*Ochlerotatus (Ochlerotatus)*]
schlosseri (Belkin, 1962): *Finlaya* [*Ochlerotatus (Finlaya)*]
schnusei (Martini, 1931): *Sabethes (Sabethes)*

schoutedeni (Wolfs, 1948): *Coquillettidia (Coquillettidia)*
schroederi (Schick, 1970): '*Ochlerotatus (Protomacleaya)*'
schtakelbergi (Shingarev, 1928): *Ochlerotatus* (unplaced) [*Ochlerotatus (Ochlerotatus)*]
schueffneri Stanton, 1915: *Anopheles (Cellia)*
schwetzi (Edwards, 1926): *Stegomyia* [*Aedes (Stegomyia)*]
schwetzi Edwards, 1929: *Culex (Culex)*
schwetzi Evans, 1934: *Anopheles (Cellia)*
scimitar Branch & Seabrook, 1959: *Culex (Culex)*
scintillans Ludlow, 1905: *Heizmannia (Heizmannia)*
scotinomus (Dyar & Knab, 1907): *Wyeomyia (Wyeomyia)*
scottii Theobald, 1912: *Culex (Culex)*
scutellalbum (Boshell-Manrique, 1939): *Ochlerotatus* (unplaced) [*Ochlerotatus (Ochlerotatus)*]
scutellaris (Walker, 1858): *Stegomyia* [*Aedes (Stegomyia)*]
scutoscripta (Bohart & Ingram, 1946): *Stegomyia* [*Aedes (Stegomyia)*]
scutostrata da Cunha Ramos & Brunhes, 2004: *Uranotaenia (Pseudoficalbia)*
seampi (Huang, 1974): *Stegomyia (Actinothrix)* [*Aedes (Stegomyia)*]
seatoi (Huang, 1969): *Stegomyia* [*Aedes (Stegomyia)*]
sechani Brunhes & Boussès, 2009: *Culex (Culex)*
seculata (Menon, 1950): *Verrallina (Neomacleaya)*
secundus Bonne-Wepster & Bonne, 1920: *Culex (Carrollia)*
secutor Theobald, 1901: *Culex (Culex)*
sedaensis (Lei, 1989): *Ochlerotatus* (unplaced) [*Ochlerotatus (Ochlerotatus)*]
sedlacekiae Sirivanakarn, 1968: *Culex (Lophoceraomyia)*
segermanae (Huang, 1997): *Stegomyia* [*Aedes (Stegomyia)*]
selai Klein & Sirivanakarn, 1970: *Culex (Eumelanomyia)*
selangorensis Sirivanakarn, 1976: *Culex (Oculeomyia)*
seldeslachtsi Wolfs, 1947: *Culex (Culex)*
sembeli Toma & Miyagi, 2002: *Armigeres (Armigeres)*
semibrunneus Edwards, 1927: *Culex (Culiciomyia)*
semisimplicipes Edwards, 1914: *Eretmapodites*
semlikiensis (van Someren, 1950): *Aedimorphus* [*Aedes (Aedimorphus)*]
seniori Barraud, 1934: *Culex (Lophoceraomyia)*
sentania (King & Hoogstraal, 1947): *Verrallina (Verrallina)*
senyavinensis (Knight & Hurlbut, 1949): *Aedimorphus* [*Aedes (Aedimorphus)*]
seoulensis (Yamada, 1921): *Hopkinsius (Yamada)* [*Ochlerotatus (Finlaya)*]
separatus (Leicester, 1908): *Anopheles (Anopheles)*
septempunctata Theobald, 1905: *Mansonia (Mansonioides)*
septemstriata (Dyar & Knab, 1907): *Howardina* [*Ochlerotatus (Howardina)*]
seretsei Abdulla-Khan, Coetzee & Hunt, 1998: *Anopheles (Cellia)*
sergentii (Theobald, 1907): *Anopheles (Cellia)*
sergievi (Danilov, Markovich & Proskuryakova, 1978): *Ochlerotatus* (unplaced) [*Ochlerotatus (Ochlerotatus)*]
serrata (Lutz, 1905): *Wyeomyia (Miamiya)*
serratimarge Root, 1927: *Culex (Melanoconion)*
serratoria (Dyar & Nunez Tovar, 1927): *Wyeomyia* (subgenus uncertain)
serratus (Barraud, 1929): *Tripterooides (Rachionotomyia)*
serratus (Theobald, 1901): *Ochlerotatus (Protoculex)* [*Ochlerotatus (Ochlerotatus)*]
seticoxitus Luh & Li, 1981: *Armigeres (Armigeres)*
setifer Delfinado, 1966: *Armigeres (Armigeres)*
setosa King & Hoogstraal, 1947: *Uranotaenia (Uranotaenia)*
sexaueri Belkin, 1953: *Uranotaenia (Uranotaenia)*
sexlineata (Theobald, 1901): *Howardina* [*Ochlerotatus (Howardina)*]
seydeli Edwards, 1929: *Anopheles (Cellia)*
seyrigi Edwards, 1941: *Culex (Maillotia)*
shanahani Sirivanakarn, 1968: *Culex (Lophoceraomyia)*
shannoni (Lane & Antunes, 1937): *Coquillettidia (Rhynchotaenia)*
shannoni (Vargas & Downs, 1950): *Ochlerotatus* (unplaced) [*Ochlerotatus (Ochlerotatus)*]
shannoni Cerqueira, 1961: *Sabethes (Sabethes)*
shannoni Davis, 1931: *Anopheles (Anopheles)*
shannoni Lane & Cerqueira, 1942: *Wyeomyia* (subgenus uncertain)

shebbearei Barraud, 1924: **Culex (Culiciomyia)**
shehzadae (Qutubuddin, 1972): **Downsiomyia** [**Ochlerotatus (Finlaya)**]
sherki (Knight, 1948): **Hulecoeteomyia** [**Ochlerotatus (Finlaya)**]
shillitonis Edwards, 1932: **Uranotaenia (Pseudoficalbia)**
shinonagai Tanaka, Mizusawa & Saugstad, 1979: **Lutzia (Insulalutzia)**
shoae Hamon & Ovazza, 1954: **Culex (Culex)**
shopei Forattini & Toda, 1966: **Culex (Microculex)**
shortti (Barraud, 1923): **Collessius (Collessius)** [**Ochlerotatus (Finlaya)**]
siamensis Zavortink, 1968: **Orthopodomya**
sibirica (Danilov & Filippova, 1978): **Stegomyia** [**Aedes (Stegomyia)**]
sierrensis (Ludlow, 1905): **Jarnellius** [**Ochlerotatus (Ochlerotatus)**]
signata da Cunha Ramos, 1993: **Uranotaenia (Pseudoficalbia)**
signifera (Coquillett, 1896): **Orthopodomya**
signipennis (Coquillett, 1904): **Psorophora (Grabhamia)**
silvai Duret, 1968: **Culex (Melanoconion)**
silvestris (Dobrotworsky, 1961): **Ochlerotatus** (unplaced) [**Ochlerotatus (Ochlerotatus)**]
silvestris Ingram & de Meillon, 1927: **Eretmapodites**
simanini (Gutsevich, 1966): **Ochlerotatus** (unplaced) [**Ochlerotatus (Ochlerotatus)**]
simile Lane & Cerqueira, 1942: **Trichoprosopon**
similis (Leicester, 1908): **Tripteroides (Tripteroides)**
similis (Theobald, 1910): **Verrallina (Verrallina)**
similissimus Strickland & Chowdhury, 1927: **Anopheles (Anopheles)**
simplensis (Edwards, 1922): **Himalaius** [**Ochlerotatus (Finlaya)**]
simmondsi Tenorio, 1977: **Bironella (Bironella)**
simmsi (Dyar & Knab, 1908): **Wyeomyia (Wyeomyia)**
simpla (King & Hoogstraal, 1947): **Verrallina (Verrallina)**
simplex (Theobald, 1903): **Canraedes** [**Aedes (Canraedes)**]
simplex Brug, 1934: **Tripteroides (Rachisoura)**
simplicicornis Edwards, 1930: **Culex (Eumelanomyia)**
simpliciforceps Edwards, 1941: **Culex (Eumelanomyia)**
simpsoni Theobald, 1905: **Culex (Culex)**
simpsoni Theobald, 1905: **Stegomyia (Mukwaya)** [**Aedes (Stegomyia)**]
simulans (Newstead & Carter, 1911): **Elpeytonius** [**Aedes (Aedimorphus)**]
simulator Dyar & Knab, 1906: **Culex (Melanoconion)**
simulatus Baisas & Ubaldo-Pagayon, 1953: **Tripteroides (Tripteroides)**
sinaiticus Kirkpatrick, 1925: **Culex (Culex)**
sinensis (Chow, 1950): **Downsiomyia** [**Ochlerotatus (Finlaya)**]
sinensis Theobald, 1903: **Culex (Oculeomyia)**
sinensis Wiedemann, 1828: **Anopheles (Anopheles)**
sineroides Yamada, 1924: **Anopheles (Anopheles)**
singhbhumensis Natarajan & Rajavel, 2009: **Culex (Lophoceraomyia)**
singuawaensis Sirivanakarn, 1969: **Culex (Lophoceraomyia)**
singularis (Leicester, 1908): **Verrallina (Neomacleaya)**
sinkiagensis (Hsiao, 1977): **Ochlerotatus** (unplaced) [**Ochlerotatus (Ochlerotatus)**]
sintoni (Barraud, 1924): 'Ochlerotatus (Finlaya)'
sintoni Puri, 1929: **Anopheles (Anopheles)**
sintonoides Ho, 1938: **Anopheles (Anopheles)**
siphanulatus Lourenço-de-Oliveira & da Silva, 1987: **Culex (Microculex)**
sirivanakarni (Duret, 1982): **Onirion**
sitiens Wiedemann, 1828: **Culex (Culex)**
smaragdinus Reinert, 1997: **Anopheles (Anopheles)**
smithburni (van Someren, 1950): **Catageiomyia** [**Aedes (Aedimorphus)**]
smithii (Coquillett, 1901): **Wyeomyia (Wyeomyia)**
smithii Theobald, 1905: **Anopheles (Cellia)**
soaresi Lane & Cerqueira, 1942: **Trichoprosopon**
socialis Theobald, 1901: **Uranotaenia (Uranotaenia)**
sohni (Reinert, 1974): **Verrallina (Neomacleaya)**
soleata (Edwards, 1924): **Stegomyia** [**Aedes (Stegomyia)**]
solitarius Bonne-Wepster, 1938: **Culex (Culex)**
sollicitans (Walker, 1856): **Ochlerotatus (Culicelsa)** [**Ochlerotatus (Ochlerotatus)**]

solomonis (Belkin, 1962): *Mimomyia* (*Etorleptiomyia*)
solomonis Belkin, 1953: *Uranotaenia* (*Uranotaenia*)
solomonis (Edwards, 1924): *Tripteroides* (*Polylepidomyia*)
solomonis (Stone & Bohart, 1944): *Finlaya* [*Ochlerotatus* (*Finlaya*)]
solomonis (Wharton, 1947): *Malaya*
solomonis Belkin, 1962: *Hodgesia*
solomonis Belkin, Knight & Rozeboom, 1945: *Anopheles* (*Cellia*)
solomonis Edwards, 1929: *Culex* (*Lophoceraomyia*)
solstitialis (Lutz, 1904): *Toxorhynchites* (*Lynchiella*)
somalicus Rivola & Holstein, 1957: *Anopheles* (*Cellia*)
sombooni Peyton & Klein, 1970: *Uranotaenia* (*Uranotaenia*)
soperi Antunes & Lane, 1937: *Culex* (*Carrollia*)
soperi Lane & Cerqueira, 1942: *Sabethes* (*Peytonulus*)
soperi Levi-Castillo, 1955: *Haemagogus* (*Haemagogus*)
sororcula Dyar & Knab, 1906: *Wyeomyia* (*Wyeomyia*)
sorsogonensis (Bañez & Jueco 1966): *Finlaya* [*Ochlerotatus* (*Finlaya*)]
spanius (Dyar & Knab, 1909): *Deinocerites*
spathifurca (Edwards, 1915): *Culex* (*Culiciomyia*)
spathulatus Forattini & Sallum, 1987: *Culex* (*Melanoconion*)
spathulirostris Edwards, 1923: *Topomyia* (*Suaymyia*)
speciosus (Skuse, 1889): *Toxorhynchites* (*Toxorhynchites*)
spgazzinii Brethés, 1912: *Haemagogus* (*Haemagogus*)
spencerii (Theobald, 1901): *Ochlerotatus* (unplaced) [*Ochlerotatus* (*Ochlerotatus*)]
spermathecus (Wijesundara, 1951): *Verrallina* (*Neomacleaya*)
sphinx Howard, Dyar & Knab, 1913: *Culex* (*Culex*)
spiculosa Peyton & Rattanarithikul, 1970: *Uranotaenia* (*Pseudoficalbia*)
spiculostylus Chen, 1989: *Culex* (*Culiciomyia*)
spiculosus Bram & Rattanarithikul, 1967: *Culex* (*Lophoceraomyia*)
spiculothorax Bram, 1967: *Culex* (*Culiciomyia*)
spilotus (Marks, 1963): *Ochlerotatus* (*Lepidokeneon*) [*Ochlerotatus* (*Ochlerotatus*)]
spinitubus da Cunha Ramos & Brunhes, 2004: *Uranotaenia* (*Pseudoficalbia*)
spinophallus Zhou, Zhu & Lu, 1999: *Topomyia* (*Suaymyia*)
spinosa (Berlin, 1969): *Howardina* [*Ochlerotatus* (*Howardina*)]
spinosa (Doucet, 1951): *Mimomyia* (*Ingramia*)
spinosa da Cunha Ramos & Brunhes, 2004: *Uranotaenia* (*Pseudoficalbia*)
spinosipes Edwards, 1922: *Macleaya* (*Chaetocruimyia*) [*Ochlerotatus* (*Chaetocruimyia*)]
spinosus Lutz, 1905: *Culex* (*Culex*)
spiraculata da Cunha Ramos & Brunhes, 2004: *Uranotaenia* (*Pseudoficalbia*)
spissipes (Theobald, 1903): *Culex* (*Melanoconion*)
spixi Cerqueira, 1961: *Sabethes* (*Sabethes*)
splendens (de Meijere, 1909): *Malaya*
splendens (Wiedemann, 1819): *Toxorhynchites* (*Toxorhynchites*)
splendens Lee, 1946: *Tripteroides* (*Tripteroides*)
splendens Theobald, 1903: *Mimomyia* (*Mimomyia*)
splendens Williston, 1896: *Haemagogus* (*Haemagogus*)
splendida Bonne-Wepster & Bonne, 1919: *Wyeomyia* (*Phoniomyia*)
splendidus Koidzumi, 1920: *Anopheles* (*Cellia*)
spoliata Edwards, 1923: *Hodgesia*
squamifemur Antunes, 1937: *Anopheles* (*Lophopodomyia*)
squamiger (Coquillett, 1902): *Ochlerotatus* (unplaced) [*Ochlerotatus* (*Ochlerotatus*)]
squamipennis (Lynch Arribáizaga, 1878): *Aedeomyia* (*Aedeomyia*)
squamosus (Taylor, 1914): *Culex* (*Oculeomyia*)
squamosus Theobald, 1901: *Anopheles* (*Cellia*)
srilankensis (Reinert, 1977): *Verrallina* (*Harbachius*)
srilankensis Peyton, 1974: *Uranotaenia* (*Pseudoficalbia*)
staminifera Lourenço-de-Oliveira, Motta & de Castro, 1992: *Wyeomyia* (*Triamyia*)
standfasti Peters, 1959: *Tripteroides* (*Polylepidomyia*)
stanleyi (Peters, 1963): '*Ochlerotatus* (*Finlaya*)'
starckeae Stone & Knight, 1958: *Culex* (*Oculeomyia*)
steffani Sirivanakarn, 1968: *Culex* (*Lophoceraomyia*)

stellata Belkin, Heinemann & Page, 1970: *Wyeomyia* (*Wyeomyia*)
stellata Grjebine, 1986: *Mimomyia* (*Ingramia*)
stellatus van Someren, 1947: *Culex* (*Eumelanomyia*)
stenei (Thompson, 1956): *Howardina* [*Ochlerotatus* (*Howardina*)]
stenoetrus (Theobald, 1907): *Aedimorphus* [*Aedes* (*Aedimorphus*)]
stenolepis Dyar & Knab, 1908: *Culex* (*Culex*)
stenoscutus (Edwards, 1912): *Aedimorphus* [*Aedes* (*Aedimorphus*)]
stephensi Liston, 1901: *Anopheles* (*Cellia*)
stevensoni (Barraud, 1923): *Phagomyia* [*Ochlerotatus* (*Finlaya*)]
sticticus (Meigen, 1838): *Ochlerotatus* (unplaced) [*Ochlerotatus* (*Ochlerotatus*)]
stigmaticus (Edwards, 1922): *Ochlerotatus* (*Chrysoconops*) [*Ochlerotatus* (*Ochlerotatus*)]
stigmaticus Skuse, 1889: *Anopheles* (*Anopheles*)
stigmatosoma Dyar, 1907: *Culex* (*Culex*)
stimulans (Walker, 1848): *Ochlerotatus* (unplaced) [*Ochlerotatus* (*Ochlerotatus*)]
stokesi (Evans, 1929): *Albuginosus* [*Aedes* (*Albuginosus*)]
stonei (Knight & Laffoon, 1946): *Finlaya* [*Ochlerotatus* (*Finlaya*)]
stonei Belkin, 1950: *Tripteroides* (*Rachisoura*)
stonei Lane & Whitman, 1943: *Culex* (*Microculex*)
stonei Vargas & Martinez Palacios, 1953: *Wyeomyia* (*Wyeomyia*)
stonei Vargas, 1956: *Psorophora* (*Psorophora*)
stoneorum (Marks, 1977): *Macleaya* (*Macleaya*) [*Ochlerotatus* (*Macleaya*)]
stookesi Colless, 1955: *Anopheles* (*Cellia*)
stramineus (Dubitzky, 1970): *Ochlerotatus* (unplaced) [*Ochlerotatus* (*Ochlerotatus*)]
strelitziae (Muspratt, 1950): *Stegomyia* (*Mukwaya*) [*Aedes* (*Stegomyia*)]
striatipes Edwards, 1941: *Culex* (*Culex*)
stricklandi Barraud, 1926: *Uranotaenia* (*Pseudoficalbia*)
stricklandi Edwards, 1912: *Ochlerotatus* (*Lepidokoneon*) [*Ochlerotatus* (*Ochlerotatus*)]
stricklandi Reid, 1965: *Anopheles* (*Anopheles*)
strodei Root, 1926: *Anopheles* (*Nyssorhynchus*)
stunga (Klein, 1973): *Verrallina* (*Harbachius*)
suarezi Cova Garcia & Sutil Oramas, 1976: *Mansonia* (*Mansonia*)
subaequalis Edwards, 1941: *Culex* (*Culiciomyia*)
subalbatus (Coquillett, 1898): *Armigeres* (*Armigeres*)
subalbirostris (Klein & Marks, 1960): *Ochlerotatus* (unplaced) [*Ochlerotatus* (*Ochlerotatus*)]
subalbitarsis (King & Hoogstraal, 1946): *Patmarksia* [*Ochlerotatus* (*Finlaya*)]
subalbopicta (Barraud, 1931): *Stegomyia* [*Aedes* (*Stegomyia*)]
subargentea (Edwards, 1925): *Stegomyia* (*Mukwaya*) [*Aedes* (*Stegomyia*)]
subauridorsum (Marks, 1948): '*Ochlerotatus* (*Finlaya*)'
subbasalis (Dobrotworsky, 1962): *Dobrotworskyius* [*Ochlerotatus* (*Finlaya*)]
subcomplosa (del Ponte, 1939): *Wyeomyia* (subgenus uncertain)
subdentatus (Edwards, 1936): *Aedimorphus* [*Aedes* (*Aedimorphus*)]
subdiversus (Martini, 1926): *Ochlerotatus* (*Rusticoidus*)
submarginalis Sirivanakarn, 1973: *Culex* (*Lophoceraomyia*)
subnivea (Edwards, 1922): *Downsiomyia* [*Ochlerotatus* (*Finlaya*)]
subnormalis Martini, 1920: *Uranotaenia* (*Uranotaenia*)
subnudipennis (Edwards, 1927): *Tripteroides* (*Rachisoura*)
subochrea (Edwards, 1921): *Culiseta* (*Culiseta*)
subpictus Grassi, 1899: *Anopheles* (*Cellia*)
subrima Edwards, 1941: *Culex* (*Eumelanomyia*)
subsalisburyensis Hervé & Geoffroy, 1974: *Culex* (*Maillotia*)
subsimilis (Barraud, 1927): *Udaya*
subsimplicipes Edwards, 1914: *Eretmapodites*
subtibioclada King & Hoogstraal, 1947: *Uranotaenia* (*Uranotaenia*)
suchariti Miyagi & Toma, 1989: *Kimia*
sudanensis Theobald, 1908: *Mucidos* (*Mucidos*) [*Ochlerotatus* (*Mucidos*)]
suffusus (Edwards, 1922): '*Ochlerotatus* (*Finlaya*)'
sulawesi Waktoedi, 1954: *Anopheles* (*Cellia*)
sullivanae Baisas & Ubaldo-Pagayon, 1953: *Tripteroides* (*Tripteroides*)
sumatranus (Brug, 1939): *Toxorhynchites* (*Toxorhynchites*)
sumethi Peyton & Rattanarithikul, 1970: *Uranotaenia* (*Pseudoficalbia*)

sumidero (Schick, 1970): '*Ochlerotatus (Protomacleaya)*'
sundaicus (Rodenwaldt, 1925): *Anopheles (Cellia)*
sunthorni Thurman, 1959: *Toxorhynchites (Toxorhynchites)*
sunyaniensis Edwards, 1941: *Culex (Eumelanomyia)*
superpictus Grassi, 1899: *Anopheles (Cellia)*
surcoufi (Theobald, 1912): *Ochlerotatus* (unplaced) [*Ochlerotatus (Ochlerotatus)*]
surinamensis Bruijning, 1959: *Wyeomyia* (subgenus uncertain)
surinamensis Dyar, 1918: *Culex (Culex)*
sursumptor Dyar, 1924: *Culex (Melanoconion)*
sutili Cova García & Pulido F., 1974: *Culex (Microculex)*
svastii Thurman, 1959: *Topomyia (Topomyia)*
swahilicus Gillies, 1964: *Anopheles (Cellia)*
sylvanensis (Dobrotworsky, 1960): *Culiseta (Culicella)*
sylvatica (Brunhes, 1983): *Diceromyia* [*Aedes (Diceromyia)*]
sylvatica Lu, Dong & Wang, 1986: *Topomyia (Topomyia)*
sylvaticum le Goff, Boussès & Brunhes, 2007: *Neomelaniconion*
sylvestris (Theobald, 1910): *Tripteroides (Rachisoura)*
symbletos Sallum & Hutchings, 2003: *Culex (Melanoconion)*
symesi Edwards, 1928: *Anopheles (Anopheles)*
synchytus (Arnell, 1976): *Ochlerotatus (Ochlerotatus)*
syntheticus (Barraud, 1928): *Aedimorphus* [*Aedes (Aedimorphus)*]
szemaoensis Wang & Feng, 1964: *Culex (Lophoceraomyia)*
tabu (Ramalingam & Belkin, 1965): *Stegomyia* [*Aedes (Stegomyia)*]
taeniarostre (Theobald, 1909): *Neomelaniconion* [*Aedes (Neomelaniconion)*]
taeniarostris (Theobald, 1911): *Malaya*
taeniopus Dyar & Knab, 1907: *Culex (Melanoconion)*
taeniorhynchoides (Christophers, 1911): *Aedimorphus* [*Aedes (Aedimorphus)*]
taeniorhynchus (Wiedemann, 1821): *Ochlerotatus (Culicelsa)* [*Ochlerotatus (Ochlerotatus)*]
tahoensis (Dyar, 1916): *Ochlerotatus* (unplaced) [*Ochlerotatus (Ochlerotatus)*]
taiwanensis Lien, 1968: *Heizmannia (Heizmannia)*
taiwanus (Lien, 1968): *Bruceharrisonius* [*Ochlerotatus (Bruceharrisonius)*]
takasagoensis Morishita, 1946: *Anopheles (Cellia)*
tamsi Edwards, 1934: *Culex (Culex)*
tanzaniae da Cunha Ramos, 1993: *Uranotaenia (Pseudoficalbia)*
tarsalis (Newstead, 1907): *Catageomyia* [*Aedes (Aedimorphus)*]
tarsalis Coquillett, 1896: *Culex (Culex)*
tarsalis Delfinado & Hodges, 1968: *Tripteroides (Tripteroides)*
tarsata Lane & Cerqueira, 1942: *Wyeomyia (Exallomyia)*
tarsopus Dyar & Knab, 1908: *Sabethes (Sabethes)*
tasmaniensis (Strickland, 1911): *Tripteroides (Polylepidomyia)*
tasmaniensis Dobrotworsky, 1966: *Anopheles (Anopheles)*
tatoi Casal & García, 1971: *Culex (Culex)*
tauffliebi (Rickenbach & Ferrara, 1965): *Aedimorphus* [*Aedes (Aedimorphus)*]
tauffliebi Geoffroy & Hervé, 1976: *Culex (Eumelanomyia)*
taurepana Anduze, 1941: *Wyeomyia* (subgenus uncertain)
taylori (Edwards, 1936): *Diceromyia* [*Aedes (Diceromyia)*]
tchedidii de Meillon & Leeson, 1940: *Anopheles (Cellia)*
tecmarsis Dyar, 1918: *Culex (Melanoconion)*
teesdalei (van Someren, 1954): *Albuginosus* [*Aedes (Albuginosus)*]
tehuantepec (Schick, 1970): '*Ochlerotatus (Protomacleaya)*'
telesilla de Meillon & Lavoipierre, 1945: *Culex (Culex)*
telmatophila Galindo, Blanton & Peyton, 1954: *Uranotaenia (Uranotaenia)*
tenagius van Someren, 1954: *Culex (Culex)*
tenax de Meijere, 1910: *Tripteroides (Rachionotomyia)*
tendeiroi da Cunha Ramos, Ribeiro & Machado, 1992: *Eretmapodites*
tenebrosus Dönitz, 1902: *Anopheles (Anopheles)*
tengchongensis Dong, Wang & Zhou, 2002: *Heizmannia (Heizmannia)*
tenuipalpis (Edwards, 1924): *Coquillettia (Austromansonia)*
tenuipalpis Barraud, 1924: *Culex (Eumelanomyia)*
tenuis Edwards, 1922: *Topomyia (Topomyia)*

terebor Dyar, 1920: **Culex (Melanoconion)**
termi Thurman, 1955: **Culex (Culiciomyia)**
terrens (Walker, 1856): '**Ochlerotatus (Protomacleaya)**'
territans Walker, 1856: **Culex (Neoculex)**
terzii Edwards, 1941: **Culex (Culex)**
tessellatus Theobald, 1901: **Anopheles (Cellia)**
testacea Theobald, 1905: **Uranotaenia (Uranotaenia)**
testeii Senevet & Abonnenc, 1939: **Wyeomyia (Dendromyia)**
thailandensis (Reinert, 1976): **Paraedes [Aedes (Paraedes)]**
thalassius Theobald, 1903: **Culex (Culex)**
theileri Edwards, 1912: **Anopheles (Cellia)**
theileri Theobald, 1903: **Culex (Culex)**
thelcter (Dyar, 1918): **Ochlerotatus (Ochlerotatus)**
thelmae Mattingly, 1970: **Heizmannia (Heizmannia)**
theobaldi (Dyar & Knab, 1906): **Toxorhynchites (Lynchiella)**
theobaldi (Lane & Cerqueira, 1942): **Runchomyia (Runchomyia)**
theobaldi (Lane & Cerqueira, 1942): **Wyeomyia (Phoniomyia)**
theobaldi (Lutz, 1904): **Culex (Melanoconion)**
theobaldi (Taylor, 1914): **Ochlerotatus** (unplaced) [**Ochlerotatus (Ochlerotatus)**]
theobaldi Barraud, 1934: **Armigeres (Armigeres)**
theobaldi Giles, 1901: **Anopheles (Cellia)**
thibaulti (Dyar & Knab, 1910): **Ochlerotatus** (unplaced) [**Ochlerotatus (Ochlerotatus)**]
thomasi Shannon, 1933: **Anopheles (Stethomyia)**
thomsoni (Theobald, 1905): **Christophersomyia [Aedes (Christophersomyia)]**
thorntoni (Dyar & Knab, 1907): '**Ochlerotatus (Protomacleaya)**'
thriambus Dyar, 1921: **Culex (Culex)**
thurmanae (Mattingly, 1958): **Canraedes [Aedes (Canraedes)]**
thurmanorum Bram, 1967: **Culex (Culiciomyia)**
tianpingensis Chen, 1981: **Culex (Culex)**
tibialis Taylor, 1919: **Uranotaenia (Uranotaenia)**
tibiamaculatus (Neiva, 1906): **Anopheles (Anopheles)**
tibioclada King & Hoogstraal, 1947: **Uranotaenia (Uranotaenia)**
tigertti Scanlon & Peyton, 1967: **Anopheles (Anopheles)**
tigripes de Grandpre & de Charmoy, 1901: **Lutzia (Metalutzia)**
timorensis (Miyagi, Toma & Lien, 2004): **Geoskusea [Ochlerotatus (Geoskusea)]**
tiptoni (Grjebine, 1953): **Diceromyia [Aedes (Diceromyia)]**
tipuliformis Leicester, 1908: **Topomyia (Topomyia)**
titillans (Walker, 1848): **Mansonia (Mansonia)**
tityae Slooff, 1961: **Tripteroides (Rachisoura)**
toffaletii Baisas & Ubaldopagayon, 1953: **Tripteroides (Tripteroides)**
togoi (Theobald, 1907): **Tanakaius [Ochlerotatus (Finlaya)]**
tongae (Edwards, 1926): **Stegomyia [Aedes (Stegomyia)]**
tonkinensis (Galliard & Ngu, 1947): **Collessius (Alloeomyia) [Ochlerotatus (Finlaya)]**
tonkingi (Gebert, 1948): **Mucidus (Mucidus) [Ochlerotatus (Mucidus)]**
tonnoiri (Edwards, 1925): **Culiseta (Climacura)**
tonsa (Edwards, 1924): **Geoskusea [Ochlerotatus (Geoskusea)]**
tonsus Edwards, 1941: **Eretmapodites**
tormentor (Dyar & Knab, 1906): **Ochlerotatus (Protoculex) [Ochlerotatus (Ochlerotatus)]**
toroensis Edwards & Gibbins, 1939: **Culex (Culex)**
torokinae Belkin, 1950: **Tripteroides (Rachisoura)**
torosa (Delfinado, 1967): **Verrallina (Neomacleaya)**
torrentium Martini, 1925: **Culex (Culex)**
torresiensis Schmidt, 2001: **Anopheles (Cellia)**
tortilis (Theobald, 1903): **Ochlerotatus (Ochlerotatus)**
totonaci Lassmann, 1951: **Psorophora (Janthinosoma)**
tourneri Senevet & Abonnenc, 1939: **Culex (Melanoconion)**
toviensis Klein, Rivière & Séchan, 1984: **Culex (Culex)**
towadensis (Matsumara, 1916): **Toxorhynchites (Toxorhynchites)**
toxopeusi (Bonne-Wepster, 1948): '**Ochlerotatus (Finlaya)**'
tramazayguesi Duret, 1954: **Culex (Allimanta)**

trapidoi Galindo, Blanton & Peyton, 1954: *Uranotaenia (Uranotaenia)*
traubi Colless, 1965: *Culex (Lophoceraomyia)*
traubi Macdonald, 1960: *Armigeres (Leicesteria)*
travestita (Brug, 1928): *Bironella (Brugella)*
tremula Theobald, 1903: *Macleaya (Macleaya)* [*Ochlerotatus (Macleaya)*]
treubi (de Meijere, 1910): *Alanstonea* [*Aedes (Alanstonea)*]
triannulatus (Neiva & Pinto, 1922): *Anopheles (Nyssorhynchus)*
tricholabis (Edwards, 1941): *Aedimorphus* [*Aedes (Aedimorphus)*]
trichopygus (Wiedemann, 1828): *Toxorhynchites (Ankylorhynchus)*
trichorostris (Theobald, 1909): *Malaya*
tricolor da Cunha Ramos & Brunhes, 2004: *Uranotaenia (Pseudoficalbia)*
tricuspis Edwards, 1930: *Culex (Culiciomyia)*
tridentata da Cunha Ramos & Brunhes, 2004: *Uranotaenia (Pseudoficalbia)*
tridentatus Cerqueira, 1961: *Sabethes (Sabethoides)*
trifida Edwards, 1922: *Topomyia (Topomyia)*
trifidus Dyar, 1921: *Culex (Melanoconion)*
trifilatus Edwards, 1914: *Culex (Culex)*
trifoliatus Edwards, 1914: *Culex (Culex)*
trifurcata Clastrier, 1973: *Wyeomyia (Dendromyia)*
trigeminatus Clastrier, 1970: *Culex (Melanoconion)*
trilineata Leicester, 1908: *Uranotaenia (Uranotaenia)*
trilobulatus Duret & Barreto, 1956: *Culex (Melanoconion)*
trimaculatus (Theobald, 1905): *Aedimorphus* [*Aedes (Aedimorphus)*]
trinidadensis Theobald, 1901: *Wyeomyia (Phoniomyia)*
trinkae Faran, 1979: *Anopheles (Nyssorhynchus)*
tripartita (Bonne-Wepster & Bonne, 1921): *Wyeomyia (Phoniomyia)*
tripunctata (Theobald, 1908): *Heizmannia (Mattinglyia)*
triseriatus (Say, 1823): '*Ochlerotatus (Protomacleaya)*'
trisetosus Fauran, 1961: *Culex (Melanoconion)*
trispinata (King & Hoogstraal, 1947): *Verrallina (Verrallina)*
tritaeniorhynchus Giles, 1901: *Culex (Culex)*
trivittatus (Coquillett, 1902): *Ochlerotatus (Ochlerotatus)*
tropicalis Cerqueira & Antunes, 1938: *Haemagogus (Haemagogus)*
trukensis (Bohart, 1957): *Aedimorphus* [*Aedes (Aedimorphus)*]
tsaratananae Doucet, 1950: *Uranotaenia (Pseudoficalbia)*
tsengi Lien, 1968: *Culex (Culex)*
tsiliensis (King & Hoogstraal, 1946): '*Ochlerotatus (Finlaya)*'
tubbutiensis (Dobrotworsky, 1959): *Dobrotworskyius* [*Ochlerotatus (Finlaya)*]
tuberis Bohart, 1946: *Culex (Lophoceraomyia)*
tulagiensis (Edwards, 1926): *Stegomyia (Actinothrix)* [*Aedes (Stegomyia)*]
tulliae (Taylor, 1929): *Macleaya (Chaetocruimyia)* [*Ochlerotatus (Chaetocruimyia)*]
tumetarsalis Chen & Zhang, 1988: *Topomyia (Suaymyia)*
turkhudi Liston, 1901: *Anopheles (Cellia)*
turneri (Marks, 1963): *Ochlerotatus (Lepidokeneon)* [*Ochlerotatus (Ochlerotatus)*]
tutuila (Ramalingam & Belkin, 1965): *Finlaya* [*Ochlerotatus (Finlaya)*]
typhlosomata Dyar & Knab, 1907: *Uranotaenia (Uranotaenia)*
ugandae da Cunha Ramos, 1993: *Uranotaenia (Pseudoficalbia)*
uichancoi Baisas & Ubaldo-Pagayon, 1953: *Tripteroides (Tripteroides)*
ulocoma (Theobald, 1903): *Wyeomyia (Decamyia)*
ulopus (Dyar & Knab, 1906): *Johnbelkinia*
umbripes Edwards, 1941: *Culex (Culex)*
umbrosus (Theobald, 1903): *Anopheles (Anopheles)*
uncinatus Delfinado, 1966: *Culex (Eumelanomyia)*
unca (Theobald, 1901): *Verrallina (Neomacleaya)*
undosus (Coquillett, 1906): *Sabethes (Peytonulus)*
undulata del Ponte & Cerqueira, 1938: *Wyeomyia* (subgenus uncertain)
unguiculata Edwards, 1913: *Uranotaenia (Pseudoficalbia)*
unicinctus (Edwards, 1922): *Jihlienius* [*Ochlerotatus (Finlaya)*]
unicornis Root, 1928: *Culex (Melanoconion)*
unidentatum (McIntosh, 1971): *Neomelaniconion* [*Aedes (Neomelaniconion)*]

uniformis (Theobald, 1901): **Mansonia (Mansonioides)**
uniformis (Theobald, 1904): **Ficalbia**
uniformis (Theobald, 1905): **Culex (Lophoceraomyia)**
uniformis (Theobald, 1910): **Verrallina (Harbachius)**
unilineata (Theobald, 1906): **Stegomyia [Aedes (Stegomyia)]**
unimaculiala Leicester, 1908: **Uranotaenia (Uranotaenia)**
unispinosa Thurman, 1959: **Topomyia (Topomyia)**
univittatus Theobald, 1901: **Culex (Culex)**
upatensis (Anduze & Hecht, 1943): **Ochlerotatus** (unplaced) [**Ochlerotatus (Ochlerotatus)**]
upolensis (Marks, 1957): **Stegomyia [Aedes (Stegomyia)]**
urichii (Coquillett, 1906): **Culex (Carrollia)**
usambara (Mattingly, 1953): **Stegomyia [Aedes (Stegomyia)]**
usquatissimus Dyar, 1922: **Culex (Culex)**
usquatus Dyar, 1918: **Culex (Culex)**
vagans Wiedemann, 1828: **Culex (Culex)**
vagus Dönitz, 1902: **Anopheles (Cellia)**
valeryi Gornostaeva, 2005: **Aedes [Aedes (Aedes)]**
vallistris (Barraud, 1928): **Verrallina (Neomacleaya)**
vana (Colless, 1958): **Downsiomyia [Ochlerotatus (Finlaya)]**
vanapa (Huang, 1968): **Verrallina (Verrallina)**
vanduzeei Dyar & Knab, 1906: **Wyeomyia (Wyeomyia)**
vaneedeni Gillies & Coetzee, 1987: **Anopheles (Cellia)**
vanemdeni (Martini, 1931): **Howardina [Ochlerotatus (Howardina)]**
vanhoofi Wanson & Lebiec, 1945: **Anopheles (Cellia)**
vanleeuweni (Edwards, 1927): **Tripteroides (Rachisoura)**
vanoyei (Wolfs, 1948): **Coquillettidia (Coquillettidia)**
vansomerena Grjebine, 1986: **Mimomyia (Ingramia)**
vansomereni Edwards, 1926: **Culex (Culex)**
vansomereni Hamon, 1962: **Eretmapodites**
vanus Walker, 1859: **Anopheles (Anopheles)**
vargasi (Schick, 1970): '**Ochlerotatus (Protomacleaya)**'
vargasi Gabaldón, Cova Garcia & Lopez, 1941: **Anopheles (Lophopodomyia)**
variabilis (Huang, 1968): **Verrallina (Verrallina)**
variatus (Leicester, 1908): **Culex (Lophoceraomyia)**
variegata (Dobrotworsky, 1962): **Coquillettidia (Coquillettidia)**
variepicus (King & Hoogstraal, 1946): **Huaedes [Aedes (Huaedes)]**
varietas (Leicester, 1908): **Verrallina (Neomacleaya)**
varinervis Edwards, 1922: **Psorophora (Grabhamia)**
varipalpus (Coquillett, 1902): **Jarnellius [Ochlerotatus (Ochlerotatus)]**
varipes (Coquillett, 1904): **Psorophora (Janthinosoma)**
varuae (Belkin, 1962): **Stegomyia [Aedes (Stegomyia)]**
varuna Iyengar, 1924: **Anopheles (Cellia)**
vattieri Geoffroy, 1971: **Culex (Eumelanomyia)**
vaxus Dyar, 1920: **Culex (Melanoconion)**
veeniae (McIntosh, 1975): **Catageiomyia [Aedes (Aedimorphus)]**
venezuelensis (Theobald, 1912): **Coquillettidia (Rhynchotaenia)**
ventrilloni Edwards, 1920: **Culex (Culex)**
ventrovittis (Dyar, 1916): **Ochlerotatus** (unplaced) [**Ochlerotatus (Ochlerotatus)**]
venustipes (Skuse, 1889): **Aedeomyia (Aedeomyia)**
vernoni van Someren, 1949: **Orthopodomyia**
vernus Gillies & de Meillon, 1968: **Anopheles (Cellia)**
versabilis Sirivanakarn, 1968: **Culex (Lophoceraomyia)**
versicolor (Barraud, 1924): '**Ochlerotatus (Finlaya)**'
versicolor (Edwards, 1913): **Coquillettidia (Coquillettidia)**
veruslanei Vargas, 1979: **Anopheles (Anopheles)**
verutus Harbach, 1987: **Culex (Culex)**
vestitipennis Dyar & Knab, 1906: **Anopheles (Anopheles)**
vexans (Meigen, 1830): **Aedimorphus [Aedes (Aedimorphus)]**
vexillifer Komp, 1936: **Culex (Melanoconion)**
vicinus (Edwards, 1914): **Tripteroides (Tripteroides)**

vicinus (Taylor, 1916): **Culex (Culex)**
victoriensis (Dobrotworsky, 1954): **Culiseta (Culicella)**
vidali Floch & Fauran, 1954: **Culex (Melanoconion)**
vietnamensis Nguyen, Tran & Nguyen, 1993: **Anopheles (Anopheles)**
vigilax (Skuse, 1889): **Ochlerotatus (Empihals)** [Ochlerotatus (Ochlerotatus)]
vijayae Ramalingam, 1975: **Topomyia (Topomyia)**
vimoli Thurman & Thurman, 1958: **Armigeres (Leicesteria)**
vinckei de Meillon, 1942: **Anopheles (Cellia)**
vinckei Hamon, Holstein & Rivola, 1957: **Culex (Eumelanomyia)**
vinsoni (Mattingly, 1953): **Stegomyia** [Aedes (Stegomyia)]
violaceus (Wiedemann, 1820): **Toxorhynchites (Lynchiella)**
viridibasis (Edwards, 1935): **Toxorhynchites (Afrorhynchus)**
viridis Barraud, 1929: **Heizmannia (Heizmannia)**
viridiventer Giles, 1901: **Culex (Culiciomyia)**
virilis Leicester, 1908: **Verrallina (Neomacleaya)**
visnhui Theobald, 1901: **Culex (Culex)**
vittatus (Bigot, 1861): **Fredwardsius** [Aedes (Fredwardsius)]
vittiger (Skuse, 1889): **Ochlerotatus** (unplaced) [Ochlerotatus (Ochlerotatus)]
voltaensis (Danilov, 1982): **Coquillettidia (Coquillettidia)**
vomerifer Komp, 1932: **Culex (Melanoconion)**
vonplesseni (Dyar & Knab, 1906): **Trichoprosopon**
vorax Edwards, 1921: **Lutzia (Metalutzia)**
wadai (Tanaka, Mizusawa & Saugstad, 1979): **Stegomyia** [Aedes (Stegomyia)]
wahlbergi (Edwards, 1936): **Coquillettidia (Coquillettidia)**
w-alba Theobald, 1905: **Stegomyia** [Aedes (Stegomyia)]
walcotti (Lane & Cerqueira, 1942): **Runchomyia (Ctenogoeldia)**
walkeri (Theobald, 1901): **Howardina** [Ochlerotatus (Howardina)]
walkeri Theobald, 1901: **Anopheles (Anopheles)**
wallacei (Edwards, 1926): **Finlaya** [Ochlerotatus (Finlaya)]
walravensi Edwards, 1930: **Anopheles (Cellia)**
walukasi Belkin, 1962: **Culex (Lophoceraomyia)**
wamanguae Sirivanakarn, 1968: **Culex (Lophoceraomyia)**
wannonii Cova García & Sutil Oramus, 1976: **Culex (Carrollia)**
wansoni Edwards, 1941: **Eretmapodites**
wansoni Wolfs, 1945: **Culex (Eumelanomyia)**
wanxianensis Lei & Li, 1990: **Orthopodomyia**
wardangensis (Brust, Ballard, Driver, Hartley, Galway & Curran, 1998): **Halaedes** [Ochlerotatus (Halaedes)]
wardi (Reinert, 1976): **Rhinoskusea** [Ochlerotatus (Rhinoskusea)]
wardi Sirivanakarn, 1977: **Culex (Lophoceraomyia)**
washinoi (Lanzaro & Eldridge, 1992): **Ochlerotatus** (unplaced) [Ochlerotatus (Ochlerotatus)]
wasselli (Marks, 1947): 'Ochlerotatus (Finlaya)'
watasei (Yamada, 1921): **Phagomyia** [Ochlerotatus (Finlaya)]
watsonii (Leicester, 1908): **Anopheles (Cellia)**
watteni (Lien, 1968): **Downsiomyia** [Ochlerotatus (Finlaya)]
wattensis (Taylor, 1929): **Macleaya (Chaetocruimyia)** [Ochlerotatus (Chaetocruimyia)]
watti Edwards, 1920: **Culex (Culex)**
wauensis (Huang, 1968): **Huaedes** [Aedes (Huaedes)]
waverleyi (Grabham, 1907): **Orthopodomyia**
weindorferi (Edwards, 1926): **Culiseta (Culicella)**
wellcomei Theobald, 1904: **Anopheles (Cellia)**
wellingtonianus Alcock, 1912: **Anopheles (Anopheles)**
wellmanii (Theobald, 1905): **Hopkinsius (Hopkinsius)** [Ochlerotatus (Finlaya)]
wendyae (Service, 1959): **Catageiomyia** [Aedes (Aedimorphus)]
wepsterae Komp & Rozeboom, 1951: **Culex (Melanoconion)**
wernerii Baisas & Ubaldo-Pagayon, 1953: **Tripteroides (Tricholeptomyia)**
weschei Edwards, 1935: **Culex (Culex)**
whartoni (Mattingly, 1965): **Petermattinglyius** [Aedes (Diceromyia)]
whartoni Colless, 1965: **Culex (Lophoceraomyia)**
whartoni Reid, 1963: **Anopheles (Anopheles)**

whitei Barraud, 1923: **Culex (Culex)**
whitmani Lane & Cerqueira, 1942: **Sabethes (Peytonulus)**
whitmorei (Dunn, 1918): **Howardina [Ochlerotatus (Howardina)]**
whitmorei (Giles, 1904): **Culex (Culex)**
whittingtoni Belkin, 1962: **Culex (Culex)**
wigglesworthi (Edwards, 1941): **Aedimorphus [Aedes (Aedimorphus)]**
wigglesworthi Edwards, 1941: **Culex (Eumelanomyia)**
wilfredi Colless, 1965: **Culex (Lophoceraomyia)**
wilkersoni (Reinert, 1990): **Kenknightia [Ochlerotatus (Kenknightia)]**
willmori (James, 1903): **Anopheles (Cellia)**
wilsoni (Barreto & Coutinho, 1944): **Mansonia (Mansonia)**
wilsoni Evans, 1934: **Anopheles (Cellia)**
wilsoni Lane & Whitman, 1943: **Culex (Carrollia)**
wilsoni Macdonald, 1958: **Orthopodomyia**
winkleri Belkin, 1962: **Culex (Lophoceraomyia)**
winter Dong, Wu & Mao, 2006: **Topomyia (Topomyia)**
wolfsi Ribeiro, 2005: **Toxorhynchites (Afrorhynchus)**
woodi (Edwards, 1922): **Stegomyia (Mukwaya) [Aedes (Stegomyia)]**
worontzowi Pessoa & Galvão, 1936: **Culex (Microculex)**
wysockii Belkin, 1953: **Uranotaenia (Uranotaenia)**
xanthogaster (Edwards, 1924): **Coquillettidia (Coquillettidia)**
xanthomelaena Edwards, 1925: **Uranotaenia (Pseudoficalbia)**
xanthozona (van Someren, 1948): **Mimomyia (Etorleptomyia)**
xelajuensis de Leon, 1938: **Anopheles (Anopheles)**
xenismus Harbach, 1995: **Sabethes (Peytonulus)**
xenophobia Ronderos, 1965: **Culex (Microculex)**
xhyphydes Harbach, 1994: **Sabethes (Sabethinus)**
xui Dong, Zhou, Dong & Mao, 2007: **Anopheles (Anopheles)**
yaeyamaensis Somboon & Harbach, 2010: **Anopheles (Cellia)**
yaeyamana Tanaka, Mizusawa & Saugstad, 1975: **Uranotaenia (Pseudoficalbia)**
yamadai Sasa, Kano & Takahasi, 1950: **Aedes [Aedes (Aedes)]**
yanbarensis Miyagi, 1976: **Topomyia (Suaymyia)**
yanbareroides Dong & Miyagi, 1995: **Topomyia (Suaymyia)**
yangambiensis (de Meillon & Lavoipierre, 1944): **Catageiomyia [Aedes (Aedimorphus)]**
yaoi Tung, 1955: **Culex (Culiciomyia)**
ybarmis Dyar, 1920: **Culex (Melanoconion)**
yeageri Baisas, 1935: **Culex (Eumelanomyia)**
yeburyi (Edwards, 1917): **Verrallina (Neomacleaya)**
yojoae Strickman, 1990: **Culex (Culex)**
yongi Miyagi, Toma & Ramalingam, 1991: **Topomyia (Topomyia)**
yovani van Someren, 1951: **Uranotaenia (Pseudoficalbia)**
ypsipola Dyar, 1922: **Wyeomyia (Dendromyia)**
yunnanensis (Gaschen, 1934): **Hulecoeteomyia [Ochlerotatus (Finlaya)]**
yunnanensis Dong, Dong & Wu, 2004: **Uranotaenia (Uranotaenia)**
yunnanensis Dong, Zhou & Dong, 1995: **Armigeres (Armigeres)**
yusafi (Barraud, 1931): **Verrallina (Harbachius)**
yvonneae (Edwards, 1941): **Catageiomyia [Aedes (Aedimorphus)]**
zairensis Ribeiro, 2005: **Toxorhynchites (Afrorhynchus)**
zammitii (Theobald, 1903): **Acartomyia [Ochlerotatus (Ochlerotatus)]**
zavortinki (Schick, 1970): 'Ochlerotatus (Protomacleaya)'
zeteki Dyar, 1918: **Culex (Melanoconion)**
zethus (de Meillon & Lavoipierre, 1944): **Diceromyia [Aedes (Diceromyia)]**
zhang Gong, 1991: **Topomyia (Topomyia)**
ziemanni Grünberg, 1902: **Anopheles (Anopheles)**
zinzala Zavortink, 1986: **Wyeomyia (Zinzala)**
zombaensis Theobald, 1901: **Culex (Culex)**
zoosophus (Dyar & Knab, 1918): 'Ochlerotatus (Protomacleaya)'