

Mosquito Taxonomic Inventory (www.mosquito-taxonomic-inventory.info/)

Updated 22 February 2018 – Ralph Harbach

abdita (Barraud, 1931): *Verrallina (Harbachius)*
abdita Peyton, 1977: *Uranotaenia (Pseudoficalbia)*
abebela Dyar & Knab, 1908: *Wyeomyia (Wyeomyia)*
aberrans Harrison & Scanlon, 1975: *Anopheles (Anopheles)*
ablechra Dyar & Knab, 1908: *Wyeomyia (Wyeomyia)*
ablusa Harbach, 2009: *Chagasia*
abnormalis (Theobald, 1909): *Aedimorphus*
abnormalis Lane, 1936: *Culex (Culex)*
abominator Dyar & Knab, 1909: *Culex (Melanoconion)*
abonnenci Clastrier, 1970: *Culex (Melanoconion)*
aboriginis (Dyar, 1917): *Ochlerotatus* (subgenus uncertain)
abserratus (Felt & Young, 1904): *Ochlerotatus* (subgenus uncertain)
abstrusa Peyton, 1977: *Uranotaenia (Pseudoficalbia)*
acaci Baisas, 1946: *Anopheles (Anopheles)*
acanthotorynus Komp, 1937: *Anopheles (Stethomyia)*
acaudatus (Leicester, 1908): *Toxorhynchites (Toxorhynchites)*
accelerans Root, 1927: *Culex (Aedinus)*
achaetae (Leicester, 1908): *Heizmannia (Mattinglyia)*
acharistus Root, 1927: *Culex (Culex)*
aconitus Dönitz, 1902: *Anopheles (Cellia)*
acrostichalis Edwards, 1941: *Culex (Eumelanomyia)*
aculeatus (Theobald, 1903): *Ochlerotatus (Gilesia)*
aculeatus Colless, 1965: *Culex (Lophoceraomyia)*
acutipalus Colless, 1965: *Culex (Lophoceraomyia)*
acutisentis Arnell, 1973: *Haemagogus (Haemagogus)*
adairi Kirkpatrick, 1926: *Culex (Lasiosiphon)*
adamesi Sirivanakarn & Galindo, 1980: *Culex (Melanoconion)*
adami (Hamon & Mouchet, 1955): *Culex (Eumelanomyia)*
adami Ferrara & Eouzan, 1974: *Eretmapodites*
adami (Geoffroy, 1971): *Catageiomyia*
adelpha Dyar & Knab, 1906: *Wyeomyia (Wyeomyia)*
adentata van den Assem, 1959: *Tripteroides (Rachisoura)*
adersi (Edwards, 1917): *Diceromyia*
adersianus Edwards, 1941: *Culex (Eumelanomyia)*
adusta (Laffoon, 1946): *Verrallina (Neomacleaya)*
aegypti (Linnaeus, 1762): *Stegomyia (Stegomyia)*
aenea Thurman, 1959: *Topomyia (Topomyia)*
aeneus (Edwards, 1921): *Tripteroides (Tripteroides)*
aeneus (Evans, 1926): *Toxorhynchites (Afrorhynchus)*
aenigma Harbach, 2000: *Onirion*
aenigmaticus (Cerqueira & Costa, 1946): *Ochlerotatus (Protoculex)*
aequatorianna Leví-Castillo, 1953: *Uranotaenia (Uranotaenia)*
aequatorianna Leví-Castillo, 1954: *Wyeomyia* (subgenus uncertain)
aerarius (McIntosh, 1975): *Aedimorphus*
aeritinctus Galindo & Trapido, 1967: *Haemagogus (Haemagogus)*
aestivus Sirivanakarn, 1977: *Culex (Lophoceraomyia)*
affinis (Edwards, 1913): *Tripteroides (Rachionotomyia)*
africana (Theobald, 1901): *Mansonia (Mansonioides)*
africana Neveu-Lemaire, 1906: *Aedeomyia (Aedeomyia)*
africana Theobald, 1901: *Stegomyia* (subgenus uncertain)
africanus Theobald, 1909: *Aedimorphus*
agastyai (Tewari & Hiriyani, 1992): *Tewarius*
agranensis Singh & Prakash, 2008: *Lutzia (Metalutzia)*
agrestis (Barraud, 1931): *Verrallina (Neomacleaya)*
agrihanensis (Bohart, 1957): *Stegomyia (Bohartius)*
aguilari Baisas & Feliciano, 1953: *Zeugomyia*

ahomi Chowdhury, 1929: *Anopheles (Anopheles)*
ainshamsi Gad, Harbach & Harrison, 2006: *Anopheles (Cellia)*
airosai Lane & Cerqueira, 1942: *Wyeomyia (Spilonympha)*
airozai Lane, 1945: *Culex (Phenacomyia)*
aitkeni (Schick, 1970): '*Ochlerotatus (Protomacleaya)*'
aitkenii James, 1903: *Anopheles (Anopheles)*
akkeshiensis (Tanaka, 1998): *Ochlerotatus* (subgenus uncertain)
akritos Forattini & Sallum, 1995: *Culex (Melanoconion)*
alani Forattini, 1965: *Culex (Culex)*
alani Lane & Cerqueira, 1957: *Wyeomyia (Antunesmyia)*
alaskaensis (Ludlow, 1906): *Culiseta (Culiseta)*
alba Baker, 1936: *Orthopodomyia*
alba Theobald, 1901: *Uranotaenia (Uranotaenia)*
albertianus Edwards, 1941: *Culex (Eumelanomyia)*
albertoi Unti, 1941: *Anopheles (Nyssorhynchus)*
albescens (Edwards, 1921): *Ochlerotatus (Rusticoidus)*
albescens Taylor, 1914: *Uranotaenia (Uranotaenia)*
albicosta (Edwards, 1913): *Neomelaniconion*
albicosta (Lutz, 1904): *Orthopodomyia*
albicosta (Chagas, 1908): *Coquillettidia (Rhynchoaenia)*
albifasciatus (Macquart, 1838): *Ochlerotatus* (subgenus uncertain)
albifera (Prado, 1931): *Coquillettidia (Rhynchoaenia)*
albigenu (Lutz, 1908): *Psorophora (Janthinosoma)*
albilabris (Edwards, 1925): *Rampamyia*
albimanus da Cunha Ramos & Brunhes, 2004: *Uranotaenia (Pseudoficalbia)*
albimanus Wiedemann, 1820: *Anopheles (Nyssorhynchus)*
albinensis Bonne-Wepster & Bonne, 1920: *Culex (Melanoconion)*
albinervis Edwards, 1929: *Culex (Oculeomyia)*
albineus (Séguy, 1923): *Ochlerotatus* (subgenus uncertain)
albinotata da Cunha Ramos & Brunhes, 2004: *Uranotaenia (Pseudoficalbia)*
albipes (Edwards, 1922): *Toxorhynchites (Toxorhynchites)*
albipes (Theobald, 1907): *Psorophora (Janthinosoma)*
albipes Leicester, 1904: *Orthopodomyia*
albipes Lutz, 1904: *Culex (Microculex)*
albipes Peyton, 1977: *Uranotaenia (Pseudoficalbia)*
albiprivus Theobald, 1903: *Sabethes (Sabethes)*
albiradius le Goff, Boussès & Brunhes, 2007: *Neomelaniconion*
albitarsis Lynch Arribálzaga, 1878: *Anopheles (Nyssorhynchus)*
albiventris Edwards, 1922: *Culex (Eumelanomyia)*
alboabdominalis Theobald, 1910: *Uranotaenia (Uranotaenia)*
alboannulata (Theobald, 1905): *Uranotaenia (Uranotaenia)*
alboannulatus (Macquart, 1850): *Dobrotworskyius*
alboapicus (Schick, 1970): '*Ochlerotatus (Protomacleaya)*'
albocephala da Cunha Ramos & Brunhes, 2004: *Uranotaenia (Uranotaenia)*
albocephala (Theobald, 1903): *Polyleptomyia*
alboincinctus (Barraud, 1924): *Hopkinsius (Yamada)*
albodorsalis (Fontenille & Brunhes, 1985): *Aedimorphus*
albolateralis (Theobald, 1908): *Downsiomyia*
albolineata Theobald, 1904: *Scutomyia*
albomaculatus Theobald, 1903: *Haemagogus (Haemagogus)*
albomarginatus (Newstead, 1907): *Pseudarmigeres*
albonivea (Barraud, 1934): *Downsiomyia*
albonotata (Coquillett, 1906): *Howardina*
albopicta (Skuse, 1895): *Stegomyia* (subgenus uncertain)
alboscuteclatus (Theobald, 1905): *Aedimorphus*
alboscuteclatus Lee, 1946: *Tripteroides (Tripteroides)*
albosquamata Bonne-Wepster & Bonne, 1919: *Wyeomyia* (subgenus uncertain)
albo sternopleura Peters, 1963: *Uranotaenia (Uranotaenia)*
albotae niata Leicester, 1904: *Danielsia*
albotae niatus (Theobald, 1903): *Anopheles (Anopheles)*

albothorax (Theobald, 1907): *Neomelaniconion*
alboventralis (Theobald, 1910): *Aedimorphus*
alcasidi (Huang, 1972): *Stegomyia* (subgenus uncertain)
alcocki Bonne-Wepster & Bonne, 1920: *Culex (Melanoconion)*
alektorovi (Stackelberg, 1943): *Bruceharrisonius*
alexandrei Gornostaeva, 2005: *Aedes*
algeriensis Theobald, 1903: *Anopheles (Anopheles)*
aliciae Duret, 1953: *Culex (Melanoconion)*
alienus Colless, 1957: *Culex (Culex)*
alinkios Sallum & Hutchings, 2003: *Culex (Melanoconion)*
alis Theobald, 1903: *Culex (Culex)*
alius (Lien, 1968): *Gilesius*
aliyusopi Miyagi & Toma, 2014: *Topomyia (Topomyia)*
alkatirii Toma, Miyagi & Syafruddin, 1995: *Armigeres (Armigeres)*
allostigma Howard, Dyar & Knab, 1915: *Lutzia (Lutzia)*
allotecnon (Kumm, Komp & Ruiz, 1940): *Howardina*
alocasicola (Marks, 1947): *Finlaya*
alogistus Dyar, 1918: *Culex (Melanoconion)*
alongensis Venhuis, 1940: *Anopheles (Anopheles)*
alongi (Galliard & Ngu, 1947): *Bothaella*
aloponotum (Dyar, 1917): *Ochlerotatus* (subgenus uncertain)
alorensis (Bonne-Wepster & Brug, 1932): *Stegomyia* (subgenus uncertain)
alorensis Sirivanakarn, 1977: *Culex (Lophoceraomyia)*
alphus Colless, 1965: *Culex (Lophoceraomyia)*
alternans (Westwood, 1835): *Mucidus (Mucidus)*
alticola (Bonne-Wepster, 1948): '*Ochlerotatus (Finlaya)*'
altivallis Bonne-Wepster, 1948: *Tripteroides (Polylepidomyia)*
amabilis (Schick, 1970): '*Ochlerotatus (Protomacleaya)*'
amalthea (de Meillon & Lavoipierre, 1944): *Stegomyia* (subgenus uncertain)
amaniensis van Someren & Hamon, 1964: *Culex (Eumelanomyia)*
amazonensis (Lutz, 1905): *Culex (Aedinus)*
amazonensis (Theobald, 1901): *Mansonia (Mansonia)*
amazonica Cerqueira, 1960: *Psorophora (Janthinosoma)*
amazonica Levi-Castillo, 1954: *Wyeomyia* (subgenus uncertain)
amazonicus Gordon & Evans, 1922: *Sabethes (Sabethes)*
ambodimanga da Cunha Ramos & Brunhes, 2004: *Uranotaenia (Pseudoficalbia)*
amboinensis (Doleschall, 1857): *Toxorhynchites (Toxorhynchites)*
ambreensis (Rodhain & Boutonnier, 1983): *Ochlerotatus* (subgenus uncertain)
ambrementis Brunhes & Boussès, 2017: *Paulianius*
ambremontis Brunhes & Hervy, 1995: *Orthopodomyia*
ameliae Casal, 1967: *Culex (Culex)*
amesii (Ludlow, 1903): *Lorrainea*
amharicus Hunt, Wilkerson & Coetzee, 2013: *Anopheles (Cellia)*
amictus Edwards, 1921: *Anopheles (Cellia)*
amiensis Peters, 1963: *Uranotaenia (Uranotaenia)*
amitis Komp, 1936: *Culex (Melanoconion)*
amurensis Maslov, 1964: *Culiseta (Culicella)*
ananae (Knight & Laffoon, 1946): *Finlaya*
anastasionis Dyar, 1921: *Haemagogus (Haemagogus)*
anchietai Corrêa & Ramalho, 1968: *Anopheles (Anopheles)*
andamanensis (Edwards, 1922): *Verrallina (Neomacleaya)*
andamanensis Barraud, 1934: *Orthopodomyia*
andavakae Doucet, 1950: *Uranotaenia (Uranotaenia)*
andersoni (Edwards, 1926): *Ochlerotatus* (subgenus uncertain)
andersoni Edwards, 1914: *Culex (Culex)*
andinum Levi-Castillo, 1953: *Trichoprosopon*
andinus Levi-Castillo, 1954: *Limatus*
andinus Osorno-Mesa, 1944: *Haemagogus (Haemagogus)*
andreae Doucet, 1962: *Uranotaenia (Pseudoficalbia)*
andreanus Edwards, 1927: *Culex (Eumelanomyia)*

andrewsi (Edwards, 1926): *Stegomyia* (subgenus uncertain)
andricus Root, 1927: *Culex (Melanoconion)*
anduzei Cerqueira & Lane, 1944: *Culex (Carrollia)*
anggiensis (Bonne-Wepster, 1937): *Patmarksia*
angkoris Klein, 1977: *Topomyia (Topomyia)*
angolensis da Cunha Ramos & Ribeiro, 1992: *Eretmapodites*
angolensis da Cunha Ramos, 1985: *Uranotaenia (Uranotaenia)*
angolensis Ribeiro, 1992: *Toxorhynchites (Afrorhynchus)*
angusta (Edwards, 1935): *Stegomyia* (subgenus uncertain)
angustiplatus Evenhuis & Steffan, 1986: *Toxorhynchites (Toxorhynchites)*
angustivittatus (Dyar & Knab, 1907): *Ochlerotatus (Ochlerotatus)*
anhydor Dyar, 1907: *Uranotaenia (Pseudoficalbia)*
aningae Motta & Lourenço-De-Oliveira, 2005: *Wyeomyia (Spilonympha)*
anips Dyar, 1916: *Culex (Melanoconion)*
ankaratrensis Brunhes & Hervy, 1995: *Orthopodomyia*
annandalei Barraud, 1926: *Uranotaenia (Uranotaenia)*
annandalei Prashad, 1918: *Anopheles (Anopheles)*
annandalei Theobald, 1910: *Stegomyia (Heteraspidion)*
annettii (Theobald, 1901): *Coquillettidia (Coquillettidia)*
annularis van der Wulp, 1884: *Anopheles (Cellia)*
annulata (Schränk, 1776): *Culiseta (Culiseta)*
annulata Leicester, 1908: *Mansonia (Mansonioides)*
annulata Theobald, 1901: *Uranotaenia (Pseudoficalbia)*
annulatus Haga, 1930: *Anopheles (Cellia)*
annulifera (Theobald, 1901): *Mansonia (Mansonioides)*
annulioris Theobald, 1901: *Culex (Oculeomyia)*
annulipalpis (Theobald, 1910): *Armigeres (Leicesteria)*
annulipalpis Lynch Arribalzaga, 1878: *Anopheles (Anopheles)*
annulipes (Meigen, 1830): *Ochlerotatus* (subgenus uncertain)
annulipes Walker, 1856: *Anopheles (Cellia)*
annulirostris (Theobald, 1905): *Christophersiomyia*
annulirostris Skuse, 1889: *Culex (Culex)*
annulitarsis (Leicester, 1908): *Armigeres (Leicesteria)*
annuliventris (Blanchard, 1852): *Culex (Culex)*
annulus Theobald, 1901: *Culex (Culex)*
anomalophyllus Komp, 1936: *Anopheles (Nyssorhynchus)*
anopheloides (Giles, 1903): *Orthopodomyia*
anopheloides Brunhes & Razafindrasolo, 1975: *Uranotaenia (Uranotaenia)*
anoplicitus Forattini & Sallum, 1989: *Culex (Melanoconion)*
antalahaensis da Cunha Ramos & Brunhes, 2004: *Uranotaenia (Pseudoficalbia)*
antennalis Bohart & Farner, 1944: *Tripteroides (Tripteroides)*
antennalis Taylor, 1919: *Uranotaenia (Uranotaenia)*
antennatus (Becker, 1903): *Culex (Culex)*
antillumagnorum Dyar, 1928: *Culex (Micraedes)*
antipodea Dobrotworsky, 1962: *Culiseta (Climacura)*
antipodeus Edwards, 1920: *Ochlerotatus* (subgenus uncertain)
antunesi Galvão & Franco do Amaral, 1940: *Anopheles (Nyssorhynchus)*
antunesi Lane & Guimarães, 1937: *Wyeomyia (Phoniomyia)*
antunesi Lane & Whitman, 1943: *Culex (Carrollia)*
aobae (Belkin, 1962): *Stegomyia* (subgenus uncertain)
aphobema Dyar, 1918: *Wyeomyia (Dodecamyia)*
aphylactus Root, 1927: *Culex (Microculex)*
apicalis Adams, 1903: *Culex (Neoculex)*
apicalis Theobald, 1903: *Uranotaenia (Uranotaenia)*
apicimacula Dyar & Knab, 1906: *Anopheles (Anopheles)*
apicinus Philippi, 1865: *Culex (Culex)*
apicoannulatus (Edwards, 1912): *Elpeytonius*
apicoargentea Theobald, 1909: *Stegomyia* (subgenus uncertain)
apicosquamata da Cunha Ramos & Brunhes, 2004: *Uranotaenia (Pseudoficalbia)*
apicotaeniata Theobald, 1909: *Uranotaenia (Pseudoficalbia)*

apicotriangulatus (Theobald, 1910): *Tripteroides (Polylepidomyia)*
apoci Marsh, 1933: *Anopheles (Cellia)*
apoensis Baisas & Ubaldo-Pagayon, 1953: *Tripteroides (Tricholeptomysia)*
apoensis Bohart & Farner, 1944: *Armigeres (Armigeres)*
aporonoma Dyar & Knab, 1906: *Wyeomyia (Triamysia)*
approximata Peyton, 1977: *Uranotaenia (Pseudoficalbia)*
apsarae Klein, 1977: *Topomyia (Suaymyia)*
aquarius Strickman, 1990: *Culex (Culex)*
aquasalis Curry, 1932: *Anopheles (Nyssorhynchus)*
arabiensis Patton, 1905: *Anopheles (Cellia)*
aranoides (Theobald, 1901): *Tripteroides (Rachionotomyia)*
arawak Berlin, 1969: *Culex (Micraedes)*
arbieeni Salem, 1938: *Culex (Maillotia)*
arborea Galindo, Carpenter & Trapido, 1951: *Wyeomyia (Exallomyia)*
arboREALIS (Bonne-Wepster & Bonne, 1920): *Howardina*
arboricola (Knight & Rozeboom, 1946): *Scutomyia*
arboricola Galindo & Mendez, 1961: *Culex (Melanoconion)*
arboricola Zavortink, 1970: *Anopheles (Anopheles)*
arboricollis (de Charmoy, 1908): *Orthopodomysia*
archegus Dyar, 1929: *Culex (Culex)*
ardensis (Theobald, 1905): *Anopheles (Cellia)*
arenivaga Marks, 1968: *Culiseta* (subgenus uncertain)
argenteitarsis (Brug, 1932): *Patmarksia*
argenteiventris (Theobald, 1905): *Tripteroides (Polylepidomyia)*
argenteolobatus (Gough, 1910): *Anopheles (Cellia)*
argenteopunctata (Theobald, 1901): *Catageiomyia*
argenteopunctatus (Ventrillon, 1905): *Culex (Culex)*
argenteorostris (Bonne-Wepster & Bonne, 1920): *Wyeomyia* (subgenus uncertain)
argenteoscutellatus (Carter & Wijesundara, 1948): *Aedimorphus*
argenteoventralis (Theobald, 1909): *Pseudarmigeres*
argentoventralis Leicester, 1908: *Topomyia (Suaymyia)*
argentipleura da Cunha Ramos & Brunhes, 2004: *Uranotaenia (Uranotaenia)*
arguellesi Baisas, 1935: *Uranotaenia (Uranotaenia)*
argyritarsis Robineau-Desvoidy, 1827: *Anopheles (Nyssorhynchus)*
argyrites (Dyar & Nunez Tovar, 1927): *Howardina*
argyromeris Dyar & Ludlow, 1921: *Haemagogus (Haemagogus)*
argyronotum (Belkin, 1962): *Patmarksia*
argyropalpis Leicester, 1908: *Topomyia (Topomyia)*
argyropus (Swellengrebel, 1914): *Anopheles (Anopheles)*
argyropus (Walker, 1848): *Maorigoeldia*
argyrotarsis Leicester, 1908: *Uranotaenia (Uranotaenia)*
argyrothorax (Bonne-Wepster & Bonne, 1920): '*Ochlerotatus (Protomacleaya)*'
argyrurus (Edwards, 1934): *Udaya*
argyrurus Edwards, 1936: *Eretmapodites*
arizonensis Bohart, 1949: *Culex (Neoculex)*
arribalzagae (Theobald, 1903): *Coquillettidia (Rhynchotaenia)*
artemievi Gordeyev, Zvantsov, Goryacheva, Shaikovich & Yezhov, 2005: *Anopheles (Anopheles)*
arthrostigma (Lutz, 1905): *Wyeomyia (Wyeomyia)*
arthuri Unti, 1941: *Anopheles (Nyssorhynchus)*
articularis Philippi, 1865: *Culex (Culex)*
aruni Sobti, 1968: *Anopheles (Cellia)*
ascidiicola de Meijere, 1910: *Uranotaenia (Pseudoficalbia)*
ashworthi (Edwards, 1921): *Halaedes*
asiaticus Leicester, 1903: *Anopheles (Anopheles)*
assamensis (Theobald, 1908): *Phagomyia*
assamensis Bhattacharyya *et al.*, 2004: *Verrallina (Neomacleaya)*
asteliae Belkin, 1968: *Culex (Culex)*
astridianus de Meillon, 1942: *Culex (Culex)*
asulleptus (Theobald, 1903): *Limatus*
atacamensis González & Sallum, 2010: *Anopheles (Nyssorhynchus)*

atavittatus (Arnell, 1976): **Ochlerotatus (Ochlerotatus)**
ater (Daniels, 1908): **Toxorhynchites (Toxorhynchites)**
atlantica (Edwards, 1932): **Culiseta (Culiseta)**
atlanticus (Dyar & Knab, 1906): **Ochlerotatus (Protoculex)**
atlanticus Adames, 1971: **Deinocerites**
atra (Lee, 1944): **Culiseta (Culicella)**
atra Theobald, 1905: **Uranotaenia (Pseudoficalbia)**
atracus Colless, 1960: **Culex (Lophoceraomyia)**
atrata Belkin, Heinemann & Page, 1970: **Wyeomyia (Wyeomyia)**
atratipes Skuse, 1889: **Anopheles (Anopheles)**
atratus Theobald, 1901: **Culex (Melanoconion)**
atria (Barraud, 1928): **Verrallina (Neomacleaya)**
atriceps Edwards, 1926: **Culex (Culex)**
atriisimilis (Tanaka & Mizusawa, 1973): **Verrallina (Neomacleaya)**
atripes (Skuse, 1889): **Tripteroidea (Polylepidomyia)**
atropalpus (Coquillett, 1902): **Georgecraigius (Georgecraigius)**
atroparvus van Thiel, 1927: **Anopheles (Anopheles)**
atropos Dyar & Knab, 1906: **Anopheles (Anopheles)**
aurantapex Edwards, 1914: **Culex (Oculeomyia)**
auranticauda Lane, 1992: **Toxorhynchites (Toxorhynchites)**
aurantius (Theobald, 1907): **Mucidus (Pardomyia)**
aurata (Dobrotworsky, 1962): **Coquillettidia (Coquillettidia)**
aurata (Doucet, 1951): **Mimomyia (Ingramia)**
auratus (Grabham, 1906): **Ochlerotatus (Ochlerotatus)**
aurea (Edwards, 1915): **Coquillettidia (Coquillettidia)**
aurea (Leicester, 1908): **Mimomyia (Mimomyia)**
aurea Brug, 1932: **Heizmannia (Heizmannia)**
aureoantennata Ferrara, 1973: **Orthopodomyia**
aureochaeta (Leicester, 1908): **Heizmannia (Heizmannia)**
aureolineata (Berlin, 1969): **Howardina**
aureolineatus (Leicester, 1908): **Armigeres (Armigeres)**
aureonotatus Duret & Barreto, 1956: **Culex (Melanoconion)**
aureosquamata (Ludlow, 1909): **Coquillettidia (Coquillettidia)**
aureostriatus (Doleschall, 1857): **Bruceharrisonius**
aureoventer (Theobald, 1910): **Topomyia (Topomyia)**
aurescens (Lutz, 1905): **Sabethes (Peytonulus)**
aureus Lane & Whitman, 1951: **Culex (Microculex)**
auriceps Brug, 1939: **Topomyia (Suaymyia)**
auridorsum (Edwards, 1922): **Molpemyia**
aurifer (Coquillett, 1903): **Ochlerotatus** (subgenus uncertain)
aurimargo (Edwards, 1922): **Leptosomatomyia**
auripes (Edwards, 1935): **Toxorhynchites (Toxorhynchites)**
aurirostris (Watson, 1910): **Anopheles (Cellia)**
aurites (Theobald, 1901): **Coquillettidia (Coquillettidia)**
aurites Theobald, 1907: **Howardina**
aurivittata (Cerqueira, 1943): **Howardina**
auronitens (Edwards, 1922): 'Ochlerotatus (Finlaya)'
aurotaniatus (Edwards, 1922): **Belkinius**
aurovenatum (Worth, 1960): **Neomelaniconion**
austenii (Theobald, 1905): **Anopheles (Cellia)**
australicus Dobrotworsky & Drummond, 1953: **Culex (Culex)**
australiensis (Theobald, 1910): 'Ochlerotatus (Finlaya)'
australis (Erichson, 1842): **Halaedes**
autocratica Dyar & Knab, 1906: **Wyeomyia (Hystatomyia)**
ayantepuiensis Harbach & Navarro, 1996: **Anopheles (Kerteszia)**
avianus de Meillon, 1943: **Culex (Maillotia)**
avistylus (Brug, 1939): **Finlaya**
axillicola Steffan, 1979: **Culex (Acallyntrum)**
axitiosa (Kulasekera, Knight & Harbach, 1990): **Downsiomyia**
azaniae Bailly-Choumara, 1960: **Anopheles (Cellia)**

azevedoi Ribeiro, 1969: *Anopheles (Cellia)*
aztecus Hoffmann, 1935: *Anopheles (Anopheles)*
azureosquamata (Bonne-Wepster, 1948): *Verrallina (Verrallina)*
azurini Basio, 1971: *Armigeres (Armigeres)*
azurini Toma, Miyagi & Cabrera, 1984: *Culex (Culiciomyia)*
azymus Dyar & Knab, 1906: *Culex (Microculex)*
babahoyensis Levi-Castillo, 1953: *Culex (Carrollia)*
baezai Gater, 1933: *Anopheles (Anopheles)*
bahama Dyar & Knab, 1906: *Wyeomyia (Wyeomyia)*
bahamensis (Berlin, 1969): *Howardina*
bahamensis Dyar & Knab, 1906: *Culex (Culex)*
bahiensis Duret, 1969: *Culex (Melanoconion)*
bahri (Edwards, 1914): *Culex (Culiciomyia)*
baileyi Edwards, 1929: *Anopheles (Anopheles)*
baillyi Barraud, 1929: *Hodgesia*
baillyi Barraud, 1934: *Culex (Culiciomyia)*
baimaii Sallum & Peyton, 2005: *Anopheles (Cellia)*
baisasi (Knight & Hull, 1951): *Geoskusea*
baisasi Colless, 1957: *Anopheles (Cellia)*
baisasi Sirivanakarn, 1972: *Culex (Eumelanomyia)*
baisasi Stone & Thurman, 1958: *Armigeres (Armigeres)*
balabacensis Baisas, 1936: *Anopheles (Cellia)*
balerensis Mendoza, 1947: *Anopheles (Anopheles)*
balfouri Theobald, 1904: *Uranotaenia (Uranotaenia)*
baltae Porter, 2009: *Wyeomyia (Hystatomyia)*
balteatus Macdonald, 1960: *Armigeres (Leicesteria)*
bambiotai (Geoffroy, 1987): *Aedimorphus*
bamborum Rozeboom & Komp, 1948: *Culex (Anoedioporpa)*
bambusa (Yamada, 1917): *Tripteroides (Tripteroides)*
bambusae (Edwards, 1935): *Stegomyia* (subgenus uncertain)
bambusaihole Dong, Zhou & Dong, 1997: *Topomyia (Suaymyia)*
bambusicola (Lutz & Neiva, 1913): *Toxorhynchites (Lynchiella)*
bambusicola da Cunha Ramos & Brunhes, 2004: *Uranotaenia (Pseudoficalbia)*
bambusicola (Knight & Rozeboom, 1946): *Scutomyia*
bambusicola Komp, 1937: *Anopheles (Kerteszia)*
bananea (Wolfs, 1958): *Diceromyia*
bancoi (Geoffroy, 1987): *Aedimorphus*
bancroftianus (Edwards, 1921): *Ochlerotatus (Pseudoskusea)*
bancroftii (Taylor, 1914): *Verrallina (Verrallina)*
bancroftii Giles, 1902: *Anopheles (Anopheles)*
bandoengensis Brug, 1939: *Culex (Lophoceraomyia)*
banksensis Maffi & Tenorio, 1977: *Culex (Culex)*
banksi (Edwards, 1922): *Collessius (Alloeomyia)*
bannaensis Gong & Lu, 1995: *Topomyia (Suaymyia)*
baolini Gong, 1989: *Topomyia (Topomyia)*
barberellus Evans, 1932: *Anopheles (Cellia)*
barberi Coquillett, 1903: *Anopheles (Anopheles)*
barbipes Edwards, 1913: *Toxorhynchites (Toxorhynchites)*
barbirostris van der Wulp, 1884: *Anopheles (Anopheles)*
barbumbrosus Strickland & Chowdhury, 1927: *Anopheles (Anopheles)*
barbus Baisas, 1946: *Topomyia (Topomyia)*
baresí Cerqueira, 1960: *Haemagogus (Haemagogus)*
barianensis James, 1911, in James & Liston, 1911: *Anopheles (Anopheles)*
barnardi (Edwards, 1924): *Hopkinsius (Hopkinsius)*
barnesi Belkin, 1953: *Uranotaenia (Uranotaenia)*
barraudi Baisas & Ubaldo-Pagayon, 1953: *Tripteroides (Tricholeptomyia)*
barraudi Edwards, 1922: *Culex (Culex)*
barraudi Edwards, 1934: *Paraedes*
barreto Adames, 1971: *Deinocerites*
barrinus Bram, 1967: *Culex (Culiciomyia)*

bastagarius Dyar & Knab, 1906: *Culex (Melanoconion)*
batesi Lane & Cerqueira, 1942: *Sabethes (Sabethes)*
batesi Rozeboom & Komp, 1948: *Culex (Melanoconion)*
bathana (Dyar, 1928): *Chagasia*
becki (Belkin, 1962): *Geoskusea*
becki Belkin, 1962: *Culex (Lophoceraomyia)*
bedfordi (Edwards, 1936): *Catageomyia*
behningi (Martini, 1926): *Ochlerotatus* (subgenus uncertain)
bejaranoi (Martinez, Carcavallo & Prosen, 1960): *Ochlerotatus* (subgenus uncertain)
bejaranoi Duret, 1953: *Culex (Melanoconion)*
bekkui (Mogi, 1977): *Edwardsaedes*
beklemishevi Stegnii & Kabanova, 1976: *Anopheles (Anopheles)*
belemensis Duret & Damasceno, 1955: *Culex (Anoedioparpa)*
belenrae Rueda, 2005: *Anopheles (Anopheles)*
belisarioi Neiva, 1908: *Sabethes (Sabethes)*
belkini Adames, 1971: *Deinocerites*
belkini Baisas & Ubaldo-Pagayon, 1953: *Tripteroides (Tricholeptomysia)*
belkini Grjebine, 1979: *Uranotaenia (Pseudoficalbia)*
belkini Stone & Penn, 1948: *Culex (Acallyntrum)*
bellator Dyar & Knab, 1906: *Anopheles (Kerteszia)*
belleci le Goff, Boussès & Brunhes, 2007: *Neomelanicion*
benarrochi Gabaldon, Cova-Garcia & Lopez, 1941: *Anopheles (Nyssorhynchus)*
bengalensis Barraud, 1934: *Culex (Lophoceraomyia)*
bengalensis Puri, 1930: *Anopheles (Anopheles)*
bengalensis Rosenberg & Evenhuis, 1985: *Toxorhynchites (Toxorhynchites)*
benoiti Wolfs, 1964: *Uranotaenia (Uranotaenia)*
bequaerti (Wolfs, 1947): *Neomelanicion*
bequaerti Dyar & Shannon, 1925: *Culex (Melanoconion)*
bergerardi (Pajot & Geoffroy, 1971): *Neomelanicion*
berghei Vincke & Leleup, 1949: *Anopheles (Cellia)*
bergi Belkin, 1962: *Culex (Lophoceraomyia)*
bergrothi (Edwards, 1921): *Culiseta (Culiseta)*
berlandi (Séguy, 1921): *Ochlerotatus* (subgenus uncertain)
berlini (Schick, 1970): '*Ochlerotatus (Protomacleaya)*'
bernardi (Doucet, 1950): *Mimomyia (Ingramia)*
bertii Cova García & Rausseo, 1964: *Uranotaenia (Uranotaenia)*
bertrami (Schick, 1970): '*Ochlerotatus (Protomacleaya)*'
bervoetsi D'Haenens, 1961: *Anopheles (Cellia)*
beta Séguy, 1924: *Culex (Culex)*
bevisi (Edwards, 1915): *Aedimorphus*
beytouti (Doucet, 1951): *Mimomyia (Ingramia)*
bhayungi Thurman & Thurman, 1958: *Armigeres (Armigeres)*
bicincta da Cunha Ramos & Brunhes, 2004: *Uranotaenia (Pseudoficalbia)*
bicki Stone & Penn, 1947: *Culex (Acallyntrum)*
bickleyi Forattini, 1965: *Culex (Culex)*
bickleyi Thurman, 1959: *Toxorhynchites (Toxorhynchites)*
bicolor Leicester, 1908: *Uranotaenia (Pseudoficalbia)*
bicornis (Root, 1928): *Wyeomyia (Nunezia)*
bicornutus (Theobald, 1910): *Culex (Lophoceraomyia)*
bicristatus (Thurman & Winkler, 1950): *Ochlerotatus (Rusticoidus)*
bidens Dyar, 1922: *Culex (Culex)*
bidentata da Cunha Ramos & Brunhes, 2004: *Uranotaenia (Uranotaenia)*
bifasciata da Cunha Ramos & Brunhes, 2004: *Uranotaenia (Pseudoficalbia)*
bifoliata (King & Hoogstraal, 1947): *Verrallina (Verrallina)*
bifoliolatus Duret & Barreto, 1956: *Culex (Melanoconion)*
bifurcata Dong, Wang & Lu, 1995: *Topomyia (Topomyia)*
bigoti (Bellardi, 1862): *Lutzia (Lutzia)*
bihaicola Dyar & Núñez Tovar, 1928: *Culex (Carrollia)*
bihamatus Edwards, 1926: *Culex (Culex)*
bilineata Theobald, 1909: *Uranotaenia (Uranotaenia)*

bilineatus Theobald, 1903: **Culex (Culex)**
bimaculata Leicester, 1908: **Uranotaenia (Pseudoficalbia)**
bimaculatus (Coquillett, 1902): **Ochlerotatus (Chrysoconops)**
bimaculiala Leicester, 1908: **Uranotaenia (Uranotaenia)**
bimaculipes (Theobald, 1905): **Tripteroides (Tripteroides)**
binigrolineatus Knight & Rozeboom, 1945: **Culex (Acallyntrum)**
binotatus Belkin, 1950: **Tripteroides (Tripteroides)**
biocellatus (Taylor, 1915): 'Ochlerotatus (Finlaya)'
bipartipes Dyar & Knab, 1906: **Sabethes (Sabethes)**
biscaynensis Zavortink & O'Meara, 1999: **Culex (Micraedes)**
biskraensis (Brunhes, 1999): **Ochlerotatus** (subgenus uncertain)
bisquamatus Lee, 1946: **Tripteroides (Rachisoura)**
bisulcatus (Coquillett, 1906): **Culex (Micraedes)**
bitaeniorhynchus Giles, 1901: **Culex (Oculeomyia)**
biunguiculata Harbach, 2014 (in Harbach & Taai, 2014): **Nyctomyia**
blacklocki (Evans, 1925): **Stegomyia** (subgenus uncertain)
bogotanus (Arnell, 1976): **Ochlerotatus (Ochlerotatus)**
boharti (Knight & Rozeboom, 1946): **Scutomyia**
boharti Brookman & Reeves, 1950: **Culex (Neoculex)**
bokorensis Klein & Sirivanakarn, 1970: **Culex (Eumelanomyia)**
bolense (Edwards, 1936): **Neomelaniconion**
bolii Sirivanakarn, 1968: **Culex (Lophoceraomyia)**
boliviensis (Theobald, 1905): **Anopheles (Kerteszia)**
boneti (Gil Collado, 1936): **Bifidistylus**
boninensis Bohart, 1957: **Culex (Sirivanakarnius)**
bonneae (Mattingly, 1958): **Paraedes**
bonneae Dyar & Knab, 1919: **Culex (Culex)**
bonneae Edwards, 1930: **Mansonia (Mansonioides)**
bonneae Root, 1927: **Chagasia**
bonnei (Lane & Cerqueira, 1942): **Wyeomyia (Phoniomyia)**
bonnei Dyar, 1921: **Culex (Carrollia)**
bonneti Belkin, 1962: **Tripteroides (Tripteroides)**
borneensis McArthur, 1949: **Anopheles (Anopheles)**
boshelli Osorno-Mesa, 1944: **Haemagogus (Haemagogus)**
bosseri Grjebine, 1979: **Uranotaenia (Pseudoficalbia)**
bougainvillensis (Belkin, 1962): **Mimomyia (Etorleptiomyia)**
bougainvillensis (Marks, 1947): **Finlaya**
bougainvillensis Steffan, 1979: **Culex (Acallyntrum)**
bourrouli (Lutz, 1905): **Wyeomyia (Spilonympha)**
boussesi da Cunha Ramos & Brunhes, 2004: **Uranotaenia (Pseudoficalbia)**
brachiatus Hutchings & Sallum, 2008: **Culex (Melanoconion)**
bradleyi King, 1939: **Anopheles (Anopheles)**
brami Forattini, Rabello & Lopes, 1967: **Culex (Culex)**
braziliensis (Chagas, 1907): **Anopheles (Nyssorhynchus)**
braziliensis (Gordon & Evans, 1922): 'Ochlerotatus (Protomacleaya)'
breedensis (Muspratt, 1953): **Ochlerotatus** (subgenus uncertain)
breinli (Taylor, 1914): **Armigeres (Armigeres)**
brelandi (Zavortink, 1972): 'Ochlerotatus (Protomacleaya)'
breguesi Rickenbach & Lombrici, 1975: **Eretmapodites**
breguesi Brunhes & Ravaonjanahary, 1973: **Culex (Eumelanomyia)**
brethesi Dyar, 1919: **Culex (Culex)**
breviculus Senevet & Abonnenc, 1939: **Culex (Tinolestes)**
brevipalpis (Giles, 1902): **Culex (Eumelanomyia)**
brevipalpis Brug, 1934: **Tripteroides (Tripteroides)**
brevipalpis Roper, 1914: **Anopheles (Anopheles)**
brevipalpis Theobald, 1901: **Toxorhynchites (Toxorhynchites)**
brevipalpus (Theobald, 1905): **Culex (Lophoceraomyia)**
brevipes (da Costa Lima, 1931): **Trichoprosopon**
brevirhynchus Brug, 1934: **Tripteroides (Rachisoura)**
brevirostris Reid, 1950: **Anopheles (Anopheles)**

brevis (Berlin, 1969): *Howardina*
breviseta da Cunha Ramos & Brunhes, 2004: *Uranotaenia (Pseudoficalbia)*
brevispinosus Bonne-Wepster & Bonne, 1920: *Culex (Culex)*
brevitibia (Edwards, 1914): *Alanstonea*
brevivittata (Berlin, 1969): *Howardina*
bricenoï Cova García et al., 1987: *Uranotaenia (Uranotaenia)*
briseis Dyar, 1925: *Uranotaenia (Uranotaenia)*
britteni (Marks & Hodgkin, 1958): '*Ochlerotatus (Finlaya)*'
brohieri Edwards, 1929: *Anopheles (Cellia)*
bromeliae Theobald, 1911: *Stegomyia (Mukwaya)*
brottesi Rickenbach, 1967: *Eretmapodites*
browni Komp, 1936: *Culex (Anoediopora)*
browni Mattingly, 1955: *Uranotaenia (Pseudoficalbia)*
brownscutuma (Dong, Zhou & Dong, 1999): *Bothaella*
brucei (del Ponte & Cerqueira, 1938): *Onirion*
brucei Service, 1960: *Anopheles (Cellia)*
brumpti Doucet, 1951: *Uranotaenia (Pseudoficalbia)*
brumpti Gailiard, 1931: *Culex (Culex)*
brumpti Hamon & Rickenbach, 1955: *Anopheles (Cellia)*
brunhesi (Reinert, 1999): *Zavortinkius*
brunhesi Grjebine, 1979: *Uranotaenia (Pseudoficalbia)*
brunhesi Ribeiro, 2004: *Toxorhynchites (Afrorhynchus)*
brunnipes (Theobald, 1910): *Anopheles (Cellia)*
brygooi (Brunhes, 1971): *Zavortinkius*
brygooi Grjebine, 1986: *Mimomyia (Ingramia)*
buenaventura (Schick, 1970): '*Ochlerotatus (Protomacleaya)*'
bukavuensis Wolfs, 1947: *Culex (Culex)*
bulkleyi Causey, 1937: *Anopheles (Anopheles)*
burgeri (Zavortink, 1972): '*Ochlerotatus (Protomacleaya)*'
burjaticus (Kuchartshuk, 1973): *Ochlerotatus* (subgenus uncertain)
burnetti (Belkin, 1962): *Finlaya*
burnsi (Basio & Reisen, 1971): *Stegomyia* (subgenus uncertain)
burpengaryensis (Theobald, 1905): *Ochlerotatus* (subgenus uncertain)
busckii (Coquillett, 1906): *Howardina*
bustamantei Galvão, 1955: *Anopheles (Anopheles)*
butleri (Theobald, 1901): *Verrallina (Verrallina)*
buxtoni (Belkin, 1962): *Patmarksia*
buxtoni (Edwards, 1923): *Coquillettidia (Coquillettidia)*
buxtoni Edwards, 1926: *Culex (Lophoceraomyia)*
buxtoni Service, 1958: *Anopheles (Cellia)*
bwambae White, 1985: *Anopheles (Cellia)*
caballus (Theobald, 1912): *Ochlerotatus (Juppius)*
cabrerai Miyagi, Toma & Rivera, 1983: *Topomyia (Topomyia)*
cachani (Doucet, 1950): *Uranotaenia (Pseudoficalbia)*
cacharana (Barraud, 1923): *Phagomyia*
cacozelus (Marks, 1963): *Ochlerotatus* (subgenus uncertain)
caecus (Theobald, 1901): *Aedimorphus*
caeruleocephala Theobald, 1901: *Uranotaenia (Uranotaenia)*
caeruleocephalus (Leicester, 1908): *Tripteroides (Tripteroides)*
caillardi Rickenbach, Ferrara & Eouzan, 1968: *Eretmapodites*
cairnensis (Taylor, 1919): *Culex* (subgenus uncertain)
cairnensis Taylor, 1919: *Hodgesia*
calabarensis Edwards, 1941: *Culex (Eumelanomyia)*
calabyi (Marks, 1963): *Macleaya (Chaetocruimyia)*
calcariae (Marks, 1957): *Ochlerotatus (Pholeomyia)*
calceata (Edwards, 1924): *Stegomyia* (subgenus uncertain)
calderoni Wilkerson, 1991: *Anopheles (Anopheles)*
caledonicus (Edwards, 1922): *Tripteroides (Polylepidomyia)*
caliginosa Philip, 1931: *Uranotaenia (Uranotaenia)*
caliginosus (Graham, 1910): *Aedimorphus*

caliginosus de Meillon, 1943: *Anopheles (Anopheles)*
calosomata Dyar & Knab, 1907: *Uranotaenia (Uranotaenia)*
calumnior (Belkin, Heinemann & Page, 1970): *Ochlerotatus* (subgenus uncertain)
calurus Edwards, 1935: *Culex (Culex)*
camaronis Ribeiro, 1991: *Toxorhynchites (Toxorhynchites)*
cambournaci Hamon & Gandara, 1955: *Culex (Culiciomyia)*
cameroni de Meillon & Evans, 1935: *Anopheles (Cellia)*
campana (Schick, 1970): '*Ochlerotatus (Protomacleaya)*'
campestris (Dyar & Knab, 1907): *Ochlerotatus* (subgenus uncertain)
campestris Leicester, 1908: *Uranotaenia (Uranotaenia)*
campestris Reid, 1962: *Anopheles (Anopheles)*
campilunati Carter & Wijesundara, 1948: *Culex (Eumelanomyia)*
camposi Dyar, 1925: *Culex (Culex)*
camptorhynchus (Thomson, 1869): *Ochlerotatus* (subgenus uncertain)
campylostylus (Laffoon, 1946): *Verrallina (Neomacleaya)*
canaanensis Lane & Whitman, 1943: *Culex (Anodiopora)*
canadensis (Theobald, 1901): *Ochlerotatus (Culicada)*
cancer Theobald, 1901: *Deinocerites*
cancricomes (Edwards, 1922): *Canraedes*
candelabrifer Brug, 1939: *Armigeres (Armigeres)*
candidoscutellum (Marks, 1947): '*Ochlerotatus (Finlaya)*'
canorii Floch & Abonnenc, 1945: *Anopheles (Stethomyia)*
cantans (Meigen, 1818): *Ochlerotatus* (subgenus uncertain)
cantator (Coquillett, 1903): *Ochlerotatus* (subgenus uncertain)
capelai da Cunha Ramos, 1993: *Uranotaenia (Pseudoficalbia)*
capelai Ribeiro, 1992: *Toxorhynchites (Afrorhynchus)*
capensis (Edwards, 1924): *Albuginosus* [*Aedes (Albuginosus)*]
capricornii Lutz, 1904: *Haemagogus (Haemagogus)*
caracula Dyar & Núñez Tovar, 1928: *Wyeomyia (Wyeomyia)*
carcinicola da Cunha Ramos & Brunhes, 2004: *Uranotaenia (Pseudoficalbia)*
carcinophilus Dyar & Knab, 1906: *Culex (Melanoconion)*
carcinoxenus de Oliveira Castro, 1932: *Culex (Culex)*
caribeanus Galindo & Blanton, 1954: *Culex (Melanoconion)*
carioca Lane & Whitman, 1951: *Culex (Microculex)*
carleti Brunhes & Ravaonjanahary, 1971: *Culex (Culex)*
carmentii (Edwards, 1924): *Verrallina (Verrallina)*
carnevalei Brunhes, le Goff & Geoffroy, 1999: *Anopheles (Cellia)*
carolinensis Bohart & Ingram, 1946: *Culex (Lophoceraomyia)*
caroni Adam, 1961: *Anopheles (Cellia)*
carrilloi (Sutil O. & Pulido F., 1978): *Wyeomyia (Exallomyia)*
carteri (Edwards, 1936): *Neomelaniconion*
carteri Amerasinghe, 1993: *Heizmannia (Heizmannia)*
carteri Evans & de Meillon, 1933: *Anopheles (Cellia)*
cartroni (Ventrillon, 1906): *Skusea*
casali (Schick, 1970): '*Ochlerotatus (Protomacleaya)*'
caspicus (Pallas, 1771): *Ochlerotatus* (subgenus uncertain)
castaneus Sirivanakarn, 1973: *Culex (Lophoceraomyia)*
castelli Hamon, 1957: *Culex (Culex)*
castor de Meillon & Lavoipierre, 1944: *Culex (Eumelanomyia)*
castrensis Edwards, 1922: *Culex (Eumelanomyia)*
castroi Casal & García, 1967: *Culex (Phytotelmatomyia)*
castroi Lane & Cerqueira, 1942: *Trichoprosopon*
cataphylla (Dyar, 1916): *Ochlerotatus* (subgenus uncertain)
cataractarum Edwards, 1923: *Culex (Eumelanomyia)*
catasticta Knab, 1909: *Aedeomyia (Aedeomyia)*
catesi (Lien, 1968): *Heizmannia (Mattinglyia)*
catharinensis (da Costa Lima, Guitoon & Ferreira, 1962): *Toxorhynchites (Ankylorhynchus)*
cauchensis Floch & Abonnenc, 1945: *Culex (Tinolestes)*
caudatus Clastrier, 1970: *Culex (Melanoconion)*
caudelli (Dyar & Knab, 1906): *Culex (Melanoconion)*

cauta (Barraud, 1928): *Verrallina (Neomacleaya)*
cavalerii García & Casal, 1967: *Toxorhynchites (Lynchiella)*
cavaticus (Reinert, 1979): *Isoaedes*
cavernicola Mattingly, 1954: *Uranotaenia (Pseudoficalbia)*
cavernicola Rattanarithikul & Harbach, 2007: *Borichinda*
cedecei Stone & Hair, 1968: *Culex (Melanoconion)*
celaenocephala Dyar & Knab, 1906: *Wyeomyia (Wyeomyia)*
celatum Peyton & Harbach, 2000: *Onirion*
celebica (Mattingly, 1959): *Lorrainea*
celeste Dyar & Nuñez Tovar, 1927: *Haemagogus (Haemagogus)*
centropunctatus (Theobald, 1913): *Aedimorphus*
ceramensis Sirivanakarn & Kurihara, 1973: *Culex (Culiciomyia)*
cerqueirai (Barreto & Coutinho, 1944): *Mansonia (Mansonia)*
cerqueirai (Stone, 1944): *Runchomyia (Runchomyia)*
cerqueirai Valencia, 1973: *Culex (Carrollia)*
cesari del Ponte & Cerqueira, 1938: *Wyeomyia* (subgenus uncertain)
ceylonensis (Theobald, 1905): *Tripteroides (Rachionotomyia)*
ceylonica (Edwards, 1917): *Verrallina (Neomacleaya)*
chaetovenralis (Theobald, 1910): *Culex (Neoculex)*
chagasi (da Costa Lima, 1935): *Mansonia (Mansonia)*
chaguanco Casal, García & Fernández, 1968: *Culex (Anoedioparpa)*
chahi Miyagi & Toma, 2012: *Topomyia (Topomyia)*
chalcocephala Dyar & Knab, 1906: *Wyeomyia* (subgenus uncertain)
chalcospilans Dyar, 1921: *Haemagogus (Haemagogus)*
chamberlaini Ludlow, 1904: *Mimomyia (Mimomyia)*
chamboni (Cornet, 1968): *Catageomyia*
champerico (Dyar & Knab, 1906): *Psorophora (Janthinosoma)*
chandi Edwards, 1922: *Heizmannia (Heizmannia)*
changuinolae Galindo & Blanton, 1954: *Culex (Melanoconion)*
charmion Dyar, 1928: *Wyeomyia (Wyeomyia)*
chathamicus (Dumbleton, 1962): *Opifex (Nothoskusea)*
chaussieri (Edwards, 1923): *Stegomyia* (subgenus uncertain)
chauveti Brunhes & Rambelo, 1968: *Culex (Eumelanomyia)*
cheesmanae Mattingly & Marks, 1955: *Culex (Neoculex)*
chelli Edwards, 1915: *Ochlerotatus (Juppis)*
chemulpoensis (Yamada, 1921): *Stegomyia* (subgenus uncertain)
chengi Lien, 1968: *Heizmannia (Heizmannia)*
cheni Dong, Wang & Lu, 2003: *Culex (Culiciomyia)*
cheni Lien, 1968: *Tripteroides (Tripteroides)*
cherrapunjiensis Natarajan, Rajavel & Jambulingam, 2016: *Hulecoeteomyia*
chidesteri Dyar, 1921: *Culex (Culex)*
chionodes (Belkin, 1962): *Christophersiomyia*
chionotum (Zavortink, 1972): '*Ochlerotatus (Protomacleaya)*'
chiriquiensis Komp, 1936: *Anopheles (Anopheles)*
chitae Duret, 1967: *Culex (Culex)*
chloropterus (von Humboldt, 1819): *Sabethes (Sabethoides)*
chocoensis Porter & Wolff, 2004: *Wyeomyia (Hystatomyia)*
chodukini Martini, 1929: *Anopheles (Anopheles)*
chorleyi Edwards, 1936: *Uranotaenia (Uranotaenia)*
chorleyi Edwards, 1941: *Culex (Culex)*
christiani Colless, 1960: *Culex (Lophoceraomyia)*
christophersi (Edwards, 1922): *Bruceharrisonius*
christophersi Baisas & Ubaldo-Pagayon, 1953: *Tripteroides (Tricholeptomyia)*
christophersi Barraud, 1926: *Uranotaenia (Uranotaenia)*
christophi (Portschinsky, 1884): *Toxorhynchites (Toxorhynchites)*
christyi (Newstead & Carter, 1911): *Anopheles (Cellia)*
chryselatus Dyar & Knab, 1919: *Culex (Microculex)*
chrysochlorus Arnell, 1973: *Haemagogus (Haemagogus)*
chrysogaster Graham, 1909: *Eretmapodites*
chrysolineata (Theobald, 1907): *Hulecoeteomyia*

chrysonotum (Peryassú, 1922): *Coquillettidia (Rhynchotaenia)*
chrysoscuta (Theobald, 1910): *Paraedes*
chrysosoma (Edwards, 1915): *Coquillettidia (Coquillettidia)*
chungi (Lien, 1968): *Jihlienius*
churchillensis (Ellis & Brust, 1973): *Ochlerotatus* (subgenus uncertain)
ciliata (Fabricius, 1794): *Psorophora (Psorophora)*
cilipes (Fabricius, 1805): *Psorophora (Psorophora)*
cinctellus Edwards, 1922: *Culex (Lophoceraomyia)*
cinctus (Newstead & Carter, 1910): *Anopheles (Cellia)*
cinerellus Edwards, 1922: *Culex (Culiciomyia)*
cinereus Meigen, 1818: *Aedes*
cinereus Theobald, 1901: *Anopheles (Cellia)*
cinereus Theobald, 1901: *Culex (Culiciomyia)*
cingulata (Fabricius, 1805): *Psorophora (Grabhamia)*
cingulatus (Leicester, 1908): *Armigeres (Leicesteria)*
circumcincta Dyar & Knab, 1907: *Wyeomyia (Hystatomyia)*
circumflava Cerqueira, 1943: *Psorophora (Janthinosoma)*
circumluteolum (Theobald, 1908): *Neomelaniconion*
circumtestacea (Theobald, 1908): *Ficalbia*
civinskii Belkin, 1953: *Uranotaenia (Uranotaenia)*
claggi Bohart & Farner, 1944: *Tripteroides (Tripteroides)*
clara Dyar & Shannon, 1925: *Uranotaenia (Uranotaenia)*
clarki (Galindo, Carpenter & Trapido, 1953): *Haemagogus (Conopostegus)*
clarki Evans, 1924: *Culex (Melanoconion)*
clasoleuca Dyar & Knab, 1908: *Wyeomyia* (subgenus uncertain)
clastrieri Casal & Garcia, 1968: *Culex (Aedinus)*
clavata (Barraud, 1931): *Verrallina (Neomacleaya)*
claviger (Meigen, 1804): *Anopheles (Anopheles)*
clelandi (Taylor, 1914): *Ochlerotatus (Phleomyia)*
clintoni (Taylor, 1946): *Patmarksia*
clivis (Lanzaro & Eldridge, 1992): *Ochlerotatus* (subgenus uncertain)
clowi Rozeboom & Knight, 1946: *Anopheles (Cellia)*
coatzacoalcos Dyar & Knab, 1906: *Uranotaenia (Uranotaenia)*
codiocampa Dyar & Knab, 1907: *Wyeomyia (Miamiya)*
coenonus Howard, Dyar & Knab, 1913: *Wyeomyia (Hystatomyia)*
coerulescens Edwards, 1928: *Culex (Lophoceraomyia)*
coeruleus (Brug, 1934): *Toxorhynchites (Toxorhynchites)*
cogilli (Edwards, 1922): *Phagomyia*
coheni Belkin, 1950: *Tripteroides (Polylepidomyia)*
colledgei Marks, 1956: *Anopheles (Anopheles)*
collessi (Mattingly, 1958): *Paraedes*
collessi Grjebine, 1986: *Mimomyia (Ingramia)*
collessi Lee, 1946: *Tripteroides (Polylepidomyia)*
collessi Reid, 1963: *Anopheles (Anopheles)*
collessi Sirivanakarn, 1968: *Culex (Lophoceraomyia)*
colocasiae Edwards, 1928: *Uranotaenia (Pseudoficalbia)*
colombiana Lane, 1945: *Wyeomyia (Antunesmyia)*
colombianus Adames, 1971: *Deinocerites*
columbiae (Dyar & Knab, 1906): *Psorophora (Grabhamia)*
coluzzii Coetzee & Wilkerson, 2013: *Anopheles (Cellia)*
coluzzii (Rioux, Guilvard & Pasteur, 1998): *Ochlerotatus* (subgenus uncertain)
comata (Barraud, 1931): *Verrallina (Neomacleaya)*
comatus Senevet & Abonnenc, 1939: *Culex (Melanoconion)*
combesi Doucet, 1950: *Uranotaenia (Pseudoficalbia)*
comitatus (Arnell, 1976): *Ochlerotatus (Ochlerotatus)*
commevynensis Bonne-Wepster & Bonne, 1920: *Culex (Melanoconion)*
comminutor Dyar, 1920: *Culex (Melanoconion)*
communis (de Geer, 1776): *Ochlerotatus* (subgenus uncertain)
communis (Leicester, 1908): *Heizmannia (Heizmannia)*
comorensis Brunhes, 1977: *Culex (Culex)*

comorensis Brunhes, 1977: *Orthopodomyia*
comorensis Brunhes, le Goff & Geoffroy, 1997: *Anopheles (Cellia)*
comorensis da Cunha Ramos & Brunhes, 2004: *Uranotaenia (Pseudoficalbia)*
comosa (Reinert, 1974): *Verrallina (Neomacleaya)*
complex (Theobald, 1910): *Heizmannia (Heizmannia)*
complosa (Dyar, 1928): *Wyeomyia (Dendromyia)*
compressum Lutz, 1905: *Trichoprosopon*
compta Senevet & Abonnenc, 1939: *Wyeomyia* (subgenus uncertain)
concinus Lee, 1946: *Tripteroides (Rachisoura)*
concolor Edwards, 1938: *Anopheles (Anopheles)*
conditus Moses, Howard & Harbach, 2000: *Sabethes (Sabethoides)*
condolenscens (Dyar & Knab, 1907): *Ochlerotatus (Ochlerotatus)*
confinnis (Lynch Arribáizaga, 1891): *Psorophora (Grabhamia)*
confundior Komp & Rozeboom, 1951: *Culex (Melanoconion)*
confusa (Lutz, 1905): *Wyeomyia (Prosopolepis)*
confusa Bonne-Wepster, 1951: *Bironella (Neobironella)*
confusa Peyton, 1977: *Uranotaenia (Pseudoficalbia)*
confusus Edwards, 1915: *Armigeres (Armigeres)*
confusus Evans & Leeson, 1935: *Anopheles (Cellia)*
confusus Lee, 1946: *Tripteroides (Rachisoura)*
conjungens Edwards, 1914: *Armigeres (Armigeres)*
connali Edwards, 1912: *Uranotaenia (Uranotaenia)*
conservator Dyar & Knab, 1906: *Culex (Anoedioparpa)*
consolator Dyar & Knab, 1906: *Culex (Microculex)*
consonensis (Reinert, 1973): *Verrallina (Harbachius)*
conspirator Dyar & Knab, 1906: *Culex (Melanoconion)*
contei Duret, 1968: *Culex (Melanoconion)*
contigua (Edwards, 1936): *Stegomyia* (subgenus uncertain)
continentalis (Dobrotworsky, 1960): *Ochlerotatus* (subgenus uncertain)
contrastata da Cunha Ramos & Brunhes, 2004: *Uranotaenia (Pseudoficalbia)*
cooki (Belkin, 1962): *Stegomyia* (subgenus uncertain)
cooki Root, 1937: *Uranotaenia (Uranotaenia)*
coonorensis Mattingly, 1981: *Tripteroides (Rachionotomyia)*
coppenamensis Bonne-Wepster & Bonne, 1920: *Culex (Melanoconion)*
corbeti Hamon, 1962: *Eretmapodites*
cordellieri (Huang, 1986): *Diceromyia*
corentynensis Dyar, 1920: *Culex (Melanoconion)*
corethroides Theobald, 1907: *Anopheles (Anopheles)*
corneti (Huang, 1986): *Stegomyia* (subgenus uncertain)
corniger Theobald, 1903: *Culex (Phenacomyia)*
cornuta da Cunha Ramos & Brunhes, 2004: *Uranotaenia (Pseudoficalbia)*
cornutus Edwards, 1922: *Culex (Oculeomyia)*
corona Belkin, Heinemann & Page, 1970: *Wyeomyia (Wyeomyia)*
coronator Dyar & Knab, 1906: *Culex (Culex)*
corriganii Dyar & Knab, 1907: *Culex (Anoedioparpa)*
costai da Fonseca & da Silva Ramos, 1940: *Anopheles (Anopheles)*
costaricensis Adames & Hogue, 1970: *Deinocerites*
cottlei Sirivanakarn, 1968: *Culex (Lophoceraomyia)*
coulangesi (Rodhain & Boutonnier, 1983): *Paulianius*
coustani Laveran, 1900: *Anopheles (Anopheles)*
covagarciai Forattini, 1965: *Culex (Culex)*
covagarciai Sutil Oramas & Pulido F., 1974: *Wyeomyia* (subgenus uncertain)
covelli Barraud, 1929: *Heizmannia (Heizmannia)*
cozi (Cornet, 1973): *Cornetius*
cozumelensis (Díaz Nájera, 1966): *Howardina*
cracens Sallum & Peyton, 2005: *Anopheles (Cellia)*
craggi Barraud, 1923: *Stegomyia (Heteraspidion)*
crassicomus Colless, 1965: *Culex (Lophoceraomyia)*
crassiforceps (Edwards, 1927): *Neomelaniconion*
crassipes (van der Wulp, 1881): *Coquillettidia (Coquillettidia)*

crassistylus Brug, 1934: *Culex (Neoculex)*
crawfordi Reid, 1953: *Anopheles (Anopheles)*
creole Anduze, 1949: *Culex (Melanoconion)*
cretata (Delfinado, 1967): *Verrallina (Neomacleaya)*
cretina (Edwards, 1921): *Stegomyia* (subgenus uncertain)
crinicauda Edwards, 1921: *Culex (Culex)*
crinifer (Theobald, 1903): *Ochlerotatus (Ochlerotatus)*
cristata (Theobald, 1904): *Coquillettidia (Coquillettidia)*
cristata Thurman, 1959: *Topomyia (Suaymyia)*
cristatus King & Baisas, 1936: *Anopheles (Cellia)*
crispipalpis Service, 1977: *Anopheles (Cellia)*
cristovaoi Duret, 1968: *Culex (Melanoconion)*
crocea (Knight & Laffoon, 1946): *Finlaya*
crossi (Lien, 1967): '*Ochlerotatus (Finlaya)*'
crowei Sirivanakarn, 1968: *Culex (Lophoceraomyia)*
crucians Wiedemann, 1828: *Anopheles (Anopheles)*
cruzii Dyar & Knab, 1908: *Anopheles (Kerteszia)*
crybda Dyar, 1924: *Culex (Melanoconion)*
crypticus Coetzee, 1995: *Anopheles (Anopheles)*
cubiculi Marks, 1989: *Culex (Lophoceraomyia)*
cubitatus Colless, 1965: *Culex (Lophoceraomyia)*
cuccioi (Belkin, 1962): *Verrallina (Verrallina)*
cucphuongensis Vu, Nguyen, Tran & Nguyen, 1991: *Anopheles (Anopheles)*
culicifacies Giles, 1901: *Anopheles (Cellia)*
culiciformis (Theobald, 1905): *Ochlerotatus (Pseudoskusea)*
culiciformis Cogill, 1903: *Anopheles (Anopheles)*
culicinus (Edwards, 1922): *Aedimorphus*
cumminsii (Theobald, 1903): *Aedimorphus*
cunabulanus (Edwards, 1924): *Ochlerotatus* (subgenus uncertain)
curiche Adames, 1971: *Deinocerites*
curtipalpis (Edwards, 1914): *Culex (Lophoceraomyia)*
curtipes (Edwards, 1915): *Canraedes*
curvibrachius Angulo, 1993: *Culex (Culex)*
cuttsi van den Assem, 1959: *Tripteroides (Rachisoura)*
cuyanus Duret, 1968: *Culex (Culex)*
cyanescens (Coquillett, 1902): *Psorophora (Janthinosoma)*
cyaneus (Fabricius, 1805): *Sabethes (Sabethes)*
cydippis de Meillon, 1931: *Anopheles (Cellia)*
cylindricus Theobald, 1903: *Culex (Lophoceraomyia)*
cyprionides (Danilov & Stupin, 1982): *Ochlerotatus* (subgenus uncertain)
cyprionus (Ludlow, 1920): *Ochlerotatus* (subgenus uncertain)
cyrtopus Theobald, 1909: *Hodgesia*
cyrtolabis (Edwards, 1928): *Verrallina (Neomacleaya)*
daciae Linton, Nicolescu & Harbach, 2004: *Anopheles (Anopheles)*
daggyi (Stone & Bohart, 1944): *Geoskusea*
dahlae Nielsen, 2009: *Ochlerotatus* (subgenus uncertain)
dahuricus Danilov, 1987: *Aedes*
daitensis (Miyagi & Toma, 1981): *Stegomyia* (subgenus uncertain)
daliensis (Taylor, 1916): '*Ochlerotatus*' (subgenus uncertain)
dalzieli (Theobald, 1910): *Aedimorphus*
damascenoi Duret, 1969: *Culex (Anoedioporpa)*
damasei Grjebine, 1979: *Uranotaenia (Pseudoficalbia)*
danaraji Ramalingam, 1988: *Topomyia (Topomyia)*
dancalicus Corradetti, 1939: *Anopheles (Cellia)*
dandakaranyensis Natarajan, Rajavel & Jambulingam, 2017: *Uranotaenia (Pseudoficalbia)*
darlingi Root, 1926: *Anopheles (Nyssorhynchus)*
daryi (Schick, 1970): '*Ochlerotatus (Protomacleaya)*'
dasyorrhus (King & Hoogstraal, 1946): *Lorrainea*
daudi Coluzzi, 1958: *Anopheles (Cellia)*
daumastocampa Dyar & Knab, 1908: *Culex (Microculex)*

davidi (Basio, 1971): *Aedimorphus*
davisi (Lane & Cerqueira, 1942): *Wyeomyia (Phoniomyia)*
davisi Kumm, 1933: *Culex (Microculex)*
davisi Lane, 1943: *Uranotaenia (Uranotaenia)*
deanei (Lourenço de Oliveira, 1983): *Wyeomyia (Phoniomyia)*
deaneorum Rosa-Freitas, 1989: *Anopheles (Nyssorhynchus)*
deboeri (Edwards, 1926): *Stegomyia* (subgenus uncertain)
deccana (Barraud, 1923): *Phagomyia*
decens Theobald, 1901: *Culex (Culex)*
declarator Dyar & Knab, 1906: *Culex (Culex)*
decorabilis (Leicester, 1908): *Kimia*
decticus (Howard, Dyar & Knab, 1917): *Ochlerotatus* (subgenus uncertain)
deemingi Service, 1970: *Anopheles (Cellia)*
deficiens (Arnell, 1976): *Ochlerotatus (Ochlerotatus)*
deguzmanae (Mattingly, 1957): *Mimomyia (Ingramia)*
dejesusi Baisas & Feliciano, 1953: *Topomyia (Topomyia)*
delfinadoae Sirivanakarn, 1973: *Culex (Culiciomyia)*
delpilari Baisas & Ubaldo-Pagayon, 1953: *Tripteroides (Tricholeptomyia)*
delpontei Duret, 1969: *Culex (Melanoconion)*
delys Howard, Dyar & Knab, 1915: *Culex (Culex)*
demeilloni (Edwards, 1936): *Stegomyia* (subgenus uncertain)
demeilloni Doucet, 1950: *Culex (Culex)*
demeilloni Evans, 1933: *Anopheles (Cellia)*
demeilloni Mattingly, 1970: *Heizmannia (Heizmannia)*
demeilloni Peyton & Rattanarithikul, 1970: *Uranotaenia (Pseudoficalbia)*
demissus Colless, 1965: *Culex (Lophoceraomyia)*
denbesteni Brug, 1925: *Armigeres (Armigeres)*
denderensis (Wolfs, 1949): *Stegomyia* (subgenus uncertain)
dendrophila (Edwards, 1921): *Stegomyia* (subgenus uncertain)
dentatus (Theobald, 1904): *Aedimorphus*
dentatus Barraud, 1927: *Armigeres (Leicesteria)*
denticulatus Delfinado & Hodges, 1968: *Tripteroides (Tripteroides)*
derivator Dyar & Knab, 1906: *Culex (Neoculex)*
derooki (Brug, 1932): *Patmarksia*
derooki Soesilo & van Slooten, 1931: *Bironella (Neobironella)*
deserticola (Zavortink, 1970): *Jarnellius*
deserticola Kirkpatrick, 1925: *Culex (Maillotia)*
desmotes Giles, 1904: *Stegomyia (Xyele)*
detritus (Haliday, 1833): *Ochlerotatus* (subgenus uncertain)
devenyi Hamon, 1955: *Uranotaenia (Pseudoficalbia)*
diabolica (Lane & Forattini, 1952): *Wyeomyia (Phoniomyia)*
diagonalis Brug, 1934: *Uranotaenia (Pseudoficalbia)*
dialloi (Hamon & Brengues, 1965): *Catageiomyia*
diamphidius Peyton & Harbach, 1991: *Culex (Melanoconion)*
diantaeus (Howard, Dyar & Knab, 1913): *Ochlerotatus (Woodius)*
diazi (Schick, 1970): '*Ochlerotatus (Protomacleaya)*'
dibrugarhensis Bhattacharyya et al., 2004: *Uranotaenia (Pseudoficalbia)*
diengensis Brug, 1931: *Culex (Culex)*
digitatum (Rondani, 1848): *Trichoprosopon*
digitatus (Edwards, 1914): *Armigeres (Leicesteria)*
digoelensis Brug, 1932: *Culex (Lophoceraomyia)*
digoelensis Brug, 1934: *Tripteroides (Polylepidomyia)*
diluvialis Reinert, 1997: *Anopheles (Anopheles)*
dimidiata Cerqueira, 1943: *Psorophora (Grabhamia)*
diplophyllum Dyar, 1929: *Culex (Culex)*
diraphati Peyton & Klein, 1970: *Uranotaenia (Uranotaenia)*
dirus Peyton & Harrison, 1979: *Anopheles (Cellia)*
discolor (Coquillett, 1903): *Psorophora (Grabhamia)*
discors Harbach, 2014: *Topomyia (Miyagiella)*
discrepans (Edwards, 1922): *Heizmannia (Mattinglyia)*

discrucians (Walker, 1856): *Psorophora (Janthinosoma)*
dispar Rattanarithikul & Harbach, 1991: *Anopheles (Cellia)*
dispectus Bram, 1966: *Culex (Culiciomyia)*
dissidens Taaï & Harbach, 2015: *Anopheles (Anopheles)*
dissimilierodes (Dong, Zhou & Dong, 2002): *Kenknightia*
dissimilis (Leicester, 1908): *Kenknightia*
distigma (Edwards, 1925): *Tripteroides (Tripteroides)*
distinctus (Newstead & Carter, 1911): *Anopheles (Cellia)*
distinguendus Dyar, 1928: *Culex (Melanoconion)*
ditaenionota Prado, 1931: *Uranotaenia (Uranotaenia)*
dives (Schiner, 1868): *Mansonia (Mansonioides)*
dmitryi Gornostaeva, 2005: *Aedes*
dobodura (King & Hoogstraal, 1946): *Patmarksia*
dobrotworskyi (Marks, 1958): *Finlaya*
dofleini (Guenther, 1913): *Tripteroides (Rachionotomyia)*
dohenyi Hogue, 1975: *Culex (Culex)*
dolichocephalus (Leicester, 1908): *Armigeres (Leicesteria)*
dolichophyllus Clastrier, 1970: *Culex (Melanoconion)*
dolosus (Lynch Arribáizaga, 1891): *Culex (Culex)*
domesticus (Theobald, 1901): *Aedimorphus*
domicola Edwards, 1916: *Anopheles (Cellia)*
donai da Cunha Ramos & Brunhes, 2004: *Uranotaenia (Pseudoficalbia)*
donaldi Reid, 1962: *Anopheles (Anopheles)*
doonii (Wattal, Bhatia & Kalra, 1958): *Bruceharrisonius*
dorsalis (Meigen, 1830): *Ochlerotatus* (subgenus uncertain)
dorseyi (Knight, 1946): *Downsiomyia*
douceti Grjebine, 1953: *Uranotaenia (Pseudoficalbia)*
douglasi Dobrotworsky, 1956: *Culex (Neoculex)*
downsi Lane, 1945: *Wyeomyia (Wyeomyia)*
dracaenae Edwards, 1916: *Eretmapodites*
dravidicus Christophers, 1924: *Anopheles (Cellia)*
drummondi (Dobrotworsky, 1960): *Culiseta (Culicella)*
dthali Patton, 1905: *Anopheles (Cellia)*
duaalaensis Brunhes, le Goff & Geoffroy, 1999: *Anopheles (Cellia)*
dubitans Lane & Whitman, 1951: *Culex (Microculex)*
dubitans Leicester, 1908: *Topomyia (Topomyia)*
dufourii (Hamon, 1953): *Ochlerotatus* (subgenus uncertain)
dulongensis Gong & Lu, 1995: *Topomyia (Suaymyia)*
dumbletoni Belkin, 1962: *Culex (Neoculex)*
dumonti Doucet, 1949: *Uranotaenia (Uranotaenia)*
dundo da Cunha Ramos & Ribeiro, 1992: *Eretmapodites*
dundo Ribeiro, 1991: *Toxorhynchites (Toxorhynchites)*
dunhami Causey, 1945: *Anopheles (Nyssorhynchus)*
dunni Dyar, 1918: *Culex (Melanoconion)*
duplex (Martini, 1926): *Ochlerotatus* (subgenus uncertain)
duplicator Dyar & Knab, 1909: *Culex (Culex)*
dupreei (Coquillett, 1904): *Ochlerotatus (Protoculex)*
durbanensis (Theobald, 1903): *Aedimorphus*
dureni Edwards, 1938: *Anopheles (Cellia)*
dureti Casal & García, 1968: *Culex (Melanoconion)*
durhami Edwards, 1917: *Armigeres (Armigeres)*
durhami Sirivanakarn, 1968: *Culex (Lophoceraomyia)*
durhamii Theobald, 1901: *Limatus*
duttoni Theobald, 1901: *Culex (Culex)*
dux (Dyar & Shannon, 1925): *Verrallina (Verrallina)*
dyari Belkin & Hogue, 1959: *Deinocerites*
dyari Belkin, Heinemann & Page, 1970: *Mansonia (Mansonia)*
dyari Bohart & Farner, 1944: *Tripteroides (Tripteroides)*
dyari Lane & Cerqueira, 1942: *Wyeomyia (Cruzmyia)*
dybasi (Bohart, 1957): *Stegomyia* (subgenus uncertain)

dyi Baisas & Ubaldo-Pagayon, 1953: *Tripteroides (Tripteroides)*
dyius Root, 1927: *Culex (Melanoconion)*
dzeta (Séguy, 1924): *Ochlerotatus* (subgenus uncertain)
ealaensis (Huang, 2004): *Stegomyia* (subgenus uncertain)
earlei Vargas, 1943: *Anopheles (Anopheles)*
eastor Dyar, 1920: *Culex (Melanoconion)*
eatonii Edwards, 1916: '*Ochlerotatus (Finlaya)*'
ebogoensis (Rickenbach & Ferrara, 1965): *Aedimorphus*
echinus (Edwards, 1920): *Dahlia*
ecuadoriensis (Berlin, 1969): *Howardina*
edgari (Stone & Rosen, 1952): *Ochlerotatus (Buvirilia)*
eduardoi Casal & García, 1968: *Culex (Culex)*
educator Dyar & Knab, 1906: *Culex (Melanoconion)*
edwardsi (Barraud, 1924): *Toxorhynchites (Toxorhynchites)*
edwardsi (Barraud, 1929): *Tripteroides (Rachionomyia)*
edwardsi (Lane & Cerqueira, 1942): *Wyeomyia (Phoniomyia)*
edwardsi Barraud, 1923: *Culex (Culex)*
edwardsi Barraud, 1923: *Stegomyia (Actinothrix)*
edwardsi Barraud, 1926: *Uranotaenia (Uranotaenia)*
egcymon Dyar, 1923: *Culex (Melanoconion)*
eidsvoldensis (Mackerras, 1927): *Ochlerotatus* (subgenus uncertain)
eiseni Coquillett, 1902: *Anopheles (Anopheles)*
ejercitoi Baisas, 1935: *Armigeres (Armigeres)*
ejercitoi Mendoza, 1947: *Anopheles (Anopheles)*
eknomios Forattini & Sallum, 1992: *Culex (Melanoconion)*
elchoensis (Taylor, 1929): *Macleaya (Chaetocruomyia)*
eldridgei (Reinert, 1973): *Bothaella*
eldridgei Adames & Galindo, 1973: *Culex (Belkinomyia)*
eleanorae (Berlin, 1969): *Howardina*
elegans (James, 1903): *Anopheles (Cellia)*
elegans (Taylor, 1914): *Mimomyia (Etorleptomyia)*
elegans Brug, 1934: *Tripteroides (Tripteroides)*
elephas Komp, 1936: *Culex (Melanoconion)*
elevator Dyar & Knab, 1906: *Culex (Melanoconion)*
ellinorae (Edwards, 1941): *Neomelaniconion*
elongatus Rozeboom & Komp, 1950: *Culex (Microculex)*
elsiae (Barraud, 1923): *Collessius (Collessius)*
embiensis (Huang, 1968): *Verrallina (Verrallina)*
embuensis (Edwards, 1930): *Hopkinsius (Hopkinsius)*
eminentia (Leicester, 1908): *Culex (Lophoceraomyia)*
engarensis Kanda & Oguma, 1978: *Anopheles (Anopheles)*
enigmatica Peyton, 1977: *Uranotaenia (Pseudoficalbia)*
ensiformis Bonne-Wepster & Bonne, 1920: *Culex (Melanoconion)*
eouzani Brunhes, le Goff & Boussès, 2003: *Anopheles (Cellia)*
eouzani Geoffroy, 1971: *Culex (Culiciomyia)*
eouzani Rickenbach & Lombrici, 1974: *Eretmapodites*
epactius (Dyar & Knab, 1908): *Georgecraigius (Georgecraigius)*
epanastasis Dyar, 1922: *Culex (Melanoconion)*
epidesmus (Theobald, 1910): *Culex (Oculeomyia)*
epiroticus Linton & Harbach, 2005: *Anopheles (Cellia)*
epitedeus (Knab, 1907): *Deinocerites*
equinoxialis Floch & Abonnenc, 1945: *Culex (Melanoconion)*
equinus Theobald, 1903: *Haemagogus (Haemagogus)*
erepens Gillies, 1958: *Anopheles (Cellia)*
erethyzonfer Galindo & Blanton, 1954: *Culex (Micraedes)*
eritreae (Lewis, 1942): *Aedimorphus*
erlindae Baisas & Ubaldo-Pagayon, 1953: *Tripteroides (Tripteroides)*
ernanii Duret, 1968: *Culex (Melanoconion)*
ernsti Anduze, 1949: *Culex (Melanoconion)*
erraticus (Dyar & Knab, 1906): *Culex (Melanoconion)*

erythraeus Corradetti, 1939: **Anopheles (Cellia)**
erythrothorax Dyar, 1907: **Culex (Culex)**
erythrurus (Edwards, 1941): **Toxorhynchites (Afrorhynchus)**
esmeraldas (Levi-Castillo, 1955): **Wyeomyia (Hystatomyia)**
esoensis Yamada, 1921: **Aedes**
espini (Martini, 1914): **Isostomyia**
ethiopicus Gillies & Coetzee, 1987: **Anopheles (Cellia)**
ethiopiensis (Huang, 2004): **Stegomyia** (subgenus uncertain)
eucephalaeus (Dyar, 1918): **Ochlerotatus (Protoculex)**
euedes (Howard, Dyar & Knab, 1913): **Ochlerotatus** (subgenus uncertain)
euiris (Dyar, 1922): **Ochlerotatus** (subgenus uncertain)
eukrines Bram & Rattanarithikul, 1967: **Culex (Lophoceraomyia)**
euplocamus (Dyar & Knab, 1906): **Ochlerotatus (Ochlerotatus)**
europaeus da Cunha Ramos, Ribeiro & Harrison, 2003: **Culex (Neoculex)**
evandroi da Costa Lima, 1937: **Anopheles (Anopheles)**
evansae (Brèthes, 1926): **Anopheles (Nyssorhynchus)**
evansae (Edwards, 1936): **Toxorhynchites (Toxorhynchites)**
evansae Antunes, 1942: **Trichoprosopon**
evansae Root, 1927: **Culex (Melanoconion)**
exallos Rocha, Lourenço-de-Oliveira & Motta, 2012: **Wyeomyia** (subgenus uncertain)
excruicians (Walker, 1856): **Ochlerotatus** (subgenus uncertain)
exnebulis Bonne-Wepster, 1948: **Tripteroides (Rachisoura)**
explorator (Marks, 1964): **Ochlerotatus** (subgenus uncertain)
fabricii Lane & Cerqueira, 1942: **Sabethes (Peytonulus)**
faini Leleup, 1952: **Anopheles (Cellia)**
fairchildi Galindo & Blanton, 1954: **Culex (Melanoconion)**
fajardi (Lutz, 1904): **Chagasia**
fajardo Baisas & Feliciano, 1953: **Zeugomyia**
falabreguesi (Hamon, 1957): **Catageiomyia**
falcipes Banks, 1906: **Uranotaenia (Uranotaenia)**
farauti Laveran, 1902: **Anopheles (Cellia)**
farquharsoni (Edwards, 1922): **Malaya**
fasciolata (Lynch Arribáizaga, 1891): **Coquillettidia (Rhynchotaenia)**
fascipalpis (Edwards, 1912): **Diceromyia**
fascipes (Coquillett, 1906): **Orthopodomyia**
fasyi Baisas, 1938: **Culex (Culex)**
faurani Duret, 1968: **Culex (Melanoconion)**
fausti Vargas, 1943: **Anopheles (Anopheles)**
feegradei (Barraud, 1934): **Phagomyia**
feliccia (Dyar & Nunez Tovar, 1927): **Wyeomyia (Decamyia)**
felicittis Bonne-Wepster, 1948: **Tripteroides (Rachisoura)**
femineus Edwards, 1926: **Culex (Eumelanomyia)**
femorata (Edwards, 1936): **Mimomyia (Mimomyia)**
fengi (Edwards, 1935): **Luius**
fergusoni (Taylor, 1914): **Culex (Neoculex)**
ferinus (Knight, 1947): **Mucidus (Mucidus)**
fernandezi Casal, García & Cavalieri, 1966: **Culex (Culex)**
fernandezyepezi (Cova Garcia, Sutil Oramas & Pulido F., 1974): **Wyeomyia (Caenomyiella)**
ferox (von Humboldt, 1819): **Psorophora (Janthinosoma)**
ferrara Rickenbach & Eouzan, 1970: **Eretmapodites**
ferreri Duret, 1968: **Culex (Melanoconion)**
fiebrigi Edwards, 1922: **Psorophora (Janthinosoma)**
fijiensis (Belkin, 1962): **Coquillettidia (Coquillettidia)**
fijiensis (Marks, 1947): **Finlaya**
filicis (Ingram & de Meillon, 1927): **Catageiomyia**
filipes (Walker, 1861): **Tripteroides (Rachisoura)**
filipinae Manalang, 1930: **Anopheles (Cellia)**
fimbriata King & Hoogstraal, 1947: **Uranotaenia (Uranotaenia)**
fimbriatus Edwards, 1930: **Armigeres (Armigeres)**
fimbriforceps Edwards, 1935: **Culex (Eumelanomyia)**

fimbripes (Edwards, 1924): **Geoskusea**
finlayi Lane & Cerqueira, 1942: **Wyeomyia (Spilonympha)**
fisheri (Barraud, 1928): **Aedimorphus**
fishi Zavortink, 1986: **Wyeomyia (Zinzala)**
fitchii (Felt & Young, 1904): **Ochlerotatus** (subgenus uncertain)
flabellata (Lane & Cerqueira, 1942): **Wyeomyia (Phoniomyia)**
flabellifer Komp, 1936: **Culex (Melanoconion)**
flabelliger Bonne-Wepster, 1948: **Tripteroides (Rachisoura)**
flavens (King & Hoogstraal, 1946): **Mimomyia (Mimomyia)**
flaveola (Coquillett, 1906): **Mansonia (Mansonia)**
flavescens (Müller, 1764): **Ochlerotatus** (subgenus uncertain)
flavicollis (Edwards, 1928): **Diceromyia**
flavicornis Barraud, 1924: **Culex (Lophoceraomyia)**
flavicosta Barraud, 1927: **Orthopodomyia**
flavicosta Edwards, 1911: **Anopheles (Cellia)**
flavifacies Edwards, 1922: **Wyeomyia (Antunesmyia)**
flavifrons (Skuse, 1889): **Ochlerotatus (Pholeomyia)**
flavimargo (Edwards, 1941): **Neomelaniconion**
flavipennis Giles, 1904: **Finlaya**
flavirostris (Ludlow, 1914): **Anopheles (Cellia)**
flavisetosus de Oliveira Castro, 1935: **Limatus**
flavithorax Barraud, 1927: **Orthopodomyia**
flavocincta (Edwards, 1936): **Coquillettidia (Coquillettidia)**
flavopicta (Edwards, 1936): **Mimomyia (Mimomyia)**
flavopicta (Yamada, 1921): **Stegomyia** (subgenus uncertain)
flavus (Leicester, 1908): **Armigeres (Leicesteria)**
flochi Duret, 1969: **Culex** (subgenus uncertain)
florestan Dyar, 1925: **Wyeomyia (Wyeomyia)**
floridensis Belkin, 1950: **Tripteroides (Polylepidomyia)**
flui (Bonne-Wepster & Bonne, 1920): **Wyeomyia** (subgenus uncertain)
fluminensis Root, 1927: **Anopheles (Anopheles)**
fluviatilis Leicester, 1908: **Hulecoeteomyia**
fluviatilis (Lutz, 1904): **Georgecraigius (Horsfallius)**
fluviatilis (Theobald, 1903): **Shannoniana**
fluviatilis James, 1902: **Anopheles (Cellia)**
foliaceus Lane, 1945: **Culex (Culex)**
foliafer Komp & Rozeboom, 1951: **Culex (Melanoconion)**
foliatus Brug, 1931: **Armigeres (Armigeres)**
foliatus Brug, 1932: **Culex (Eumelanomyia)**
folicola Belkin, 1955: **Tripteroides (Polylepidomyia)**
foliformis (King & Hoogstraal, 1947): **Verrallina (Verrallina)**
fontillei Brunhes & Hervy, 1995: **Orthopodomyia**
fonsecai (Pinto, 1932): **Mansonia (Mansonia)**
fontillei Le Goff, Boussès & Brunhes, 2007: **Neomelaniconion**
fontillei Ribeiro, 2004: **Toxorhynchites (Afrorhynchus)**
fontinalis Gillies & de Meillon, 1968: **Anopheles (Cellia)**
forattinii Cerqueira, 1961: **Sabethes (Sabethes)**
forattinii Clastrier, 1974: **Wyeomyia (Cruzmyia)**
forattinii Wilkerson & Sallum, 1999: **Anopheles (Anopheles)**
forceps Cerqueira, 1939: **Psorophora (Janthinosoma)**
forcipenis Lourenço-de-Oliveira & da Silva, 1985: **Wyeomyia (Spilonympha)**
forcipulatus Edwards, 1936: **Eretmapodites**
formosensis (Yamada, 1921): **Hulecoeteomyia**
fowleri (de Charmoy, 1908): **Aedimorphus**
fragilis (Theobald, 1903): **Anopheles (Anopheles)**
fragilis Leicester, 1908: **Verrallina (Harbachius)**
fragilis Ludlow, 1903: **Culex (Culiciomyia)**
franciscanus McCracken, 1904: **Anopheles (Anopheles)**
franciscoi (Mattingly, 1959): **Petermattinglyius (Petermattinglyius)**
franciscoi Reid, 1962: **Anopheles (Anopheles)**

franclemonti (Belkin, 1962): *Finlaya*
fraseri (Edwards, 1914): *Culiseta (Theomyia)*
fraseri (Edwards, 1922): *Malaya*
fraseri (Theobald, 1911): *Coquillettidia (Coquillettidia)*
fraseri Edwards, 1912: *Stegomyia* (subgenus uncertain)
fraseri Edwards, 1912: *Uranotaenia (Uranotaenia)*
fraudatrix (Theobald, 1905): *Culex (Lophoceraomyia)*
freeborni Aitken, 1939: *Anopheles (Anopheles)*
freetownensis Evans, 1925: *Anopheles (Cellia)*
frenchii (Theobald, 1901): *Culiseta (Neotheobaldia)*
freycinetiae (Laird, 1957): *Finlaya*
freyi Meng, 1957: *Anopheles (Anopheles)*
frontosa Theobald, 1903: *Runchomyia (Runchomyia)*
fryeri (Theobald, 1912): 'Ochlerotatus (Coetzeemyia)'
fulgens (Edwards, 1917): *Zavortinkius*
fulgens da Cunha Ramos & Brunhes, 2004: *Uranotaenia (Pseudoficalbia)*
fuliginosus Lee, 1946: *Tripteroides (Rachisoura)*
fulleri (Ludlow, 1909): *Culex (Lophoceraomyia)*
fulvithorax (Lutz, 1904): *Howardina*
fulvus (Wiedemann, 1828): *Ochlerotatus (Chrysoconops)*
fumida (Edwards, 1928): *Lorrainea*
fumipennis (Stephens, 1825): *Culiseta (Culicella)*
funerea (Leicester, 1908): *Heizmannia (Heizmannia)*
funerea (Theobald, 1903): *Verrallina (Verrallina)*
funestus (Leicester, 1908): *Toxorhynchites (Toxorhynchites)*
funestus Giles, 1900: *Anopheles (Cellia)*
funiculus Dyar, 1920: *Psorophora (Grabhamia)*
furcifer (Edwards, 1913): *Diceromyia*
furfurea (Enderlein, 1923): *Aedeomyia (Lepiothauma)*
furlongi van Someren, 1954: *Culex (Culiciomyia)*
fusca (Leicester, 1908): *Mimomyia (Ingramia)*
fusca Theobald, 1907: *Uranotaenia (Pseudoficalbia)*
fuscana (Wiedemann, 1820): *Lutzia (Metalutzia)*
fuscicinctus King & Hoogstraal, 1946: *Culex (Culiciomyia)*
fuscicolor van Someren, 1947: *Anopheles (Anopheles)*
fuscinerve (Edwards, 1914): *Neomelaniconion*
fuscipalpis (Belkin, 1962): *Finlaya*
fuscipes Edwards, 1922: *Wyeomyia (Phoniomyia)*
fusciplaura Lee, 1946: *Tripteroides (Rachisoura)*
fuscitarsis (Belkin, 1962): *Finlaya*
fuscivenosus Leeson, 1930: *Anopheles (Cellia)*
fuscocephala Theobald, 1907: *Culex (Culex)*
fusco pennata (Theobald, 1903): *Coquillettidia (Coquillettidia)*
fuscopteron (Theobald, 1911): *Coquillettidia (Coquillettidia)*
fuscus Hutton, 1902: *Opifex (Opifex)*
futunae (Belkin, 1962): *Stegomyia (Zoromorpha)*
gabaldoni Cova García, Pulido F., Escalante de Ugueto & Mora R., 1987: *Uranotaenia (Uranotaenia)*
gabaldoni Vargas, 1941: *Anopheles (Anopheles)*
gabonensis Rahola, Makanga & Paupy, 2014: *Anopheles (Cellia)*
gabriel (Schick, 1970): 'Ochlerotatus (Protomacleaya)'
gaffigani (Reinert, 1990): *Kenknightsia*
gagnei Evenhuis, 1989: *Culex (Lophoceraomyia)*
gahnicola (Marks, 1947): *Finlaya*
gairus Root, 1927: *Culex (Microculex)*
galindoi (Schick, 1970): 'Ochlerotatus (Protomacleaya)'
galindoi Komp & Rozeboom, 1951: *Culex (Melanoconion)*
galliardi Edwards, 1941: *Culex (Eumelanomyia)*
galloisi (Yamada, 1921): *Stegomyia* (subgenus uncertain)
galloisioides (Liu & Lu, 1984): *Stegomyia* (subgenus uncertain)

galvaoi (Correa & Ramalho, 1956): *Wyeomyia* (*Phoniomyia*)
galvaoi Causey, Deane & Deane, 1943: *Anopheles* (*Nyssorhynchus*)
galvaoi Duret, 1968: *Culex* (*Melanoconion*)
gambiae Giles, 1902: *Anopheles* (*Cellia*)
gameti Bailly-Choumara, 1966: *Culex* (*Culex*)
gamma Séguy, 1924: *Culex* (*Neoculex*)
ganapathi (Colless, 1958): *Downsiomyia*
ganapathi Colless, 1965: *Culex* (*Lophoceraomyia*)
gandaensis (Huang, 2004): *Stegomyia* (*Mukwaya*)
gandarai (da Cunha Ramos, Capela & Ribeiro, 1995): *Polyleptiomyia*
gani (Bonne-Wepster, 1940): *Finlaya*
garcesi Duret, 1968: *Culex* (*Melanoconion*)
garciai Broche, 2000: *Culex* (*Culex*)
gardnerii Ludlow, 1905: *Stegomyia* (subgenus uncertain)
garioui Bailly-Choumara & Rickenbach, 1966: *Culex* (*Eumelanomyia*)
garnhami Edwards, 1930: *Anopheles* (*Cellia*)
garnhami van Someren, 1948: *Uranotaenia* (*Pseudoficalbia*)
gaudeator Dyar & Knab, 1907: *Culex* (*Microculex*)
gadians Dyar & Núñez Tovar, 1927: *Wyeomyia* (*Wyeomyia*)
gaufini Belkin, 1962: *Culex* (*Neoculex*)
gausapata Dyar & Núñez Tovar, 1927: *Wyeomyia* (*Wyeomyia*)
gelidus Theobald, 1901: *Culex* (*Culex*)
geminus Colless, 1955: *Culex* (*Oculeomyia*)
geminus Peus, 1970: *Aedes*
geniculata (Olivier, 1791): *Dahlia*
geniculata da Cunha Ramos & Brunhes, 2004: *Uranotaenia* (*Uranotaenia*)
genurostris Leicester, 1908: *Malaya*
geoffroyi (Reinert, 1999): *Zavortinkius*
geometrica Theobald, 1901: *Uranotaenia* (*Uranotaenia*)
georgianus King, 1939: *Anopheles* (*Anopheles*)
geoskusea (Amos, 1944): *Levua*
gerbergi Belkin, 1977: *Toxorhynchites* (*Lynchiella*)
gerdae Slooff, 1963: *Uranotaenia* (*Uranotaenia*)
germaini Geoffroy, 1974: *Culex* (*Eumelanomyia*)
germaini Rickenbach & Eouzan, 1970: *Eretmapodites*
gibbinsi (Edwards, 1935): *Aedimorphus*
gibbinsi Evans, 1935: *Anopheles* (*Cellia*)
gibbosa (Delfinado, 1967): *Verrallina* (*Neomacleaya*)
gibbulus Delfinado, 1966: *Culex* (*Lophoceraomyia*)
giblini (Taylor, 1914): *Coquillettidia* (*Coquillettidia*)
gigantea Brug, 1931: *Uranotaenia* (*Pseudoficalbia*)
giganteus Ventrillon, 1906: *Culex* (*Oculeomyia*)
gigantulus (Dyar & Shannon, 1925): *Toxorhynchites* (*Toxorhynchites*)
gigas Giles, 1901: *Anopheles* (*Anopheles*)
gilcolladoi (Sánchez-Covisa Villa, Rodríguez Rodríguez & Guillén Llera, 1985): *Dahlia*
gilesi (Neiva, 1908): *Anopheles* (*Lophopodomyia*)
gilletti van Someren, 1949: *Eretmapodites*
gilli (Barraud, 1924): *Himalaius*
gilliesi (van Someren, 1962): *Albuginosus*
gilliesi Hamon & van Someren, 1961: *Culex* (*Culiciomyia*)
giveni Edwards, 1926: *Armigeres* (*Armigeres*)
glaphyoptera (Schiner, 1864): *Culiseta* (*Culiseta*)
glaucodaemon (Dyar & Shannon, 1925): *Sabethes* (*Sabethoides*)
globocoxitus Dobrotworsky, 1953: *Culex* (*Culex*)
glyptosalpinx Harbach, Peyton & Harrison, 1984: *Culex* (*Melanoconion*)
gnomatos Sallum, Hutchings, Leila & Ferreira, 1997: *Culex* (*Melanoconion*)
goeldii Rozeboom & Gabaldon, 1941: *Anopheles* (*Nyssorhynchus*)
gombakensis (Mattingly, 1959): *Christophersomyia*
gomezdelatorrei Levi-Castillo, 1955: *Anopheles* (*Lophopodomyia*)
gonguensis (Gong & Lu, 1986): *Jihlienius*

gonzalezrinconesi Cova Garcia, Pulido F. & Escalante de Ugueto, 1977: **Anopheles (Kerteszia)**
gorgasi Duret, 1971: **Sabethes (Peytonulus)**
gossi Bohart, 1957: **Culex (Lophoceraomyia)**
gouldi Peyton & Klein, 1970: **Uranotaenia (Pseudoficalbia)**
gouldi (Reinert, 1972): **Aedimorphus**
grabhami Berlin 1969: **Howardina**
grabhamii Theobald, 1901: **Anopheles (Anopheles)**
gracicornis Sirivanakarn, 1977: **Culex (Lophoceraomyia)**
gracilelineatus (Bonne-Wepster, 1937): 'Ochlerotatus (Finlaya)'
gracilis Leicester, 1908: **Topomyia (Topomyia)**
gracilis Leicester, 1908: **Zeugomyia**
gracilis Theobald, 1905: **Bironella (Bironella)**
grahami Edwards, 1911: **Eretmapodites**
grahamii Theobald, 1909: **Mucidus (Mucidus)**
grahamii Theobald, 1910: **Culex (Culex)**
grandidieri (Blanchard, 1905): **Coquillettidia (Coquillettidia)**
grandiosus (Williston, 1900): **Toxorhynchites (Lynchiella)**
grantii Theobald, 1901: **Stegomyia** (subgenus uncertain)
grassei (Doucet, 1951): **Paulianius**
grassei da Cunha Ramos & Brunhes, 2004: **Uranotaenia (Uranotaenia)**
grassei Grjebine, 1953: **Anopheles (Cellia)**
gravelyi (Edwards, 1921): **Toxorhynchites (Toxorhynchites)**
grayii Theobald, 1901: **Wyeomyia (Wyeomyia)**
greeni Rattanarithikul & Harbach, 1991: **Anopheles (Cellia)**
greenii (Theobald, 1903): **Bruceharrisonius**
greenii (Theobald, 1905): **Heizmannia (Heizmannia)**
grenieri Doucet, 1951: **Uranotaenia (Pseudoficalbia)**
grenieri Eouzan, 1969: **Culex (Culiciomyia)**
grenieri Grjebine, 1964: **Anopheles (Cellia)**
grenieri Hamon & van Someren, 1961: **Eretmapodites**
grenieri (Hamon, Service, Adam & Taufflieb, 1961): **Catageiomyia**
gressitti (Bohart, 1957): **Finlaya**
gressitti Sirivanakarn, 1968: **Culex (Lophoceraomyia)**
griffithi Thurman, 1954: **Ayurakitia**
griveaudi Grjebine, 1961: **Anopheles (Cellia)**
grjebinei (Brunhes, 1977): **Mimomyia (Ingramia)**
grjebinei da Cunha Ramos & Brunhes, 2004: **Uranotaenia (Pseudoficalbia)**
grjebinei Hamon, Taufflieb & Maillot, 1957: 'Aedes (Pseudalbuginosus)'
grjebinei Ribeiro, 2004: **Toxorhynchites (Afrorhynchus)**
grossbecki (Dyar & Knab, 1906): **Ochlerotatus** (subgenus uncertain)
guadeloupensis (Dyar & Knab, 1906): **Toxorhynchites (Lynchiella)**
guamensis (Farner & Bohart, 1944): **Stegomyia** (subgenus uncertain)
guarani Shannon, 1928: **Anopheles (Nyssorhynchus)**
guarao Anduze & Capdevielle, 1949: **Anopheles (Anopheles)**
guatemala (Berlin, 1969): **Howardina**
guatemala Dyar & Knab, 1906: **Wyeomyia (Wyeomyia)**
guayasi Levi-Castillo, 1953: **Culex (Culex)**
guayasi Levi-Castillo, 1954: **Limatus**
gubernatoris (Giles, 1901): **Phagomyia**
guedesi da Silva Mattos & Xavier, 1991: **Culex (Melanoconion)**
guerrero (Berlin, 1969): **Howardina**
guerreroi Cova García, Sutil & Pulido, 1971: **Culex (Carrollia)**
guiarti Blanchard, 1905: **Culex (Culex)**
guizhouensis Chen & Zhao, 1985: **Culex (Culex)**
gurneyi (Belkin, 1962): **Mimomyia (Mimomyia)**
gurneyi (Stone & Bohart, 1944): **Stegomyia** (subgenus uncertain)
gutierrezii Duret, 1971: **Wyeomyia** (subgenus uncertain)
gutzevichi (Dubitsky & Deshevykh, 1978): **Ochlerotatus** (subgenus uncertain)
guyanensis Clastrier, 1970: **Culex (Aedinus)**
gymnothorax Harbach & Petersen, 1992: **Sabethes (Sabethes)**

habilitator Dyar & Knab, 1906: **Culex (Culex)**
hackeri Edwards, 1921: **Anopheles (Cellia)**
hackeri Edwards, 1923: **Culex (Eumelanomyia)**
haddowi da Cunha Ramos & Brunhes, 2004: **Uranotaenia (Pseudoficalbia)**
haddowi van Someren, 1949: **Eretmapodites**
hadrognathus Harbach, 1995: **Sabethes (Peytonulus)**
haemorrhoidalis (Fabricius, 1787): **Toxorhynchites (Lynchiella)**
hailarensis Xu & Luo, 1998: **Anopheles (Anopheles)**
hainanensis Chen, 1977: **Culex (Culiciomyia)**
hakanssoni (Knight & Hurlbut, 1949): **Stegomyia** (subgenus uncertain)
hakusanensis (Yamaguti & Tamaboko, 1954): **Ochlerotatus** (subgenus uncertain)
halifaxii (Theobald, 1903): **Lutzia (Metalutzia)**
halophylus Silva do Nascimento & Lourenço-de-Oliveira, 2002: **Anopheles (Nyssorhynchus)**
hamistylus (Laffoon, 1946): **Verrallina (Harbachius)**
hamoni Adam, 1962: **Anopheles (Cellia)**
hamoni Brunhes, Adam & Bailly-Choumara, 1967: **Culex (Eumelanomyia)**
hamoni Grjebine, 1953: **Uranotaenia (Uranotaenia)**
hamoni Grjebine, 1972: **Eretmapodites**
hancocki (van Someren, 1962): **Vansomerenis**
hancocki Edwards, 1929: **Anopheles (Cellia)**
hancocki Edwards, 1930: **Culex (Culex)**
hansfordi (Huang, 1997): **Stegomyia** (subgenus uncertain)
harbachi (Reinert, 1990): **Kenknightia**
hardini Miyagi, Toma & Ramalingam, 1989: **Topomyia (Topomyia)**
hargreavesi Evans, 1927: **Anopheles (Cellia)**
harinasutai (Knight, 1978): **Downsiomyia**
harleyi Peters, 1955: **Culex (Culiciomyia)**
harperi (Knight, 1948): **Danielsia**
harperi Evans, 1936: **Anopheles (Cellia)**
harperi van Someren, 1949: **Eretmapodites**
harrisoni Harbach & Manguin, 2007: **Anopheles (Cellia)**
harrisoni (Muspratt, 1953): **Ochlerotatus** (subgenus uncertain)
harrisoni Peyton, 1977: **Uranotaenia (Pseudoficalbia)**
harrisoni Sirivanakarn, 1977: **Culex (Culiciomyia)**
harrisonica (Reinert, 1974): **Verrallina (Neomacleaya)**
harveyi (Barraud, 1923): **Hulecoeteomyia**
hastatus (Dyar, 1922): **Ochlerotatus (Protoculex)**
hatorii (Yamada, 1921): **Collessius (Collessius)**
haworthi (Edwards, 1923): **Albuginosus**
hayashii Yamada, 1917: **Culex (Eumelanomyia)**
hebes Barraud, 1931: **Uranotaenia (Uranotaenia)**
hebrardi da Cunha Ramos & Brunhes, 2004: **Uranotaenia (Uranotaenia)**
hebridea (Edwards, 1926): **Stegomyia** (subgenus uncertain)
hectoris Giaquinto Mira, 1931: **Anopheles (Anopheles)**
hedys Root, 1927: **Culex (Microculex)**
heiheensis Ma, 1981: **Anopheles (Anopheles)**
heischi (van Someren, 1951): **Stegomyia** (subgenus uncertain)
heiseri Baisas, 1935: **Uranotaenia (Uranotaenia)**
helenae (Reinert, 1973): **Bothaella**
helenae Brunhes, Adam & Bailly-Choumara, 1967: **Culex (Eumelanomyia)**
helenae Ribeiro, 1992: **Toxorhynchites (Afrorhynchus)**
hemisagnosta Dyar & Knab, 1906: **Wyeomyia (Wyeomyia)**
hendersoni (Cockerell, 1918): 'Ochlerotatus (Protomacleaya)'
henrardi Edwards, 1935: **Uranotaenia (Pseudoficalbia)**
henriquei da Cunha Ramos, 1993: **Uranotaenia (Pseudoficalbia)**
hensilli (Farner, 1945): **Stegomyia** (subgenus uncertain)
heperi Casal & García, 1967: **Culex (Phytotelmatomyia)**
hermanoí (Lane & Coutinho, 1940): **Coquillettidia (Rhynchotaenia)**
hermsi Barr & Guptavanij, 1989: **Anopheles (Anopheles)**
hernandoi Baisas & Feliciano, 1953: **Topomyia (Topomyia)**

herrerai Sutil Oramas, Pulido Florenzano & Amarista Meneses, 1987: *Culex (Melanoconion)*
herveyi Brunhes, le Goff & Geoffroy, 1999: *Anopheles (Cellia)*
herveyi da Cunha Ramos & Brunhes, 2004: *Uranotaenia (Pseudoficalbia)*
hesperonotius (Marks, 1959): *Ochlerotatus* (subgenus uncertain)
heteropus (Dyar, 1921): '*Ochlerotatus (Protomacleaya)*'
heterospina Gong & Lu, 1986: *Heizmannia (Heizmannia)*
hewitti (Edwards, 1914): *Culex (Lophoceraomyia)*
hexacis (Martini, 1931): *Toxorhynchites (Ankylorhynchus)*
hexodontus (Dyar, 1916): *Ochlerotatus* (subgenus uncertain)
hightoni van Someren, 1947: *Eretmapodites*
hilli (Edwards, 1926): *Culiseta (Neotheobaldia)*
hilli Edwards, 1922: *Culex (Lophoceraomyia)*
hilli Woodhill & Lee, 1944: *Anopheles (Cellia)*
himalayensis Edwards, 1922: *Heizmannia (Heizmannia)*
hinesorum Schmidt, 2001: *Anopheles (Cellia)*
hinglungensis Chu, 1957: *Culex (Eumelanomyia)*
hirsuta Boussès & Brunhes, 2013: *Uranotaenia (Pseudoficalbia)*
hirtusa Gong, 1989: *Topomyia (Topomyia)*
hirsuta (Hill & Hill, 1946): *Wyeomyia (Wyeomyia)*
hirsutifemora Peters, 1964: *Uranotaenia (Pseudoficalbia)*
hirsutus Brunhes & Boussès, 2017: *Paulianius*
hirsutus (Theobald, 1901): *Aedimorphus*
hirtipalpis Sirivanakarn, 1977: *Culex (Lophoceraomyia)*
hispidia (Delfinado, 1967): *Verrallina (Neomacleaya)*
hispidia (Theobald, 1910): *Mimomyia (Mimomyia)*
hodgkini (Marks, 1959): *Ochlerotatus* (subgenus uncertain)
hodgkini (Wharton, 1962): *Coquillettidia (Coquillettidia)*
hodgkini Reid, 1962: *Anopheles (Anopheles)*
hoffmani Root, 1927: *Limatus*
hogsbackensis (Huang, 2004): *Stegomyia* (subgenus uncertain)
hoguei (Belkin, 1962): *Stegomyia* (subgenus uncertain)
hokkaidensis (Tanaka, Mizusawa & Saugstad, 1979): *Ochlerotatus* (subgenus uncertain)
hollandi Taylor, 1934: *Bironella (Brugella)*
hollandia (King & Hoogstraal, 1946): *Patmarksia*
hollingsheadi (Belkin, 1962): *Finlaya*
holmbergii Lynch Arribálzaga, 1891: *Psorophora (Psorophora)*
holocinctus (Edwards, 1941): *Aedimorphus*
homoeopus (Dyar, 1922): '*Ochlerotatus (Protomacleaya)*'
homunculus Komp, 1937: *Anopheles (Kerteszia)*
hongayi Galliard & Ngu, 1947: *Uranotaenia (Pseudoficalbia)*
hoogstraali (Knight & Rozeboom, 1946): *Scutomyia*
hoogstraali Baisas, 1947: *Tripteroides (Tripteroides)*
hopkinsi Edwards, 1932: *Culex (Culex)*
hopkinsi Edwards, 1932: *Uranotaenia (Uranotaenia)*
hopkinsi (Edwards, 1936): *Catageiomyia*
horotoi (Taylor, 1972): *Finlaya*
horrescens (Edwards, 1935): *Stegomyia* (subgenus uncertain)
horrida (Dyar & Knab, 1908): *Psorophora (Janthinosoma)*
horridus Edwards, 1922: *Culex (Eumelanomyia)*
hortator (Dyar & Knab, 1907): *Sallumia*
hortensis Ficalbi, 1889: *Culex (Maillotia)*
hosautos Dyar & Knab, 1907: *Wyeomyia (Miamiya)*
houghtoni Feng, 1941: *Topomyia (Suaymyia)*
howardi Belkin & Hogue, 1959: *Deinocerites*
howardi Lane & Cerqueira, 1942: *Wyeomyia (Spilonympha)*
howardii Coquillett, 1901: *Psorophora (Psorophora)*
huangae (Reinert, 1999): *Zavortinkius*
huangae Meng, 1958: *Culex (Culex)*
hughi Lambert & Coetzee, 1982: *Anopheles (Cellia)*
hui (Bohart, 1957): *Finlaya*

humboldti (Lane & Cerqueira, 1942): *Runchomyia* (*Runchomyia*)
humeralis (Edwards, 1922): *Macleaya* (*Chaetocruimyia*)
humeralis Dyar & Knab, 1916: *Mansonia* (*Mansonia*)
hungaricus (Mihályi, 1955): *Ochlerotatus* (subgenus uncertain)
hunteri (Strickland, 1916): *Anopheles* (*Anopheles*)
hurlbuti (Lien, 1967): *Bruceharrisonius*
hurlbuti Belkin, 1962: *Culex* (*Lophoceraomyia*)
husaini Qutubuddin, 1947: *Uranotaenia* (*Pseudoficalbia*)
hutchinsoni Barraud, 1924: *Culex* (*Culex*)
hybrida (Leicester, 1908): *Mimomyia* (*Mimomyia*)
hybridus (Leicester, 1908): *Tripteroides* (*Tripteroides*)
hybridus Edwards, 1914: *Armigeres* (*Armigeres*)
hypoptes (Knab, 1907): *Toxorhynchites* (*Lynchiella*)
hyrcanus (Pallas, 1771): *Anopheles* (*Anopheles*)
hystera Dyar & Knab, 1913: *Uranotaenia* (*Uranotaenia*)
ibis (Barraud, 1931): *Christophersiomyia*
ichiromiyagii Toma & Higa, 2004: *Ficalbia*
idanus (Schick, 1970): '*Ochlerotatus* (*Protomacleaya*)'
identicus Dyar & Knab, 1907: *Sabethes* (*Peytonulus*)
idiogenes Harbach, 1994: *Sabethes* (*Sabethinus*)
idjenensis (Brug, 1934): *Downsiomyia*
idottus Dyar, 1920: *Culex* (*Melanoconion*)
ignotus Harbach, 1995: *Sabethes* (*Peytonulus*)
iguassuensis Barbosa, da Silva & Sallum, 2007: *Mansonia* (*Mansonia*)
ikelos Forattini & Sallum, 1995: *Culex* (*Melanoconion*)
imitata (Baisas, 1946): *Kimia*
imitator Theobald, 1903: *Culex* (*Microculex*)
imparis Peyton & Harbach, 2000: *Onirion*
impatibilis (Walker, 1860): *Scutomyia*
impatiens (Walker, 1848): *Culiseta* (*Culiseta*)
imperfectus (Dobrotworsky, 1962): *Ochlerotatus* (subgenus uncertain)
impiger (Walker, 1848): *Ochlerotatus* (subgenus uncertain)
implexus (Theobald, 1903): *Anopheles* (*Christya*)
implicatus (Vockeroth, 1954): *Ochlerotatus* (subgenus uncertain)
imposter Sirivanakarn, 1977: *Culex* (*Lophoceraomyia*)
impostor (Schick, 1970): '*Ochlerotatus* (*Protomacleaya*)'
imprimens (Walker, 1861): *Edwardsaedes*
impudicus Ficalbi, 1890: *Culex* (*Neoculex*)
inadmirabilis Dyar, 1928: *Culex* (*Melanoconion*)
inaequalis Grabham, 1907: *Howardina*
inatomii Kamimura & Wada, 1974: *Culex* (*Barraudius*)
incaudata Root, 1928: *Wyeomyia* (*Phoniomyia*)
inchoatus Barraud, 1927: *Armigeres* (*Leicesteria*)
incidens (Thomson, 1869): *Culiseta* (*Culiseta*)
inclinata Thurman, 1959: *Topomyia* (*Topomyia*)
incognita Galindo, Blanton & Peyton, 1954: *Uranotaenia* (*Uranotaenia*)
incognitus Baisas, 1938: *Culex* (*Culex*)
incognitus Brug, 1931: *Anopheles* (*Cellia*)
incomptas Ramalingam & Pillai, 1972: *Malaya*
incomptus (Arnell, 1976): *Ochlerotatus* (*Ochlerotatus*)
incomptus Bram & Rattanarithikul, 1967: *Culex* (*Lophoceraomyia*)
inconspicua (Lee, 1937): *Culiseta* (*Culicella*)
inconspicuus (Theobald, 1908): *Culex* (*Eumelanomyia*)
increpitus (Dyar, 1916): *Ochlerotatus* (subgenus uncertain)
inculus Colless, 1965: *Culex* (*Lophoceraomyia*)
indecorabilis Leicester, 1908: *Verrallina* (*Harbachius*)
indefinitus (Ludlow, 1904): *Anopheles* (*Cellia*)
indeterminatus Baisas & Ubaldo-Pagayon, 1953: *Tripteroides* (*Tripteroides*)
indiana Edwards, 1930: *Mansonia* (*Mansonioides*)
indica (Theobald, 1905): *Heizmannia* (*Heizmannia*)

indica (Theobald, 1907): *Verrallina (Neomacleaya)*
indicus (Barraud, 1929): *Tripteroides (Tripteroides)*
indicus Evenhuis & Steffan, 1986: *Toxorhynchites (Toxorhynchites)*
indonesiae (Mattingly, 1958): *Canacraedes*
indubitans Dyar & Shannon, 1925: *Mansonia (Mansonia)*
inermis (Colless, 1958): *Downsiomyia*
inexpectatus (Bonne-Wepster, 1948): *Ochlerotatus* (subgenus uncertain)
infantulus Edwards, 1922: *Culex (Lophoceraomyia)*
infinis (Dyar & Knab, 1906): *Psorophora (Grabhamia)*
infirmatus (Dyar & Knab, 1906): *Ochlerotatus (Ochlerotatus)*
inflictus Theobald, 1901: *Culex (Culex)*
infoliatus Bonne-Wepster & Bonne, 1920: *Culex (Carrollia)*
infula Theobald, 1901: *Culex (Oculeomyia)*
ingrami (Edwards, 1930): *Hopkinsius (Hopkinsius)*
ingrami Edwards, 1916: *Culex (Culex)*
inhibitator Dyar & Knab, 1906: *Culex (Melanoconion)*
inimitabilis Dyar & Knab, 1906: *Culex (Microculex)*
ininicola Fauran & Pajot, 1974: *Wyeomyia* (subgenus uncertain)
ininii Senevet & Abonnenc, 1938: *Anopheles (Nyssorhynchus)*
innovator Evans, 1924: *Culex (Melanoconion)*
inornata (Williston, 1893): *Culiseta (Culiseta)*
inornatus (Theobald, 1905): *Culex* (subgenus uncertain)
inornatus (Walker, 1865): *Toxorhynchites (Toxorhynchites)*
inornatus Newstead, 1907: *Eretmapodites*
inquinata (Edwards, 1922): *Phagomyia*
insequens Marks, 1989: *Culex (Lophoceraomyia)*
insigniforceps Clastrier & Claustre, 1978: *Culex (Carrollia)*
insignis (Carter, 1911): *Culex (Eumelanomyia)*
insolens (Edwards, 1936): *Catageiomyia*
insolitus (Coquillett, 1906): '*Ochlerotatus (Protomacleaya)*'
insulaeflorum (Swellengrebel & Swellengrebel de Graaf, 1920): *Anopheles (Anopheles)*
insularis Sirivanakarn, 1968: *Culex (Lophoceraomyia)*
insularius (Dyar & Knab, 1906): *Psorophora (Grabhamia)*
interfor Dyar, 1928: *Culex (Culex)*
intermedia Barraud, 1929: *Mimomyia (Mimomyia)*
intermediatus Baisas & Ubaldo-Pagayon, 1953: *Tripteroides (Tripteroides)*
intermedius (Danilov & Gornostaeva, 1987): *Ochlerotatus* (subgenus uncertain)
intermedius (Lutz, 1904): *Sabethes (Sabethinus)*
intermedius (Chagas, 1908): *Anopheles (Anopheles)*
intermedius Edwards, 1936: *Eretmapodites*
intermedius Lane & Whitman, 1951: *Culex (Microculex)*
interrogator Dyar & Knab, 1906: *Culex (Culex)*
interruptus (Reinert, 1999): *Zavortinkius*
interruptus Puri, 1929: *Anopheles (Anopheles)*
intonca Dyar & Knab, 1910: *Wyeomyia (Hystatomyia)*
intonsus Galindo & Blanton, 1954: *Culex (Melanoconion)*
intrincatus Brèthes, 1916: *Culex (Melanoconion)*
introlatus Colless, 1957: *Anopheles (Cellia)*
intrudens (Dyar, 1919): *Ochlerotatus (Woodius)*
inundatus Reinert, 1997: *Anopheles (Anopheles)*
invidiosus Theobald, 1901: *Culex (Culex)*
invocator Pazos, 1908: *Culex (Melanoconion)*
iolambdis Dyar, 1918: *Culex (Melanoconion)*
ioliota (Dyar & Knab, 1913): *Howardina*
iphis Barraud, 1924: *Culex (Eumelanomyia)*
iracunda (Walker, 1848): *Coquillettidia (Coquillettidia)*
irenicus Schmidt, 2003: *Anopheles (Cellia)*
irianensis Miyagi & Toma, 1997: *Topomyia (Topomyia)*
iriartei Cova García, Pulido F., Escalante de Ugueto & Mora R., 1987: *Uranotaenia (Uranotaenia)*
iridescens (Lutz, 1905): *Culex (Carrollia)*

iridicolor Dyar, 1921: *Haemagogus (Haemagogus)*
iriomotensis (Tanaka & Mizusawa, 1973): *Verrallina (Verrallina)*
irritans (Theobald, 1901): *Catageomyia*
isabelae Duret, 1968: *Culex (Melanoconion)*
iwi (Marks, 1955): *Phagomyia*
iyengari (Edwards, 1923): *Petermattinglyius (Petermattinglyius)*
iyengari Mattingly & Rageau, 1958: *Culex (Culex)*
jacksoni Edwards, 1934: *Culex (Culex)*
jacksoni Edwards, 1935: *Uranotaenia (Pseudoficalbia)*
jacksoni Mattingly, 1949: *Ficalbia*
jacobinae (Serafim & Davis, 1933): *Ochlerotatus* (subgenus uncertain)
jacobsoni (Edwards, 1930): *Malaya*
jalisco Berlin, 1974: *Culex (Micraedes)*
jamaicensis (Theobald, 1901): *Psorophora (Grabhamia)*
jamesi (Edwards, 1914): *Aedimorphus*
jamesii Theobald, 1901: *Anopheles (Cellia)*
jamoti (Hamon & Rickenbach, 1954): *Neomelaniconion*
janconnae Wilkerson & Sallum, 2009: *Anopheles (Nyssorhynchus)*
jani Rickenbach & Lombrici, 1976: *Eretmapodites*
janitor Theobald, 1903: *Culex (Culex)*
janthinomys Dyar, 1921: *Haemagogus (Haemagogus)*
japonica (Theobald, 1901): *Hulecoeteomyia*
javaensis Miyagi & Toma, 1995: *Topomyia (Topomyia)*
javanensis Bonne-Wepster, 1934: *Culex (Culiciomyia)*
jeansottei (Doucet, 1950): *Mimomyia (Ingramia)*
jebudensis Froud, 1944: *Anopheles (Cellia)*
jefferyi Sirivanakarn, 1977: *Culex (Eumelanomyia)*
jenningsi Dyar & Knab, 1907: *Culex (Microculex)*
jenseni (de Meijere, 1910): *Culex (Lophoceraomyia)*
jeyporiensis James, 1902: *Anopheles (Cellia)*
jinhongensis Dong, Dong & Zhou, 2003: *Uranotaenia (Pseudoficalbia)*
jocasta Komp & Rozeboom, 1951: *Culex (Melanoconion)*
jocosa (Dyar & Knab, 1908): *Wyeomyia (Dendromyia)*
johni Cova Garcia, Pulido F. & Escalante de Ugueto, 1979: *Culex (Neoculex)*
johnnyi Duret, 1968: *Culex (Melanoconion)*
johnsoni (Laffoon, 1946): *Verrallina (Neomacleaya)*
johnsoni Galindo & Mendez, 1961: *Culex (Melanoconion)*
johnstonii (Grabham, 1905): *Psorophora (Janthinosoma)*
johorensis (Reinert, 1974): *Verrallina (Neomacleaya)*
joloensis (Ludlow, 1904): *Armigeres (Armigeres)*
jorgi (Carpintero & Leguizamón, 2000): *Ochlerotatus (Chrysoconops)*
josephinae (Marks, 1958): *Finlaya*
josephineae Baisas, 1935: *Culex (Lophoceraomyia)*
josiahae (Huang, 1988): *Stegomyia (Mukwaya)*
joucouri da Cunha Ramos & Brunhes, 2004: *Uranotaenia (Uranotaenia)*
joyoni Brunhes, 1977: *Orthopodomomyia*
jubifer Komp & Brown, 1935: *Culex (Melanoconion)*
judaicus Edwards, 1926: *Culex (Neoculex)*
judithae Zavortink, 1969: *Anopheles (Anopheles)*
jugraensis (Leicester, 1908): *Armigeres (Armigeres)*
jugraensis Leicester, 1908: *Hulecoeteomyia*
juppi (McIntosh, 1973): *Ochlerotatus (Juppius)*
juxtahirsuta Belkin, Heinemann & Page, 1970: *Wyeomyia (Wyeomyia)*
juxtamansonii (Chagas, 1907): *Coquillettidia (Rhynchotaenia)*
kabaenensis (Brug, 1939): *Geoskusea*
kaimosi (van Someren, 1946): *Toxorhynchites (Afrorhynchus)*
kana Tanaka, Mizusawa & Saugstad, 1979: *Heizmannia (Heizmannia)*
kanarensis (Edwards, 1934): *Dendroskusea*
kanhsienensis Tung, 1955: *Heizmannia (Heizmannia)*
kanyamwerima van Someren, 1951: *Culex (Eumelanomyia)*

kapretwae (Edwards, 1941): *Albuginosus*
karandalaensis (Wolfs, 1951): *Coquillettidia* (*Coquillettidia*)
karooensis (Muspratt, 1961): *Aedimorphus*
karwari (Barraud, 1924): *Kenknighthia*
karwari (James, 1903): *Anopheles* (*Cellia*)
kasachstanicus (Gutsevich, 1962): *Ochlerotatus* (subgenus uncertain)
katherinensis (Woodhill, 1949): *Stegomyia* (subgenus uncertain)
katibasensis Miyagi & Toma, 2012: *Topomyia* (*Topomyia*)
kaviengensis Sirivanakarn, 1968: *Culex* (*Lophoceraomyia*)
keefeii (King & Hoogstraal, 1946): '*Ochlerotatus* (*Finlaya*)'
kelabitensis Miyagi & Toma, 2010: *Topomyia* (*Suaymyia*)
kempi (Edwards, 1921): *Toxorhynchites* (*Toxorhynchites*)
keniensis (van Someren, 1946): *Stegomyia* (subgenus uncertain)
keniensis Evans, 1931: *Anopheles* (*Cellia*)
kennethi (Muspratt, 1956): *Albuginosus*
kenyae (van Someren, 1946): *Stegomyia* (subgenus uncertain)
kesseli (Huang & Hitchcock, 1980): *Stegomyia* (subgenus uncertain)
kesseli Belkin, 1962: *Culex* (*Culex*)
kesseli Ramalingam, 1987: *Armigeres* (*Armigeres*)
khazani (Edwards, 1922): *Phagomyia*
khazani Edwards, 1922: *Culex* (*Eumelanomyia*)
kiangsiensis (Tung, 1955): *Phagomyia*
kilara van Someren, 1951: *Culex* (*Eumelanomyia*)
killertonis (Huang, 1968): *Verrallina* (*Verrallina*)
kinabaluensis Ramalingam, 1972: *Armigeres* (*Armigeres*)
kinabaluensis Sirivanakarn, 1976: *Culex* (*Oculeomyia*)
kingi Christophers, 1923: *Anopheles* (*Cellia*)
kingi Lee, 1946: *Tripterooides* (*Rachisoura*)
kingianus Edwards, 1922: *Culex* (*Eumelanomyia*)
kiriensis Klein & Sirivanakarn, 1970: *Culex* (*Eumelanomyia*)
kiriromi (Klein, 1969): *Mimomyia* (*Ingramia*)
kivuensis (Edwards, 1941): *Stegomyia* (*Mukwaya*)
kleini (Reinert, 1973): *Bothaella*
kleini Rueda, 2005: *Anopheles* (*Anopheles*)
klossi (Edwards, 1921): *Toxorhynchites* (*Toxorhynchites*)
knabi (Coquillett, 1906): '*Ochlerotatus* (*Protomacleaya*)'
knabi Lane & Cerqueira, 1942: *Wyeomyia* (subgenus uncertain)
knighiti (Stone & Bohart, 1944): *Finlaya*
knighiti Baisas & Ubaldo-Pagayon, 1953: *Tripterooides* (*Tripterooides*)
kobayashii (Nakata, 1956): *Bruceharrisonius*
kochi (Dönitz, 1901): *Finlaya*
kochi Dönitz, 1901: *Anopheles* (*Cellia*)
kohkutensis (Mattingly, 1958): *Canraedes*
kokhani Vythilingam, Jeffery & Harbach, 2007: *Anopheles* (*Cellia*)
kolambuganensis Baisas, 1932: *Anopheles* (*Cellia*)
koli Peyton & Klein, 1970: *Uranotaenia* (*Pseudoficalbia*)
koliensis Owen, 1945: *Anopheles* (*Cellia*)
kompfi (Vargas & Downs, 1950): '*Ochlerotatus* (*Protomacleaya*)'
kompfi Edwards, 1930: *Anopheles* (*Stethomyia*)
kompfi Valencia, 1973: *Culex* (*Carrollia*)
komponga (Klein, 1973): *Verrallina* (*Neomacleaya*)
konderi Galvão & Damasceno, 1942: *Anopheles* (*Nyssorhynchus*)
koreica (Edwards, 1917): *Hulecoeteomyia*
koreicoides (Sasa, Kano & Hayashi, 1950): '*Ochlerotatus* (*Finlaya*)'
koreicus Yamada & Watanabe, 1918: *Anopheles* (*Anopheles*)
kosiensis Coetzee, Segerman & Hunt, 1987: *Anopheles* (*Cellia*)
kowiroensis Sirivanakarn, 1968: *Culex* (*Lophoceraomyia*)
kraussi Grjebine, 1953: *Uranotaenia* (*Pseudoficalbia*)
krombeini (Huang, 1975): *Stegomyia* (subgenus uncertain)
krymmontanus (Alekseev, 1989): *Ochlerotatus* (*Rusticoidus*)

kuchingensis Edwards, 1915: *Armigeres (Armigeres)*
kuhnsi King & Hoogstraal, 1955: *Culex (Lophoceraomyia)*
kukenan Anduze, 1942: *Culex (Microculex)*
kummi (Edwards, 1930): *Pseudarmigeres*
kummi Edwards, 1939: *Orthopodomyia*
kummi Komp & Rozeboom, 1951: *Culex (Melanoconion)*
kummi Lane & Cerqueira, 1942: *Wyeomyia (Cruzmyia)*
kusaiensis Bohart, 1957: *Culex (Lophoceraomyia)*
kweiyangensis Yao & Wu, 1944: *Anopheles (Anopheles)*
kyondawensis Abraham, 1947: *Anopheles (Baimaia)*
kyotoensis Yamaguti & LaCasse, 1952: *Culex (Culiciomyia)*
labesba Howard, Dyar & Knab, 1913: *Wyeomyia (Wyeomyia)*
labranchiae Falleroni, 1926: *Anopheles (Anopheles)*
lacani Grjebine, 1953: *Anopheles (Cellia)*
lacani Rickenbach & Eouzan, 1970: *Eretmapodites*
lacertosus Komp & Rozeboom, 1951: *Culex (Melanoconion)*
lactor Dyar & Knab, 1906: *Culex (Phenacomyia)*
lactea (Knight, 1946): *Downsiomyia*
lacustris (Edwards, 1935): *Mimomyia (Mimomyia)*
lacuum Edwards, 1922: *Armigeres (Armigeres)*
laffooni (Knight & Rozeboom, 1946): *Scutomyia*
laffooni Belkin, 1962: *Culex (Lophoceraomyia)*
laffosseae da Cunha Ramos & Brunhes, 2004: *Uranotaenia (Pseudoficalbia)*
laguna (Arnell & Nielsen, 1972): *Jarnellius*
lahillei Bachmann & Casal, 1962: *Culex (Culex)*
lairdi Belkin, 1962: *Culex (Lophoceraomyia)*
lakei Sirivanakarn, 1968: *Culex (Lophoceraomyia)*
lamborni (Edwards, 1923): *Bifidistylus*
lambrechtii (van Someren, 1971): *Skusea*
lamellata (Bonne-Wepster & Bonne, 1920): *Wyeomyia (Hystatomyia)*
lamellifera (Bohart & Ingram, 1946): *Lorrainea*
lampangensis Sirivanakarn, 1973: *Culex (Culiciomyia)*
lampangensis Thurman, 1959: *Hodgesia*
lampropus (Howard, Dyar & Knab, 1913): *Trichoprosopon*
laneanus Corrêa & Cerqueira, 1944: *Anopheles (Kerteszia)*
lanei (Antunes, 1937): *Trichoprosopon*
lanei Cerqueira, 1961: *Sabethes (Sabethes)*
lanei Oliveira Coutinho & Forattini, 1962: *Culex (Microculex)*
lanei Galvão & Franco do Amaral, 1938: *Anopheles (Nyssorhynchus)*
lanei Martinez & Prosen, 1953: *Uranotaenia (Uranotaenia)*
lanei Shannon & Cerqueira, 1943: *Psorophora (Janthinosoma)*
langata (van Someren, 1946): *Stegomyia* (subgenus uncertain)
laniger (Wiedemann, 1820): *Mucidus (Mucidus)*
lanyuensis Lien, 1968: *Orthopodomyia*
laoagensis (Knight, 1946): *Downsiomyia*
laoensis Toma & Miyagi, 2003: *Armigeres (Armigeres)*
laplantei (Hamon, Adam & Mouchet, 1955): *Culex (Eumelanomyia)*
lasaensis (Meng, 1962): *Ochlerotatus* (subgenus uncertain)
lasiopalpis Sirivanakarn, 1977: *Culex (Lophoceraomyia)*
lassalli (Bonne-Wepster & Bonne, 1921): *Wyeomyia (Phoniomyia)*
latens Sallum & Peyton, 2005: *Anopheles (Cellia)*
lateralis Ludlow, 1905: *Uranotaenia (Uranotaenia)*
lateralis Petrocchi, 1927: *Wyeomyia (Nunezia)*
laticinctus Edwards, 1913: *Culex (Culex)*
laticlasper Galindo & Blanton, 1954: *Culex (Culex)*
latifoliatus Delfinado, 1966: *Culex (Eumelanomyia)*
latipennis (Delfinado, 1967): *Verrallina (Neomacleaya)*
latispinus Gong & Ji, 1989: *Tripteroides (Tripteroides)*
latisquama (Coquillett, 1906): *Culex (Tinolestes)*
latisquama (Edwards, 1927): *Tripteroides (Rachisoura)*

latus Dobrotworsky, 1956: *Culex (Neoculex)*
laureli Baisas, 1935: *Culex (Eumelanomyia)*
lauriei Carter, 1920: '*Ochlerotatus (Finlaya)*'
lavatae Stone & Bohart, 1944: *Culex (Lophoceraomyia)*
lavieri Doucet, 1950: *Uranotaenia (Pseudoficalbia)*
lawtoni Baisas, 1946: *Zeugomyia*
leberi Boreham, 1970: *Mansonia (Mansonia)*
lebledi da Cunha Ramos & Brunhes, 2004: *Uranotaenia (Uranotaenia)*
ledgeri (Huang, 1981): *Stegomyia* (subgenus uncertain)
leei (Berlin, 1969): *Howardina*
leei (Wharton, 1947): *Malaya*
leei King & Hoogstraal, 1955: *Culex (Lophoceraomyia)*
leei Peters, 1959: *Tripteroides (Rachisoura)*
leei Stone & Barreto, 1969: *Galindomyia*
leesoni (Edwards, 1932): *Aedimorphus*
leesoni Evans, 1931: *Anopheles (Cellia)*
legoffi da Cunha Ramos & Brunhes, 2004: *Uranotaenia (Pseudoficalbia)*
lehcharlesi Miyagi & Toma, 2008: *Topomyia (Suaymyia)*
leiboensis Chu, 1981: *Uranotaenia (Pseudoficalbia)*
leicesteri (Edwards, 1917): *Verrallina (Neomacleaya)*
leicesteri Theobald, 1904: *Toxorhynchites (Toxorhynchites)*
leilae (King & Hoogstraal, 1947): *Verrallina (Verrallina)*
lemuriae Ribeiro, 2004: *Toxorhynchites (Afrorhynchus)*
leonardi Belkin, 1962: *Culex (Neoculex)*
leonis (Colless, 1958): *Downsiomyia*
lepchana (Barraud, 1923): *Danielsia*
lepidocoxitus Dong, Zhou & Dong, 1995: *Armigeres (Leicesteria)*
lepidonotus Edwards, 1920: *Ochlerotatus (Rusticoidus)*
lepidotus Zavortink, 1973: *Anopheles (Kerteszia)*
lepidus (Cerqueira & Paraense, 1945): *Ochlerotatus* (subgenus uncertain)
leptolabis (Edwards, 1936): *Aedimorphus*
lerozeboomi (Reinert, 1990): *Kenknightia*
lesteri Baisas & Hu, 1936: *Anopheles (Anopheles)*
letabensis Lambert & Coetzee, 1982: *Anopheles (Cellia)*
letifer Sandosham, 1944: *Anopheles (Anopheles)*
leucarthritis (Speiser, 1909): *Aedimorphus*
leucocelaenus (Dyar & Shannon, 1924): *Haemagogus (Conopostegus)*
leucocnemis Martini, 1931: *Psorophora (Grabhamia)*
leucomelas (Meigen, 1804): *Ochlerotatus* (subgenus uncertain)
leucomeres (Giles, 1904): *Kenknightia*
leucophoebus (Galindo, Carpenter & Trapido, 1953): *Haemagogus (Conopostegus)*
leucopous Graham, 1909: *Eretmapodites*
leucoptera (Theobald, 1907): *Uranotaenia (Uranotaenia)*
leucopus (Dyar & Knab, 1906): *Johnbelkinia*
leucosphyrus Dönitz, 1901: *Anopheles (Cellia)*
leucostigma Lutz, 1904: *Wyeomyia (Menolepis)*
leucotaeniatus (Komp, 1938): *Haemagogus (Conopostegus)*
leucotarsis Thurman, 1959: *Topomyia (Suaymyia)*
levicastilloi Grjebine, 1986: *Mimomyia (Ingramia)*
levicastilloi Lane, 1945: *Culex (Culex)*
lewelleni (Starkey & Webb, 1946): *Finlaya*
lewisi Ludlow, 1920: *Anopheles (Anopheles)*
lewisi Ribeiro, 1991: *Toxorhynchites (Toxorhynchites)*
liangshanensis Kang, Tan, Cao, Cheng, Yang & Huang, 1984: *Anopheles (Anopheles)*
liberiensis Peters, 1955: *Culex (Culiciomyia)*
lii Wu, 1936: *Heizmannia (Heizmannia)*
lilii Theobald, 1910: *Stegomyia (Mukwaya)*
limacifer Komp, 1936: *Culex (Melanoconion)*
limai Lane & Cerqueira, 1942: *Wyeomyia (Miamiya)*
limosus King, 1932: *Anopheles (Cellia)*

lindesayi Giles, 1900: *Anopheles* (*Anopheles*)
lindsayi Thurman, 1959: *Topomyia* (*Topomyia*)
linealis (Skuse, 1889): *Coquillettidia* (*Coquillettidia*)
lineata (Taylor, 1914): *Verrallina* (*Verrallina*)
lineata (von Humboldt, 1819): *Psorophora* (*Psorophora*)
lineatopenne (Ludlow, 1905): *Neomelaniconion*
lineatus (Theobald, 1912): *Culex* (*Afroculex*)
linesi (Marks, 1964): *Ochlerotatus* (subgenus uncertain)
lipovskyi Belkin, 1950: *Tripteroides* (*Tripteroides*)
listeri de Meillon, 1931: *Anopheles* (*Cellia*)
litoralis Bohart, 1946: *Culex* (*Culex*)
litoralis King, 1932: *Anopheles* (*Cellia*)
litorea (Colless, 1958): *Downsiomyia*
litorea (Shute, 1928): *Culiseta* (*Culicella*)
littlechildi (Edwards, 1930): *Tripteroides* (*Tripteroides*)
littlechildi (Taylor, 1933): *Macleaya* (*Macleaya*)
littleri (Taylor, 1914): *Culiseta* (*Austrotheobaldia*)
litwaka (Reinert, 1990): *Kenknightia*
litwaka Harbach, 1985: *Culex* (*Culex*)
lloreti Gil Collado, 1936: *Anopheles* (*Cellia*)
lokojensis (Service, 1959): *Catageiomyia*
longiareolata (Macquart, 1838): *Culiseta* (*Allotheobaldia*)
longicornis Grjebine, 1986: *Mimomyia* (*Ingramia*)
longicornis Sirivanakarn, 1976: *Culex* (*Oculeomyia*)
longifilamentus (Su & Zhang, 1988): *Ochlerotatus* (subgenus uncertain)
longiforceps (Edwards, 1929): *Geoskusea*
longipalpatus Lee, 1946: *Tripteroides* (*Rachisoura*)
longipalpis (Grünberg, 1905): *Zavortinkius*
longipalpis (Leicester, 1904): *Armigeres* (*Leicesteria*)
longipalpis (Theobald, 1903): *Anopheles* (*Cellia*)
longipalpis Dong, Zhou & Dong, 1997: *Tripteroides* (*Rachionotomyia*)
longipalpus Randolph & O'Neill, 1944: *Psorophora* (*Janthinosoma*)
longipes (Fabricius, 1805): *Johnbelkinia*
longirostris (Leicester, 1908): *Rhinoskusea*
longirostris Brug, 1928: *Anopheles* (*Cellia*)
longirostris Leicester, 1908: *Uranotaenia* (*Uranotaenia*)
longirostris Theobald, 1901: *Wyeomyia* (*Phoniomyia*)
*longiset*a (Edwards, 1936): *Aedimorphus*
longisetosa Gong, 1994: *Topomyia* (*Topomyia*)
longisiphonus Dong, Zhou & Dong, 2001: *Tripteroides* (*Tripteroides*)
longitubus da Cunha Ramos & Brunhes, 2004: *Uranotaenia* (*Pseudoficalbia*)
lopesi (Correa & Ramalho, 1956): *Wyeomyia* (*Phoniomyia*)
lopesi Sirivanakarn & Jakob, 1979: *Culex* (*Melanoconion*)
lopezii Cova Garcia, Sutil Oramas & Pulido F., 1974: *Wyeomyia* (*Hystatomyia*)
lophoventralis (Theobald, 1910): *Phagomyia*
*lorengau*i Peters, 1963: *Tripteroides* (*Tripteroides*)
lorraineae (Berlin, 1969): *Howardina*
lottei (Hamon & Brengues, 1965): *Catageiomyia*
lounibosi Gillies & Coetzee, 1987: *Anopheles* (*Cellia*)
lousthei Boussès & Brunhes, 2013: *Uranotaenia* (*Pseudoficalbia*)
*lovett*ae Evans, 1934: *Anopheles* (*Cellia*)
lowii Theobald, 1901: *Uranotaenia* (*Uranotaenia*)
lowisii (Theobald, 1910): *Aedimorphus*
lucaris Colless, 1965: *Culex* (*Lophoceraomyia*)
lucaris Macdonald & Mattingly, 1960: *Udaya*
lucianus (Muspratt, 1959): *Mucidus* (*Mucidus*)
lucifer (Howard, Dyar & Knab, 1913): *Haemagogus* (*Haemagogus*)
lucifugus Komp, 1936: *Culex* (*Melanoconion*)
lucyae van Someren, 1954: *Uranotaenia* (*Pseudoficalbia*)
ludlowae (Theobald, 1903): *Anopheles* (*Cellia*)

ludlowae Brunetti, 1920: *Ficalbia*
ludlowae Dyar & Shannon, 1925: *Uranotaenia (Uranotaenia)*
lugubris (Barraud, 1928): *Verrallina (Verrallina)*
lui Gong & Li, 1999: *Heizmannia (Mattinglyia)*
lui Lien, 1968: *Uranotaenia (Pseudoficalbia)*
luna Belkin, Heinemann & Page, 1970: *Wyeomyia (Wyeomyia)*
lunata (Theobald, 1901): *Isostomyia*
lunda da Cunha Ramos, 1993: *Uranotaenia (Pseudoficalbia)*
lungae Belkin & Schlosser, 1944: *Anopheles (Cellia)*
lunulata (King & Hoogstraal, 1946): *Geoskusea*
luridum (McIntosh, 1971): *Neomelaniconion*
lutea (Belkin, 1962): *Coquillettidia (Coquillettidia)*
lutea (Ludlow, 1905): *Finlaya*
luteifemur (Edwards, 1926): *Ochlerotatus* (subgenus uncertain)
luteocephala Newstead, 1907: *Stegomyia* (subgenus uncertain)
luteola Edwards, 1934: *Uranotaenia (Pseudoficalbia)*
luteolaterale (Theobald, 1901): *Neomelaniconion*
luteopleurus (Theobald, 1903): *Culex (Anoedioporpa)*
luteostriata (Robinson, 1950): *Vansomerenis*
luteoventralis Theobald, 1901: *Wyeomyia (Dendromyia)*
lutescens (Theobald, 1901): *Toxorhynchites (Afrorhynchus)*
lutescens Leicester, 1908: *Uranotaenia (Pseudoficalbia)*
lutzi (da Costa Lima, 1930): *Wyeomyia (Miamiya)*
lutzii (Theobald, 1901): *Psorophora (Janthinosoma)*
lutzii Cruz, 1901: *Anopheles (Nyssorhynchus)*
luxodens Hall, Howard & Harbach, 1999: *Sabethes (Peytonulus)*
luzonensis (Ludlow, 1905): *Mimomyia (Etorleptiomyia)*
luzonensis (Rozeboom, 1946): *Kenknightsia*
luzonensis Sirivanakarn, 1976: *Culex (Oculeomyia)*
lygrus Root, 1927: *Culex (Culex)*
lynchi (Shannon, 1931): *Coquillettidia (Rhynchotaenia)*
mabinii Baisas & Ubaldo-Pagayon, 1953: *Tripteroides (Tripteroides)*
macaensis Ribeiro, 1997: *Toxorhynchites (Toxorhynchites)*
macarthuri Colless, 1956: *Anopheles (Cellia)*
macdonaldi Colless, 1965: *Culex (Lophoceraomyia)*
macdonaldi Mattingly, 1957: *Heizmannia (Heizmannia)*
macdougalli (Edwards, 1922): *Collessius (Collessius)*
macfarlanei (Edwards, 1914): *Collessius (Collessius)*
macfarlanei Edwards, 1914: *Uranotaenia (Uranotaenia)*
macfieii Edwards, 1923: *Culex (Culiciomyia)*
machadoi da Cunha Ramos, 1986: *Uranotaenia (Uranotaenia)*
machadoi da Silva Mattos, da Silveira Guedes & Xavier, 1978: *Culex (Phytotelmatomyia)*
machardy Edwards, 1930: *Anopheles (Cellia)*
macintoshii (Marks, 1959): *Ochlerotatus* (subgenus uncertain)
mackerrasi (Taylor, 1927): *Patmarksia*
macmillani (Marks, 1964): *Macleaya (Chaetocruimyia)*
macrodixoa (Dyar & Shannon, 1925): *Verrallina (Neomacleaya)*
macrostylus Sirivanakarn & Ramalingam, 1976: *Culex (Eumelanomyia)*
maculatus Theobald, 1901: *Anopheles (Cellia)*
maculipalpis Giles, 1902: *Anopheles (Cellia)*
maculipennis (Theobald, 1911): *Coquillettidia (Coquillettidia)*
maculipennis Meigen, 1818: *Anopheles (Anopheles)*
maculipes (Theobald, 1903): *Anopheles (Anopheles)*
maculipleura Leicester, 1908: *Uranotaenia (Pseudoficalbia)*
madagascarensis da Cunha Ramos & Brunhes, 2004: *Uranotaenia (Pseudoficalbia)*
madagascarensis Ribeiro, 2004: *Toxorhynchites (Afrorhynchus)*
madagascarensis (van Someren, 1949): *Paulianius*
madagascarica Brunhes, Bousès & da Cunha Ramos, 2011: *Aedeomyia (Aedeomyia)*
madagascarica da Cunha Ramos & Brunhes, 2004: *Uranotaenia (Uranotaenia)*
madininensis Senevet, 1936: *Culex (Melanoconion)*

madrensis Baisas, 1946: *Orthopodomyia*
maehleri (Bohart, 1957): *Stegomyia* (subgenus uncertain)
maffii (Taylor & Tenorio, 1974): *Finlaya*
magna (Theobald, 1905): *Runchomyia (Ctenogoeldia)*
magnesianus (Edwards, 1924): *Tripteroides (Tripteroides)*
magnificus (Leicester, 1908): *Toxorhynchites (Toxorhynchites)*
magnus (Theobald, 1901): *Deinocerites*
magnus (Theobald, 1908): *Armigeres (Leicesteria)*
mahaffyi van Someren, 1949: *Eretmapodites*
mahantai Bhattacharyya, Prakash, Mohapatra & Sarma, 2009: *Armigeres (Armigeres)*
maiae Edwards, 1917: *Armigeres (Armigeres)*
maikalensis Natarajan, Rajavel & Jambulingam, 2017: *Uranotaenia (Pseudoficalbia)*
majidi Young & Majid, 1928: *Anopheles (Cellia)*
malayensis (Colless, 1962): *Stegomyia* (subgenus uncertain)
malayensis Sirivanakarn, 1972: *Culex (Eumelanomyia)*
malayi (Leicester, 1908): *Culex (Eumelanomyia)*
malayi (Theobald, 1901): *Armigeres (Armigeres)*
malayi Delfinado & Hodges, 1968: *Tripteroides (Tripteroides)*
malayi Leicester, 1908: *Hodgesia*
malaysiensis Ramalingam & Banu, 1987: *Topomyia (Topomyia)*
malefactor Dyar & Knab, 1907: *Anopheles (Anopheles)*
malfeyti (Newstead, 1907): *Ficalbia*
maliensis Bailly-Choumara & Adam, 1959: *Anopheles (Cellia)*
malikuli (Huang, 1973): *Stegomyia (Huangmyia)*
mallochi (Taylor, 1944): '*Ochlerotatus (Finlaya)*'
malvari Baisas & Ubaldo-Pagayon, 1953: *Tripteroides (Tripteroides)*
mammilifer (Leicester, 1908): *Culex (Lophoceraomyia)*
mamoedjoensis (Mattingly, 1958): *Canraedes*
manakaraensis da Cunha Ramos & Brunhes, 2004: *Uranotaenia (Pseudoficalbia)*
manalangi Baisas, 1935: *Armigeres (Armigeres)*
manalangi Mendoza, 1940: *Anopheles (Anopheles)*
mangyanus (Banks, 1906): *Anopheles (Cellia)*
manhi Harbach & Cook, 2010: *Bothaella*
manicatus (Edwards, 1921): *Toxorhynchites (Toxorhynchites)*
manopi Thurman, 1959: *Toxorhynchites (Toxorhynchites)*
mansouri (Qutubuddin, 1959): *Aedimorphus*
manusensis Sirivanakarn, 1975: *Culex (Eumelanomyia)*
maplei Knight & Hurlbut, 1949: *Culex (Culiciomyia)*
maracayensis Evans, 1923: *Culex (Culex)*
marajoara Galvão & Damasceno, 1942: *Anopheles (Nyssorhynchus)*
marceli (Mattingly, 1953): *Malaya*
marcelleae Adam & Hamon, 1959: *Eretmapodites*
marchettei Garcia, Jeffery & Rudnick, 1969: *Culiseta (Climacura)*
margarsen (Dyar & Shannon, 1925): *Verrallina (Neomacleaya)*
margina Gong & Lu, 1995: *Topomyia (Topomyia)*
mariae (Bourroul, 1904): *Toxorhynchites (Lynchiella)*
mariae (Sergent & Sergent, 1903): *Acartomyia*
marinkellei (Berlin, 1969): *Howardina*
marksae Dobrotworsky, 1965: *Tripteroides (Polylepidomyia)*
marksae Grjebine, 1986: *Mimomyia (Ingramia)*
marksae King & Hoogstraal, 1955: *Culex (Lophoceraomyia)*
marquesensis Stone & Rosen, 1953: *Culex (Culex)*
marshallensis (Stone & Bohart, 1944): *Stegomyia* (subgenus uncertain)
marshallii (Theobald, 1901): *Albuginosus*
marshallii (Theobald, 1903): *Anopheles (Cellia)*
marteri Senevet & Prunnelle, 1927: *Anopheles (Anopheles)*
martiali Senevet & Abonnenc, 1939: *Limatus*
martinei (Doucet, 1951): *Mimomyia (Etorleptiomyia)*
martineti (Senevet, 1937): *Ochlerotatus* (subgenus uncertain)
martinezi (Berlin, 1969): *Howardina*

martinezi Casal & García, 1968: *Culex (Melanoconion)*
martinii Medschid, 1930: *Culex (Neoculex)*
martinius Shingarev, 1926: *Anopheles (Anopheles)*
mascarensis (MacGregor, 1924): *Stegomyia (Stegomyia)*
mascarensis de Meillon, 1947: *Anopheles (Cellia)*
masculinus (Mattingly, 1958): *Cancraedes*
mashonaensis Theobald, 1901: *Uranotaenia (Pseudoficalbia)*
masoalensis (Fontenille & Brunhes, 1985): *Aedimorphus*
masseyi (Edwards, 1923): *Stegomyia* (subgenus uncertain)
mathesoni Belkin & Heinemann, 1975: *Psorophora (Janthinosoma)*
mathesoni Belkin & Hogue, 1959: *Deinocerites*
mathesoni Belkin, 1950: *Tripteroides (Rachisoura)*
mathesoni Lane, 1943: *Uranotaenia (Uranotaenia)*
mathioti (Fontenille & Brunhes, 1985): *Aedimorphus*
mattinglyi Grjebine, 1986: *Mimomyia (Ingramia)*
mattinglyi (Hamon & Rickenbach, 1954): *Aedimorphus*
mattinglyi Hamon & van Someren, 1961: *Eretmapodites*
mattinglyi Knight, 1953: *Culex (Culex)*
mattinglyi Lane, 1953: *Wyeomyia (Cruzmyia)*
mattinglyi Qutubuddin, 1951: *Uranotaenia (Pseudoficalbia)*
mattinglyi Thurman, 1959: *Heizmannia (Heizmannia)*
mattinglyorum (Huang, 1994): *Stegomyia* (subgenus uncertain)
mattogrossensis Lutz & Neiva, 1911: *Anopheles (Anopheles)*
mauesensis Lane, 1945: *Culex (Culex)*
maverlius Reinert, 1997: *Anopheles (Anopheles)*
maxgermaini (Huang, 1990): *Stegomyia* (subgenus uncertain)
maxi Dyar, 1928: *Culex (Culex)*
maxima Leicester, 1908: *Uranotaenia (Pseudoficalbia)*
maximus Edwards, 1922: *Armigeres (Armigeres)*
maxinocca Dyar, 1920: *Culex (Melanoconion)*
mayeri Edwards, 1912: *Uranotaenia (Uranotaenia)*
mayottensis Brunhes, 1977: *Uranotaenia (Uranotaenia)*
mccormicki (Belkin, 1962): *Verrallina (Verrallina)*
mcdonaldi (Belkin, 1962): *Ochlerotatus (Gilesia)*
mcdonaldi Belkin & Hogue, 1959: *Deinocerites*
mcintoshii (Huang, 1985): *Neomelaniconion*
medialis (Brug, 1932): *Huaedes*
medioalbipes Lutz, 1904: *Wyeomyia (Wyeomyia)*
mediolineata (Theobald, 1904): *Mimomyia (Etorleptomyia)*
mediolineatus (Theobald, 1901): *Aedimorphus*
mediopunctata Theobald, 1905: *Stegomyia (Huangmyia)*
mediopunctatus (Lutz, 1903): *Anopheles (Anopheles)*
mediovittata (Coquillett, 1906): *Gymnometopa*
medleri (Knight & Laffoon, 1946): *Finlaya*
mefouensis (Ferrara, 1974): *Diceromyia*
megafolius Chen & Dong, 1992: *Culex (Eumelanomyia)*
megaloba Luh, Chao & Xu, 1974: *Culiseta (Culiseta)*
megaonychus Yang, Li & Chen, 1993: *Culex (Culiciomyia)*
melanesiensis Belkin, 1955: *Tripteroides (Polylepidomyia)*
melanesiensis Belkin, 1962: *Mansonia (Mansonioides)*
melanimon (Dyar, 1924): *Ochlerotatus* (subgenus uncertain)
melanocephala Dyar & Knab, 1906: *Wyeomyia* (subgenus uncertain)
melanonymphae Dyar, 1924: *Sabethes (Sabethinus)*
melanoon Hackett, 1934: *Anopheles (Anopheles)*
melanophylum Dyar & Knab, 1907: *Deinocerites*
melanopous Graham, 1909: *Eretmapodites*
melanoptera Giles, 1904: *Phagomyia*
melanopus Dyar, 1919: *Wyeomyia (Wyeomyia)*
melanota Cerqueira, 1943: *Psorophora (Janthinosoma)*
melanura (Coquillett, 1902): *Culiseta (Climacura)*

melas (Theobald, 1903): *Anopheles (Cellia)*
memorans (Bonne-Wepster, 1930): *Coquillettidia (Coquillettidia)*
mendacis (Daniels, 1908): *Tripteroides (Tripteroides)*
mendiolai Baisas, 1935: *Uranotaenia (Uranotaenia)*
mengi Chen, Wang & Zhao, 1989: *Uranotaenia (Pseudoficalbia)*
mengi Dong, Wang & Lu, 1990: *Topomyia (Suaymyia)*
menglaensis Dong, Zhou & Dong, 2002: *Armigeres (Leicesteria)*
menglansensis Ma, 1981: *Anopheles (Anopheles)*
menglianensis Lu & Gong, 1986: *Heizmannia (Heizmannia)*
menglianeroides Dong, Dong & Zhou, 2003: *Heizmannia (Heizmannia)*
menoni (Mattingly, 1958): *Paraedes*
meprai (Martínez & Prosen, 1953): *Ochlerotatus (Ochlerotatus)*
meraukensis Venhuis, 1932: *Anopheles (Cellia)*
mercurator (Dyar, 1920): *Ochlerotatus* (subgenus uncertain)
meronephada Dyar & Shannon, 1925: *Catassomyia*
merus Dönitz, 1902: *Anopheles (Cellia)*
mesodentatus Komp & Kumm, 1938: *Haemagogus (Haemagogus)*
mesodenticulatus Galindo & Mendez, 1961: *Culex (Melanoconion)*
messeae Falleroni, 1926: *Anopheles (Anopheles)*
metallica Edwards, 1912: *Stegomyia* (subgenus uncertain)
metallica (Theobald, 1901): *Coquillettidia (Coquillettidia)*
metallicus Leicester, 1904: *Toxorhynchites (Toxorhynchites)*
metatarsata Edwards, 1914: *Uranotaenia (Uranotaenia)*
metempsytus Dyar, 1921: *Culex (Carrollia)*
metoecopus (Dyar, 1925): '*Ochlerotatus (Protomacleaya)*'
mexicana (Bellardi, 1859): *Psorophora (Janthinosoma)*
miaolingensis Chen, 1982: *Culex (Eumelanomyia)*
micans Leicester, 1908: *Uranotaenia (Uranotaenia)*
michaelikati (van Someren, 1946): *Pseudarmigeres*
mickevichae (Huang, 1988): *Stegomyia* (subgenus uncertain)
micolo Ribeiro, da Cunha Ramos, Capela & Pires, 1998: *Culex (Eumelanomyia)*
microannulata (Theobald, 1911): *Coquillettidia (Coquillettidia)*
microcala (Dyar, 1929): *Tripteroides (Tricholeptomyia)*
microlepis (Edwards, 1927): *Tripteroides (Polylepidomyia)*
micromelas Edwards, 1934: *Uranotaenia (Pseudoficalbia)*
microphyllus Root, 1927: *Culex (Microculex)*
microptera (Giles, 1901): *Dendroskusea*
microsticta (Edwards, 1936): *Catageomyia*
mijanae Brunhes, Adam & Bailly-Choumara, 1967: *Culex (Eumelanomyia)*
mikrokopion (Knight & Harrison, 1988): *Downsiomyia*
millecampsi Lips, 1960: *Anopheles (Cellia)*
milleri (Dyar, 1922): *Ochlerotatus* (subgenus uncertain)
millironi Belkin, 1962: *Culex (Neoculex)*
milloti Doucet, 1949: *Culex (Culiciomyia)*
milloti Doucet, 1951: *Orthopodomyia*
milloti Grjebine & Lacan, 1953: *Anopheles (Cellia)*
milloti Grjebine, 1986: *Mimomyia (Ingramia)*
milnensis (King & Hoogstraal, 1947): *Verrallina (Verrallina)*
milnensis Lee, 1944: *Armigeres (Armigeres)*
milsoni (Taylor, 1915): *Dobrotworskyius*
milwardi Xavier & da Silva Mattos, 1972: *Culex (Melanoconion)*
mimeticus Noè, 1899: *Culex (Culex)*
mimomyiaformis (Newstead, 1907): *Mimomyia (Mimomyia)*
mimuloides Barraud, 1924: *Culex (Culex)*
mimulus Edwards, 1915: *Culex (Culex)*
minima (Theobald, 1901): *Ficalbia*
minimus (Theobald, 1905): *Toxorhynchites (Toxorhynchites)*
minimus Theobald, 1901: *Anopheles (Cellia)*
minjensis Sirivanakarn, 1968: *Culex (Lophoceraomyia)*
minnesotae Barr, 1957: *Culiseta (Culicella)*

minor (Leicester, 1908): *Culex (Lophoceraomyia)*
minor da Costa Lima, 1929: *Anopheles (Anopheles)*
minor Leicester, 1908: *Topomyia (Topomyia)*
minuta (Theobald, 1901): *Catageomyia*
minutissimus (Theobald, 1907): *Culex (Lophoceraomyia)*
miraculosus Bonne-Wepster, 1937: *Culex (Culex)*
mirans Sallum & Peyton, 2005: *Anopheles (Cellia)*
mirificus Edwards, 1913: *Culex (Culex)*
misionensis Duret, 1953: *Culex (Melanoconion)*
mittellae (Dyar, 1905): *Ochlerotatus (Culicella)*
mittellii (Theobald, 1905): *Wyeomyia (Wyeomyia)*
mixta (Edwards, 1936): *Catageomyia*
miyagii Mogi & Toma, 1999: *Culex (Acallyntrum)*
miyagii (Toma & Mogi, 2003): *Kimia*
mjobergi (Edwards, 1926): *Downsiomyia*
mcoezuma (Dyar & Knab, 1906): *Toxorhynchites (Lynchiella)*
modesta (King & Hoogstraal, 1946): *Mimomyia (Mimomyia)*
modesta Leicester, 1908: *Uranotaenia (Pseudoficalbia)*
modestus Ficalbi, 1890: *Culex (Barraudius)*
moerbista (Dyar & Knab, 1919): *Wyeomyia* (subgenus uncertain)
moghulensis Christophers, 1924: *Anopheles (Cellia)*
mogii Miyagi, Toma & Higa, 2004: *Mimomyia (Ingramia)*
mohani (Knight, 1969): *Downsiomyia*
mohani Sirivanakarn, 1977: *Culex (Eumelanomyia)*
mollis Dyar & Knab, 1906: *Culex (Culex)*
moloensis (Taylor, 1929): *Macleaya (Chaetocruimyia)*
monetifer (Dyar, 1920): *Tripteroidea (Tripteroidea)*
monetus (Edwards, 1935): *Zavortinkius*
mongiro van Someren, 1951: *Culex (Culiciomyia)*
monocellatus (Marks, 1948): '*Ochlerotatus (Finlaya)*'
monotrichus (Edwards, 1936): *Neomelaniconion*
montana Ingram & de Meillon, 1927: *Uranotaenia (Pseudoficalbia)*
montanus Stanton & Wacker, 1917: *Anopheles (Anopheles)*
montchadskyi (Dubitsky, 1968): *Ochlerotatus* (subgenus uncertain)
monticola (Belkin & McDonald, 1957): *Jarnellius*
moralessi (Dyar & Knab, 1919): *Shannoniana*
moramangae da Cunha Ramos & Brunhes, 2004: *Uranotaenia (Uranotaenia)*
moresbyensis Peters, 1963: *Uranotaenia (Uranotaenia)*
morsitans (Theobald, 1901): *Culiseta (Culicella)*
mortiauxi da Cunha Ramos & Ribeiro, 1990: *Eretmapodites*
mortiauxi Edwards, 1938: *Anopheles (Cellia)*
moucheti (Hamon & Adam, 1955): *Malaya*
moucheti (Ravaonjanahary & Brunhes, 1977): *Skusea*
moucheti Evans, 1923: *Culex (Kitzmilleria)*
moucheti Evans, 1925: *Anopheles (Cellia)*
moufiedi Peyton, 1977: *Uranotaenia (Pseudoficalbia)*
moultoni Edwards, 1914: *Armigeres (Armigeres)*
moultoni Edwards, 1914: *Uranotaenia (Pseudoficalbia)*
mousinhoi de Meillon & Pereira, 1940: *Anopheles (Cellia)*
mpusiensis (Huang, 2004): *Stegomyia* (subgenus uncertain)
mubiensis Luh & Shih, 1958: *Aedes*
mucidus (Karsch, 1887): *Mucidus (Mucidus)*
muehlensi Petrocchi, 1927: *Wyeomyia (Phoniomyia)*
muelleri (Dyar, 1920): *Lewnielsenius*
mulrennani Basham, 1948: *Culex (Melanoconion)*
multicinctus Edwards, 1930: *Anopheles (Cellia)*
multicolor Cambouliu, 1902: *Anopheles (Cellia)*
multifolium (King & Hoogstraal, 1947): *Verrallina (Verrallina)*
multiplax (Theobald, 1903): *Ochlerotatus (Pseudoskusea)*
mundulus Grünberg, 1905: *Culex (Eumelanomyia)*

muroafcete (Huang, 1997): *Stegomyia* (subgenus uncertain)
murphyi Gillies & de Meillon, 1968: *Anopheles (Cellia)*
murrelli Lien, 1968: *Culex (Culex)*
muruae Sirivanakarn, 1968: *Culex (Lophoceraomyia)*
musarum Edwards, 1932: *Culex (Culex)*
musarum Edwards, 1936: *Uranotaenia (Pseudoficalbia)*
muspratti Hamon & Lambrecht, 1959: *Culex (Culiciomyia)*
mutator Dyar & Knab, 1906: *Culex (Melanoconion)*
mutila (Edwards, 1936): *Catageiomyia*
mystes Dyar, 1924: *Wyeomyia (Spilonympha)*
mzooi (van Someren, 1962): *Zavortinkius*
nailoni King & Hoogstraal, 1946: *Culex (Culiciomyia)*
nairobiensis (van Someren, 1946): *Toxorhynchites (Afrorhynchus)*
nakuruensis Mattingly, 1951: *Culex (Culex)*
namibiensis Coetzee, 1984: *Anopheles (Anopheles)*
natalensis (Edwards, 1930): *Pseudarmigeres*
natalensis (Hill & Haydon, 1907): *Anopheles (Cellia)*
nataliae Belkin, 1945: *Anopheles (Cellia)*
nataliae Gornostaeva, 2005: *Aedes*
nataliae Lynch Arribálzaga, 1891: *Uranotaenia (Uranotaenia)*
natronius (Edwards, 1932): *Aedimorphus*
navalis Edwards, 1926: *Culex (Lophoceraomyia)*
neavei Theobald, 1906: *Culex (Culex)*
nebulosus Arnell, 1973: *Haemagogus (Haemagogus)*
nebulosus Theobald, 1901: *Culex (Culiciomyia)*
neglectus Lutz, 1904: *Culex (Microculex)*
negrensis Gordon & Evans, 1922: *Wyeomyia* (subgenus uncertain)
neireti Edwards, 1920: *Uranotaenia (Uranotaenia)*
neivai (Lane & Coutinho, 1940): *Coquilleltidia (Rhynchotaenia)*
neivai Howard, Dyar & Knab, 1913: *Anopheles (Kerteszia)*
nemophilous Peyton & Ramalingam, 1988: *Anopheles (Cellia)*
nemorosa (Gong, 1996): *Kimia*
neoafricana (Cornet, Valade & Dieng, 1978): *Stegomyia* (subgenus uncertain)
neogalloisi (Chen & Chen, 2000): *Stegomyia* (subgenus uncertain)
neogeorgiana (Belkin, 1962): *Finlaya*
neomacrodixoa (King & Hoogstraal, 1947): *Verrallina (Neomacleaya)*
neomaculipalpus Curry, 1931: *Anopheles (Anopheles)*
neopandani (Bohart, 1957): *Stegomyia (Bohartius)*
neotibialis King & Hoogstraal, 1947: *Uranotaenia (Uranotaenia)*
nepenthes (Theobald, 1912): *Uranotaenia (Pseudoficalbia)*
nepenthicola (Banks, 1909): *Tripterooides (Tricholeptomyia)*
nepenthicola Miyagi & Toma, 2007: *Topomyia (Suaymyia)*
nepenthicola Steffan & Evenhuis, 1982: *Toxorhynchites (Toxorhynchites)*
nepenthis (Dyar & Shannon, 1925): *Toxorhynchites (Toxorhynchites)*
nepenthis (Edwards, 1915): *Tripterooides (Rachionotomyia)*
nepenthisimilis Mattingly, 1981: *Tripterooides (Rachionotomyia)*
nevadensis (Chapman & Barr, 1964): *Ochlerotatus* (subgenus uncertain)
ngong (van Someren, 1950): *Albuginosus*
nicaroensis Duret, 1967: *Culex (Nicaromyia)*
nicceriensis Bonne-Wepster & Bonne, 1920: *Culex (Melanoconion)*
nicksoni Miyagi & Toma, 2012: *Topomyia (Topomyia)*
nicoyae Adames & Hogue, 1970: *Deinocerites*
niger (Leicester, 1908): *Culex (Lophoceraomyia)*
nigeriae Edwards, 1930: *Hodgesia*
nigeriensis Ribeiro, 2005: *Toxorhynchites (Afrorhynchus)*
nigerrimus Giles, 1900: *Anopheles (Anopheles)*
nigerrimus Theobald, 1913: *Mucidus (Mucidus)*
nigra (Theobald, 1901): *Ficalbia*
nigra Leicester, 1908: *Topomyia (Topomyia)*
nigrescens (Edwards, 1929): *Mucidus (Pardomyia)*

nigricans (Coquillett, 1904): *Coquillettidia (Rhynchotaenia)*
nigricephala Clastrier & Claustre, 1978: *Wyeomyia* (subgenus uncertain)
nigricephala da Cunha Ramos & Brunhes, 2004: *Uranotaenia (Pseudoficalbia)*
nigricephalus (Theobald, 1901): *Aedimorphus*
nigrimacula Lane & Whitman, 1943: *Culex* (subgenus uncertain)
nigrinus (Eckstein, 1918): *Ochlerotatus* (subgenus uncertain)
nigripalpus Theobald, 1901: *Culex (Culex)*
nigripes (Edwards, 1935): *Toxorhynchites (Toxorhynchites)*
nigripes (Theobald, 1905): *Uranotaenia (Pseudoficalbia)*
nigripes (Zetterstedt, 1838): *Ochlerotatus* (subgenus uncertain)
nigripleura da Cunha Ramos & Brunhes, 2004: *Uranotaenia (Pseudoficalbia)*
nigritarsis (Chagas, 1907): *Anopheles (Nyssorhynchus)*
nigritarsis (Wolfs, 1958): *Coquillettidia (Coquillettidia)*
nigrithorax (Macquart, 1847): *Ochlerotatus* (subgenus uncertain)
nigrithorax (Theobald, 1910): *Coquillettidia (Coquillettidia)*
nigritubus Galindo, Carpenter & Trapido, 1951: *Wyeomyia (Wyeomyia)*
nigrocanus (Martini, 1927): *Ochlerotatus* (subgenus uncertain)
nigrochracea (Bonne-Wepster, 1930): *Coquillettidia (Coquillettidia)*
nigromaculata Edwards, 1941: *Uranotaenia (Pseudoficalbia)*
nigromaculis (Ludlow, 1906): *Ochlerotatus (Culicelsa)*
nigropterum Le Goff, Boussès & Brunhes, 2007: *Neomelaniconion*
nigropunctatus Edwards, 1926: *Culex (Culiciomyia)*
nigrorhynchus (Brug, 1931): *Hulecoeteomyia*
nigrosignata (Edwards, 1917): *Coquillettidia (Coquillettidia)*
nigrostriatus Barraud, 1927: *Aedimorphus*
nigrotarsis (Ludlow, 1908): *Verrallina (Neomacleaya)*
nilgircus Christophers, 1924: *Anopheles (Anopheles)*
nilgircus Edwards, 1916: *Culex (Culex)*
nili (Theobald, 1904): *Anopheles (Cellia)*
nimbus (Theobald, 1902): *Anopheles (Stethomyia)*
nimpe Nguyen, Tran & Harbach, 2000: *Anopheles (Anopheles)*
ninagongoensis Edwards, 1928: *Culex (Culex)*
ningheensis (Lei, 1989): *Collessius (Collessius)*
niphadopsis (Dyar & Knab, 1918): *Ochlerotatus* (subgenus uncertain)
nippononivea (Sasa & Nakahashi, 1952): *Downsiomyia*
nipponica (LaCasse & Yamaguti, 1948): *Downsiomyia*
nipponica LaCasse & Yamaguti, 1950: *Culiseta (Culicella)*
nishikawai (Tanaka, Mizusawa & Saugstad, 1979): *Downsiomyia*
nissanensis Lee, 1946: *Tripteroides (Tripteroides)*
nitens (Cerqueira, 1943): *Coquillettidia (Rhynchotaenia)*
nitidoventer (Giles, 1904): *Tripteroides (Tripteroides)*
nitidus Harrison, Scanlon & Reid, 1973: *Anopheles (Anopheles)*
nitidus Theobald, 1901: *Sabethes (Sabethes)*
nivalis (Edwards, 1926): *Ochlerotatus* (subgenus uncertain)
nivea (Ludlow, 1903): *Downsiomyia*
nivea Leicester, 1908: *Uranotaenia (Uranotaenia)*
niveitaeniata (Theobald, 1907): *Culiseta (Culiseta)*
niveoides (Barraud, 1934): *Downsiomyia*
niveoscutum (Zavortink, 1972): '*Ochlerotatus (Protomacleaya)*'
niveus (de Meillon, 1943): *Paulianus*
nivipes (Theobald, 1903): *Anopheles (Cellia)*
nivipes (Theobald, 1905): *Uranotaenia (Uranotaenia)*
nivipleura Leicester, 1908: *Uranotaenia (Pseudoficalbia)*
nivipous Theobald, 1912: *Uranotaenia (Pseudoficalbia)*
njombiensis (Huang, 1997): *Stegomyia* (subgenus uncertain)
njombiensis Peters, 1955: *Anopheles (Cellia)*
nkolbissonensis Rickenbach & Hamon, 1966: *Orthopodomomyia*
nobukonis (Yamada, 1932): *Verrallina (Harbachius)*
nocticola Peyton, 1977: *Uranotaenia (Pseudoficalbia)*
noniae Reid, 1963: *Anopheles (Anopheles)*

normanensis (Taylor, 1915): *Ochlerotatus* (subgenus uncertain)
notabilis (Delfinado, 1967): *Verrallina* (*Neomacleaya*)
notanandai Rattanarithikul & Green, 1987: *Anopheles* (*Cellia*)
notleyi van Someren, 1949: *Anopheles* (*Cellia*)
notoscripta (Skuse, 1889): *Rampamyia*
novaezealandiae Pillai, 1966: *Culiseta* (*Climacura*)
novaguinensis Peters, 1963: *Uranotaenia* (*Uranotaenia*)
novaguinensis Venhuis, 1933: *Anopheles* (*Cellia*)
novalbitarsis (King & Hoogstraal, 1946): *Patmarksia*
novalbopicta (Barraud, 1931): *Stegomyia* (subgenus uncertain)
novobscura Barraud, 1934: *Uranotaenia* (*Pseudoficalbia*)
novochracea (Barraud, 1927): *Coquillettidia* (*Coquillettidia*)
novohanoverae Peters, 1963: *Tripteroides* (*Tripteroides*)
novonivea (Barraud, 1934): *Downsiomyia*
nubicola (Laffoon, 1946): *Verrallina* (*Neomacleaya*)
nubilus (Theobald, 1903): *Ochlerotatus* (*Protoculex*)
nummatus (Edwards, 1923): *Tewarius*
nuneztovari Gabaldon, 1940: *Anopheles* (*Nyssorhynchus*)
nyasae (Edwards, 1930): *Hopkinsius* (*Hopkinsius*)
nyounae (Hamon & Adam, 1959): *Catageiomyia*
oakleyi (Stone, 1939): *Aedimorphus*
oblita (Lutz, 1904): *Wyeomyia* (*Miamyia*)
obscura Edwards, 1915: *Uranotaenia* (*Pseudoficalbia*)
obscura Tenorio, 1975: *Bironella* (*Brugella*)
obscurum Lane & Cerqueira, 1942: *Trichoprosopon*
obscurus (Grünberg, 1905): *Anopheles* (*Anopheles*)
obscurus (Leicester, 1908): *Culex* (*Acalloomyia*)
obscurus Brug, 1934: *Tripteroides* (*Rachisoura*)
obsoleta (Huang, 1968): *Verrallina* (*Verrallina*)
obturbans (Walker, 1859): *Armigeres* (*Armigeres*)
obturbator (Dyar & Knab, 1907): *Ochlerotatus* (*Ochlerotatus*)
occidentalis (Skuse, 1889): *Dobrotworskyius*
occidentalis Dyar & Knab, 1906: *Anopheles* (*Anopheles*)
occidentayunnana (Gong & Lu, 1991): *Heizmannia* (*Mattinglyia*)
occulta Bonne-Wepster & Bonne, 1919: *Wyeomyia* (subgenus uncertain)
oceanica (Belkin, 1962): *Finlaya*
ocellatus Theobald, 1903: *Culex* (subgenus uncertain)
ochracea (Theobald, 1903): *Coquillettidia* (*Coquillettidia*)
ochraceus (Theobald, 1901): *Aedimorphus*
ochripes (Macquart, 1850): *Psorophora* (*Psorophora*)
ochroptera (Peus, 1935): *Culiseta* (*Culicella*)
ocossa Dyar & Knab, 1919: *Culex* (*Melanoconion*)
oedipodeios Graham, 1909: *Eretmapodites*
oedipus Root, 1927: *Culex* (*Melanoconion*)
ohamai Tanaka, Mizusawa & Saugstad, 1975: *Uranotaenia* (*Pseudoficalbia*)
oikitorakras Osorno-Mesa, 1947: *Anopheles* (*Lophopodomyia*)
okinawae Bohart, 1953: *Culex* (*Eumelanomyia*)
okinawanus (Bohart, 1946): *Bruceharrisonius*
okinawensis Toma, Miyagi & Tanaka, 1990: *Toxorhynchites* (*Toxorhynchites*)
okuensis Brunhes, le Goff & Geoffroy, 1997: *Anopheles* (*Christya*)
oligopistus (Dyar, 1918): *Ochlerotatus* (*Protoculex*)
olimpioi Xavier, da Silva & da Silva Mattos, 1970: *Culex* (*Melanoconion*)
omani Belkin, 1962: *Culex* (*Culex*)
omissus (Edwards, 1914): *Armigeres* (*Leicesteria*)
omorii (Lien, 1968): *Downsiomyia*
omorii Sakakibara, 1959: *Anopheles* (*Anopheles*)
opok (Corbet & van Someren, 1962): *Stegomyia* (subgenus uncertain)
orbostiensis Dobrotworsky, 1958: *Culex* (*Lophoceraomyia*)
oreios Bangs & Harbach, 2014: *Anopheles* (*Cellia*)
oreophilus Edwards, 1916: '*Ochlerotatus* (*Finlaya*)'

oresbius Harbach & Rattananarithikul, 1988: *Culex (Eumelanomyia)*
orfilai Duret, 1953: *Culex (Melanoconion)*
orientalis Barraud, 1926: *Uranotaenia (Uranotaenia)*
orientalis Edwards, 1921: *Culex (Culex)*
originator Gordon & Evans, 1922: *Culex (Anoedioporpa)*
ornata Theobald, 1909: *Uranotaenia (Pseudoficalbia)*
ornatothoracis Theobald, 1909: *Culex (Culex)*
orstom Brunhes, Adam & Bailly-Choumara, 1967: *Culex (Eumelanomyia)*
orthodoxa Dyar, 1921: *Uranotaenia (Uranotaenia)*
ortizi Vargas & Diaz Nájera, 1961: *Sabethes (Sabethes)*
oryzalimnetes Wilkerson & Motoki, 2009: *Anopheles (Nyssorhynchus)*
osornoi (Berlin, 1969): *Howardina*
ostentatio (Leicester, 1908): *Paraedes*
oswaldoi (Peryassú, 1922): *Anopheles (Nyssorhynchus)*
otachati Klein & Sirivanakarn, 1970: *Culex (Eumelanomyia)*
oteizai Perez Viguera, 1956: *Uranotaenia (Uranotaenia)*
ototomo da Cunha Ramos, 1993: *Uranotaenia (Pseudoficalbia)*
ototomoensis Huang & Rueda, 2013: *Orthopodomyia*
otwayensis (Dobrotworsky, 1960): *Culiseta (Culicella)*
ousqua Dyar, 1918: *Culex (Culex)*
ovazzai (Hamon & Adam, 1959): *Aedimorphus*
ovengensis Awono-Ambene, Kengne, Simard, Antonio-Nkonkjo & Fontenille, 2004: *Anopheles (Cellia)*
oweni Belkin, 1962: *Culex (Lophoceraomyia)*
pachyurus (Edwards, 1936): *Aedimorphus*
pacificus Edwards, 1916: *Culex (Culex)*
pagei (Ludlow, 1911): *Paraedes*
pahangi (Delfinado, 1968): *Verrallina (Harbachius)*
painei Edwards, 1935: *Uranotaenia (Pseudoficalbia)*
pairoji Sirivanakarn, 1977: *Culex (Lophoceraomyia)*
pajoti da Cunha Ramos & Ribeiro, 1982: *Culex (Culex)*
palaciosi Duret, 1968: *Culex (Melanoconion)*
palauensis (Bohart, 1957): *Stegomyia* (subgenus uncertain)
palawanicus (Mattingly, 1958): *Canraedes*
pallescens Edwards, 1922: *Psorophora (Psorophora)*
pallida Edwards, 1925: *Mimomyia (Mimomyia)*
pallidiceps (Theobald, 1905): *Culex (Acallyntrum)*
pallidipleura da Cunha Ramos & Brunhes, 2004: *Uranotaenia (Pseudoficalbia)*
pallidiventer (Lutz, 1905): *Trichoprosopon*
pallidocephala Theobald, 1908: *Uranotaenia (Uranotaenia)*
pallidostriatus (Theobald, 1907): *Aedimorphus*
pallidothorax Dong, Dong & Wu, 2008: *Tripterooides (Rachionotomyia)*
pallidothorax Theobald, 1905: *Culex (Culiciomyia)*
pallidoventer (Theobald, 1907): *Wyeomyia (Phoniomyia)*
pallidoventer Theobald, 1903: *Uranotaenia (Uranotaenia)*
pallidus Lee, 1946: *Tripterooides (Rachisoura)*
pallidus Theobald, 1901: *Anopheles (Cellia)*
pallirostris (Edwards, 1922): *Hulecoeteomyia*
pallithorax Dong, Zhou & Dong, 2004: *Armigeres (Armigeres)*
palmarum (Edwards, 1924): *Patmarksia*
palmata (Lane & Cerqueira, 1942): *Wyeomyia (Phoniomyia)*
palmatus (Rodenwaldt, 1926): *Anopheles (Anopheles)*
palmeirimi de Meillon & Rebêlo, 1941: *Uranotaenia (Uranotaenia)*
palpale Newstead, 1907: *Neomelaniconion*
palpalis Taylor, 1912: *Culex (Culex)*
paltrinierii Shidrawi & Gillies, 1988: *Anopheles (Cellia)*
paludis Theobald, 1900: *Anopheles (Anopheles)*
paludosa Galindo, Blanton & Peyton, 1954: *Uranotaenia (Uranotaenia)*
pampanai Büttiker & Beales, 1959: *Anopheles (Cellia)*
pampangensis (Ludlow, 1905): *Aedimorphus*

pampithes (Dyar & Núñez Tovar, 1928): *Wyeomyia* (subgenus uncertain)
panamensis Adames, 1971: *Deinocerites*
panarchys Dyar, 1921: *Haemagogus* (*Haemagogus*)
panayensis (Ludlow, 1914): *Verrallina* (*Neomacleaya*)
pandani (Stone, 1939): *Stegomyia* (*Bohartius*)
pandani (Theobald, 1912): *Uranotaenia* (*Pseudoficalbia*)
pandani Brunhes, 1969: *Culex* (*Culiciomyia*)
panocossa Dyar, 1923: *Culex* (*Melanoconion*)
papago (Zavortink, 1970): *Abraedes*
papuae (Swellengrebel & Swellengrebel de Graaf, 1920): *Bironella* (*Neobironella*)
papuensis (Taylor, 1914): *Culex* (*Culiciomyia*)
papuensis (Taylor, 1914): *Mansonia* (*Mansonioides*)
papuensis (Taylor, 1914): *Patmarksia*
papuensis Dobrotworsky, 1957: *Anopheles* (*Anopheles*)
papuensis Marks, 1960: *Topomyia* (*Suaymyia*)
papuensis Peters, 1963: *Armigeres* (*Armigeres*)
papuensis Zavortink, 1968: *Orthopodomysia*
paracrybda Komp, 1936: *Culex* (*Melanoconion*)
paraculeatus Sirivanakarn, 1977: *Culex* (*Lophoceraomyia*)
paradissimilis (Rozeboom, 1946): *Kenknightia*
paradoxus Harbach, 2002: *Sabethes* (*Peytonulus*)
paraensis (Theobald, 1903): *Limatus*
paraitepuyensis Anduze, 1941: *Sabethes* (*Sabethes*)
paralateralis Peters, 1964: *Uranotaenia* (*Uranotaenia*)
paramaxi Duret, 1968: *Culex* (*Culex*)
paranensis (Brèthes, 1910): *Isostomyia*
parangensis (Ludlow, 1914): *Anopheles* (*Cellia*)
paranovaguinensis Peters, 1963: *Uranotaenia* (*Uranotaenia*)
parapunctipennis Martini, 1932: *Anopheles* (*Anopheles*)
parasimilis (King & Hoogstraal, 1947): *Verrallina* (*Verrallina*)
parensis Gillies, 1962: *Anopheles* (*Cellia*)
parenti (de Meillon & Lavoipierre, 1944): *Mimomyia* (*Mimomyia*)
particeps (Adams, 1903): *Culiseta* (*Culiseta*)
parvipluma Edwards, 1941: *Eretmapodites*
parvus (Chagas, 1907): *Anopheles* (*Nyssorhynchus*)
patersoni (Shannon & del Ponte, 1928): *Ochlerotatus* (*Ochlerotatus*)
patientiae Floch & Fauran, 1955: *Culex* (*Melanoconion*)
patriciae (Mattingly, 1954): *Stegomyia* (subgenus uncertain)
patriciae Peyton, 1977: *Uranotaenia* (*Pseudoficalbia*)
pattoni Christophers, 1926: *Anopheles* (*Cellia*)
paucartamboensis Porter, 2014: *Wyeomyia* (*Nunezia*)
pauliani (Doucet, 1951): *Toxorhynchites* (*Afrorhynchus*)
pauliani Doucet, 1949: *Uranotaenia* (*Pseudoficalbia*)
pauliani Grjebine, 1950: *Eretmapodites*
pauliani Grjebine, 1953: *Aedeomyia* (*Aedeomyia*)
pauliani Grjebine, 1953: *Anopheles* (*Cellia*)
paulli Paterson & Shannon, 1927: *Psorophora* (*Grabhamia*)
paullusi (Stone & Farner, 1945): *Stegomyia* (subgenus uncertain)
pavlovskiyi Casal & García, 1967: *Culex* (*Melanoconion*)
peccator Dyar & Knab, 1909: *Culex* (*Melanoconion*)
pecori (Reinert, 1990): *Kenknightia*
pectinatus (Arnell, 1976): *Ochlerotatus* (*Ochlerotatus*)
pectinatus (Edwards, 1914): *Armigeres* (*Leicesteria*)
pecuniosa (Edwards, 1922): *Molpemyia*
pedicellus King & Hoogstraal, 1947: *Culex* (*Neoculex*)
peditaeniatus (Leicester, 1908): *Anopheles* (*Anopheles*)
pedroi Sirivanakarn & Belkin, 1980: *Culex* (*Melanoconion*)
peipingensis (Feng, 1938): '*Ochlerotatus* (*Finlaya*)'
pembaensis (Theobald, 1901): *Skusea*
penai Sirivanakarn, 1979: *Culex* (*Melanoconion*)

pendleburyi (Edwards, 1930): *Toxorhynchites (Toxorhynchites)*
pendulus (Edwards, 1914): *Armigeres (Leicesteria)*
penguensis (Lien, 1968): *Cantraedes*
penicillatus Edwards, 1941: *Eretmapodites*
pennai (Antunes & Lane, 1938): *Ochlerotatus (Chrysoconops)*
perexiguus Theobald, 1903: *Culex (Culex)*
pereyrai Duret, 1967: *Culex (Melanoconion)*
perfidiosus Edwards, 1914: *Culex (Culex)*
perfuscus Edwards, 1914: *Culex (Culex)*
peringueyi Edwards, 1924: *Culex (Maillotia)*
periskelata (Giles, 1902): *Dendroskusea*
perkinsi (Marks, 1949): *Ochlerotatus* (subgenus uncertain)
perkinsi Stone & Penn, 1948: *Culex (Acallyntrum)*
pernotata (Farner & Bohart, 1944): *Stegomyia* (subgenus uncertain)
perplexa Leicester, 1908: *Stegomyia (Huangmyia)*
perplexens (Edwards, 1932): *Mimomyia (Mimomyia)*
perplexus Ludlow, 1907: *Anopheles (Anopheles)*
perplexus Leicester, 1908: *Culex (Culex)*
perplexus Peters, 1963: *Tripteroides (Polylepidomyia)*
perryi (Belkin, 1962): *Geoskusea*
perryi Belkin, 1962: *Culex (Lophoceraomyia)*
persiensis Linton, Sedaghat & Harbach, 2003: *Anopheles (Anopheles)*
persimilis Mattingly, 1970: *Heizmannia (Heizmannia)*
personatum (Lutz, 1904): *Onirion*
pertinans (Williston, 1896): *Wyeomyia (Wyeomyia)*
pertinax (Grabham, 1906): *Ochlerotatus (Protoculex)*
perturbans (Walker, 1856): *Coquillettidia (Coquillettidia)*
perturbans (Williston, 1896): *Isostomyia*
perventor (Cerqueira & Costa, 1946): *Sallumia*
pervigilans von Bergroth, 1889: *Culex (Culex)*
peryassui Dyar & Knab, 1908: *Anopheles (Anopheles)*
pessoai (Barreto & Coutinho, 1944): *Mansonia (Mansonia)*
petersi Colless, 1960: *Culex (Lophoceraomyia)*
petragnani del Vecchio, 1939: *Anopheles (Anopheles)*
petrocchiaie (Shannon & del Ponte, 1928): *Sabethes (Davismyia)*
petroelephantus (Wijesundara, 1951): *Verrallina (Neomacleaya)*
pexa (Colless, 1958): *Downsiomyia*
peytoni (Reinert, 1972): *Ayurakitia*
peytoni Bram & Rattanarithikul, 1967: *Culex (Lophoceraomyia)*
peytoni Kulasekera, Harrison & Amerasinghe, 1989: *Anopheles (Anopheles)*
peytoni Leguizamón & Carpintero, 2005: *Orthopodomysia*
phaecasiatus (Marks, 1964): *Ochlerotatus* (subgenus uncertain)
phaeonotus (Arnell, 1976): *Ochlerotatus (Ochlerotatus)*
phangngae Sirivanakarn, 1972: *Culex (Eumelanomyia)*
pharoensis Theobald, 1901: *Anopheles (Cellia)*
philipi Edwards, 1929: *Culex (Culex)*
philippinensis (Delfinado, 1968): *Verrallina (Neomacleaya)*
philippinensis Ludlow, 1902: *Anopheles (Cellia)*
philippinensis Sirivanakarn, 1976: *Culex (Culex)*
phillipi (van Someren, 1949): *Zavortinkius*
philonuxia Philip, 1931: *Uranotaenia (Uranotaenia)*
phlabistus Dyar, 1920: *Culex (Melanoconion)*
phlogistus Dyar, 1920: *Culex (Melanoconion)*
phnoma (Klein, 1973): *Verrallina (Neomacleaya)*
phoeniciae (Coluzzi & Sabatini, 1968): *Acartomyia*
pholeocola (Linton & Harbach, 2013): *Nyctomyia*
pholeter Bram & Rattanarithikul, 1967: *Culex (Lophoceraomyia)*
pholidotus Zavortink, 1973: *Anopheles (Kerteszia)*
phroso Howard, Dyar & Knab, 1915: *Wyeomyia* (subgenus uncertain)
phyllados Hutchings & Sallum, 2008: *Culex (Melanoconion)*

phyllolabis (Edwards, 1929): *Catageiomyia*
phyllozoa (Dyar & Knab, 1907): *Orthopodomyia*
phytophagus Theobald, 1909: *Toxorhynchites* (*Toxorhynchites*)
pia Le Goff & Robert, 2013: *Stegomyia* (*Stegomyia*)
pictipennis (Philippi, 1865): *Anopheles* (*Nyssorhynchus*)
pifanoi Anduze, 1949: *Culex* (*Melanoconion*)
pifanoi Cova Garcia, Pulido F. & Escalante de Ugueto, 1981: *Uranotaenia* (*Uranotaenia*)
pilicauda Root, 1928: *Wyeomyia* (*Phoniomyia*)
pilifemoralis Wang & Feng, 1964: *Culex* (*Lophoceraomyia*)
pilinetum Harrison & Scanlon, 1974: *Anopheles* (*Anopheles*)
pilipes (Macquart, 1834): *Psorophora* (*Psorophora*)
pillaii (Mattingly, 1958): *Rhinokusea*
pilosa Brug, 1931: *Topomyia* (*Topomyia*)
pilosa da Cunha Ramos & Brunhes, 2004: *Uranotaenia* (*Pseudoficalbia*)
pilosa Duret, 1971: *Psorophora* (*Janthinosoma*)
pilosus (Dyar & Knab, 1906): *Culex* (*Melanoconion*)
pilosus Lee, 1946: *Tripteroides* (*Rachisoura*)
pinarocampa Dyar & Knab, 1908: *Culex* (*Culex*)
pingpaensis (Chang, 1965): *Edwardsaedes*
pinjaurensis Barraud, 1932: *Anopheles* (*Anopheles*)
pionips (Dyar, 1919): *Ochlerotatus* (subgenus uncertain)
pipersalatus (Giles, 1902): *Aedimorphus*
pipiens Linnaeus, 1758: *Culex* (*Culex*)
pipkini (Bohart, 1957): *Verrallina* (*Verrallina*)
plagosus (Marks, 1959): '*Ochlerotatus* (*Finlaya*)'
platylepida (Knight & Hull, 1951): *Scutoomyia*
plectoporpe Root, 1927: *Culex* (*Melanoconion*)
pleuristriatus Theobald, 1903: *Culex* (*Microculex*)
plicatus Olivares, 1993: *Culex* (*Culex*)
pioleucus Edwards, 1941: *Eretmapodites*
plumbeus Stephens, 1828: *Anopheles* (*Anopheles*)
plumifera (King & Hoogstraal, 1946): *Phagomyia*
plumiger Bonne-Wepster, 1948: *Tripteroides* (*Rachisoura*)
plumosa (Theobald, 1901): *Mimomyia* (*Mimomyia*)
plumosus (Brug, 1931): *Tripteroides* (*Tripteroides*)
pluvialis Barraud, 1924: *Culex* (*Eumelanomyia*)
podographicus (Dyar & Knab, 1906): '*Ochlerotatus* (*Protomacleaya*)'
pogonorum (Edwards, 1936): *Neomelaniconion*
poicilia Theobald, 1903: *Finlaya*
poicilipes (Theobald, 1903): *Culex* (*Oculeomyia*)
pollicaris Reid, 1962: *Anopheles* (*Anopheles*)
pollinctor (Graham, 1910): *Zavortinkius*
polynesiensis (Marks, 1951): *Stegomyia* (subgenus uncertain)
ponmeki Miyagi & Toma, 2001: *Tripteroides* (*Rachionotomyia*)
portesi Senevet & Abonnenc, 1941: *Culex* (*Melanoconion*)
portonovoensis (Tewari & Hiriyan, 1992): *Rhinokusea*
portoricensis (von Röder, 1885): *Toxorhynchites* (*Lynchiella*)
postspiraculosus (Dobrotworsky, 1961): *Ochlerotatus* (*Pseudokusea*)
postspiraculosus Lee, 1944: *Culex* (*Neoculex*)
powderi Zavortink, 1970: *Anopheles* (*Anopheles*)
powelli (Ludlow, 1909): *Tripteroides* (*Tripteroides*)
powelli Lee, 1944: *Anopheles* (*Anopheles*)
poweri Theobald, 1905: *Stegomyia* (subgenus uncertain)
prachongae Rattanarithikul & Harrison, 2017: *Anopheles* (*Anopheles*)
prajimi Peyton & Rattanarithikul, 1970: *Uranotaenia* (*Uranotaenia*)
pretoriensis (Theobald, 1903): *Anopheles* (*Cellia*)
principensis da Cunha Ramos, 1993: *Uranotaenia* (*Pseudoficalbia*)
prioekanensis (Brug, 1931): *Verrallina* (*Neomacleaya*)
pristinus Nagaki & Sallum, 2010: *Anopheles* (*Nyssorhynchus*)
procax (Skuse, 1889): *Ochlerotatus* (subgenus uncertain)

productus Edwards, 1941: *Eretmapodites*
productus Senevet & Abonnenc, 1939: *Culex (Melanoconion)*
prominens (Barraud, 1923): *Phagomyia*
propinqua Mattingly, 1970: *Heizmannia (Heizmannia)*
propinqua Peyton, 1977: *Uranotaenia (Pseudoficalbia)*
propinquus Colless, 1955: *Culex (Culex)*
prosecutor Séguy, 1927: *Culex (Culex)*
protuberans (Delfinado, 1967): *Verrallina (Neomacleaya)*
provocans (Walker, 1848): *Ochlerotatus (Rusticoidus)*
proxima Mattingly, 1970: *Heizmannia (Heizmannia)*
proximus (Edwards, 1915): *Tripteroides (Tripteroides)*
pruina Theobald, 1901: *Culex (Culex)*
psatharus Dyar, 1920: *Culex (Melanoconion)*
psectropus Edwards, 1930: *Hodgesia*
pseudalbolineata (Brug, 1939): *Scutomyia*
pseudalbopicta Borel, 1928: *Stegomyia* (subgenus uncertain)
pseudes Dyar & Knab, 1909: *Deinocerites*
pseudoafricana (Chwatt, 1949): *Stegomyia* (subgenus uncertain)
pseudoalbimanus da Cunha Ramos & Brunhes, 2004: *Uranotaenia (Pseudoficalbia)*
pseudoalbipes Duret, 1971: *Psorophora (Janthinosoma)*
pseudoandreas Bailly-Choumara, 1966: *Culex (Eumelanomyia)*
pseudoauriceps Miyagi & Toma, 2010: *Topomyia (Suaymyia)*
pseudobarbirostris Ludlow, 1902: *Anopheles (Anopheles)*
pseudobarbus Baisas, 1946: *Topomyia (Topomyia)*
pseudoconopas (Theobald, 1910): *Coquillettidia (Coquillettidia)*
pseudodiurna (Theobald, 1910): *Verrallina (Neomacleaya)*
pseudodominicii (Komp, 1936): *Howardina*
pseudohenrardi Peters, 1955: *Uranotaenia (Pseudoficalbia)*
pseudojamesi Strickland & Chowdhury, 1927: *Anopheles (Cellia)*
pseudojanthinosoma Senevet & Abonnenc, 1946: *Culex (Culex)*
pseudoleucotarsis Thurman, 1959: *Topomyia (Suaymyia)*
pseudomaculipes (Chagas, 1908): *Anopheles (Anopheles)*
pseudomaculipleura Peyton & Rattanarithikul, 1970: *Uranotaenia (Pseudoficalbia)*
pseudomediofasciata (Theobald, 1910): *Verrallina (Neomacleaya)*
pseudomelanoconia Theobald, 1907: *Culex (Neoculex)*
pseudomelanotha Barata & Cotrim, 1971: *Psorophora (Janthinosoma)*
pseudomethysticus (Bonne-Wepster & Bonne, 1920): *Limatus*
pseudonigeria Theobald, 1910: *Stegomyia* (subgenus uncertain)
pseudonivea (Theobald, 1905): *Downsiomyia*
pseudonormanensis (Marks, 1949): *Ochlerotatus* (subgenus uncertain)
pseudonummatus (Reinert, 1973): *Tewarius*
pseudopectus Dyar & Knab, 1906: *Wyeomyia (Decamyia)*
pseudopictus Grassi, 1899: *Anopheles (Anopheles)*
pseudopruina van Someren, 1951: *Culex (Culex)*
pseudopunctipennis Theobald, 1901: *Anopheles (Anopheles)*
pseudornatus Colless, 1960: *Culex (Lophoceraomyia)*
pseudorobusta Pajot & Fauran, 1975: *Wyeomyia (Wyeomyia)*
pseudorubithoracis Sirivanakarn, 1968: *Culex (Lophoceraomyia)*
pseudoscutellaris Theobald, 1910: *Stegomyia* (subgenus uncertain)
pseudoshillitonis da Cunha Ramos & Brunhes, 2004: *Uranotaenia (Pseudoficalbia)*
pseudosinensis Baisas, 1935: *Anopheles (Anopheles)*
pseudosinensis Colless, 1955: *Culex (Oculeomyia)*
pseudostigmaticus Dobrotworsky, 1957: *Anopheles (Anopheles)*
pseudostigmatosoma Strickman, 1990: *Culex (Culex)*
pseudosundaicus Tyagi *et al.*, 2009: *Anopheles (Cellia)*
pseudotaeniatus (Giles, 1901): *Collessius (Alloeomyia)*
pseudotarsalis (van Someren, 1946): *Catageiomyia*
pseudotibiamaculatus Galvão & Barretto, 1941: *Anopheles (Lophopodomomyia)*
pseudotitillans (Theobald, 1901): *Mansonia (Mansonia)*
pseudovarietas (Reinert, 1974): *Verrallina (Neomacleaya)*

pseudovishnui Colless, 1957: *Culex (Culex)*
pseudowillmori (Theobald, 1910): *Anopheles (Cellia)*
pubescens (Edwards, 1925): *Aedimorphus*
pujutensis Colless, 1948: *Anopheles (Cellia)*
pulcherrima Lynch Arribálzaga, 1891: *Uranotaenia (Uranotaenia)*
pulcherrimus Theobald, 1902: *Anopheles (Cellia)*
pulchrithorax (Edwards, 1939): *Vansomerenis*
pulchriventer (Giles, 1901): *Gilesius*
pulcripalpis (Rondani, 1872): *Orthopodomyia*
pulcritarsis (Rondani, 1872): *Ochlerotatus* (subgenus uncertain)
pulidoi Cova Garcia & Sutil Oramas, 1974: *Culex (Microculex)*
pullatus (Coquillett, 1904): *Ochlerotatus* (subgenus uncertain)
pullus Theobald, 1905: *Culex (Culiciomyia)*
pullus Yamada, 1937: *Anopheles (Anopheles)*
pulverulentus (Edwards, 1922): *Indusius*
punctifemoris (Ludlow, 1921): *Aedimorphus*
punctimacula Dyar & Knab, 1906: *Anopheles (Anopheles)*
punctipennis (Say, 1823): *Anopheles (Anopheles)*
punctipes (Edwards, 1921): *Petermattinglyius (Petermattinglyius)*
punctiscapularis Floch & Abonnenc, 1946: *Culex* (subgenus uncertain)
punctocostale (Theobald, 1909): *Neomelaniconion*
punctodes (Dyar, 1922): *Ochlerotatus* (subgenus uncertain)
punctolateralis (Theobald, 1903): *Tripteroides (Polylepidomyia)*
punctor (Kirby, 1837): *Ochlerotatus* (subgenus uncertain)
punctothoracis (Theobald, 1909): *Catageiomyia*
punctulatus Dönitz, 1901: *Anopheles (Cellia)*
purpuraceus (Brug, 1932): *Ochlerotatus (Gilesia)*
purpuratus (Edwards, 1921): *Tripteroides (Tripteroides)*
purpurea Theobald, 1910: *Molpemyia*
purpureifemur (Marks, 1959): *Ochlerotatus* (subgenus uncertain)
purpureipes (Aitken, 1941): *Kompia*
purpureus (Theobald, 1901): *Toxorhynchites (Ankylorhynchus)*
purpureus (Theobald, 1907): *Sabethes (Sabethes)*
purpuriventris (Edwards, 1926): *Ochlerotatus (Pholeomyia)*
pursati Laveran, 1902: *Anopheles (Anopheles)*
pusillus (da Costa Lima, 1931): *Toxorhynchites (Lynchiella)*
pusillus Macquart, 1850: *Culex (Barraudius)*
putumayensis Matheson, 1934: *Culex (Melanoconion)*
pygmaea (Theobald, 1903): *Psorophora (Grabhamia)*
pygmaea Theobald, 1901: *Uranotaenia (Uranotaenia)*
pylei Baisas, 1946: *Uranotaenia (Pseudoficalbia)*
quadriannulatus (Theobald, 1911): *Anopheles (Cellia)*
quadrifoliatus Komp, 1936: *Culex (Melanoconion)*
quadrifolium (Brug, 1934): *Verrallina (Verrallina)*
quadrimaculata Edwards, 1929: *Uranotaenia (Pseudoficalbia)*
quadrimaculatus Say, 1824: *Anopheles (Anopheles)*
quadripalpis (Edwards, 1914): *Culex (Lophoceraomyia)*
quadripunctis (Ludlow, 1910): *Mucidus (Pardomyia)*
quadrispinata (King & Hoogstraal, 1947): *Verrallina (Verrallina)*
quadrivittata (Coquillett, 1902): *Howardina*
quasicyaneus Peryassú, 1922: *Sabethes (Sabethes)*
quasiferinus (Mattingly, 1961): *Mucidus (Mucidus)*
quasiferox (Leicester, 1908): *Toxorhynchites (Toxorhynchites)*
quasiguiarti Theobald, 1910: *Culex (Culex)*
quasihybridus Galindo & Blanton, 1954: *Culex (Melanoconion)*
quasilongirostris (Theobald, 1907): *Wyeomyia (Phoniomyia)*
quasimodesta Peyton, 1977: *Uranotaenia (Pseudoficalbia)*
quasioriginator Duret, 1972: *Culex (Anoedioporpa)*
quasiornatus (Taylor, 1915): *Tripteroides (Tripteroides)*
quasirubithorax (Theobald, 1910): '*Ochlerotatus (Finlaya)*'

quasirusticus (Torres Cañamares, 1951): *Ochlerotatus (Rusticoidus)*
quasisanguinae Leicester, 1908: *Hodgesia*
quasiscutellaris (Farner & Bohart, 1944): *Stegomyia* (subgenus uncertain)
quasiunivittatus (Theobald, 1901): *Aedimorphus*
quettensis Mattingly, 1955: *Culex (Maillotia)*
qui Dong, Dong & Zhou, 2003: *Uranotaenia (Pseudoficalbia)*
quinquefasciatus Say, 1823: *Culex (Culex)*
quinquelineata (Edwards, 1922): *Rampamyia*
quinquemaculata Bonne-Wepster, 1934: *Uranotaenia (Pseudoficalbia)*
quinquevittatus Theobald, 1901: *Eretmapodites*
quintetti Brunhes, Adam & Bailly-Choumara, 1967: *Culex (Eumelanomyia)*
quitensis Levi-Castillo, 1953: *Culex (Culex)*
rabanicola Floch & Abonnenc, 1946: *Culex (Melanoconion)*
rabelloi Forattini & Sallum, 1987: *Culex (Melanoconion)*
rachoui Duret, 1968: *Culex (Melanoconion)*
rachoui Galvão, 1952: *Anopheles (Anopheles)*
rachoui Xavier, da Silva Mattos & da Silva, 1970: *Uranotaenia (Uranotaenia)*
radama de Meillon, 1943: *Anopheles (Cellia)*
rageau Mattingly & Adam, 1954: *Anopheles (Cellia)*
raghavanii Rahman, Chowdhury & Kalra, 1969: *Culex (Lophoceraomyia)*
rajah Tsukamoto, 1989: *Culex (Culiciomyia)*
rajah Tsukamoto, 1989: *Toxorhynchites (Toxorhynchites)*
rajaneae Sirivanakarn, 1968: *Culex (Lophoceraomyia)*
rajaonarivelo Brunhes & Hervy, 1995: *Orthopodomyia*
ramachandrai (Reuben, 1967): *Dendroskusea*
ramakrishnii Wattal & Kalra, 1965: *Culex (Culiciomyia)*
ramalai Grjebine, 1986: *Mimomyia (Ingramia)*
ramalingami (Reinert, 1974): *Verrallina (Harbachius)*
ramalingami Evenhuis & Steffan, 1986: *Toxorhynchites (Toxorhynchites)*
ramalingami Sirivanakarn, 1973: *Culex (Culiciomyia)*
rami (Barraud, 1928): *Verrallina (Neomacleaya)*
ramirezi (Vargas & Downs, 1950): *Aztecaedes*
ramosa da Cunha Ramos, 1993: *Uranotaenia (Pseudoficalbia)*
rampae Peyton & Klein, 1970: *Uranotaenia (Uranotaenia)*
rampae Harbach & Somboon, 2011: *Anopheles (Cellia)*
ranci Grjebine, 1953: *Anopheles (Cellia)*
rangeli Gabaldon, Cova-Garcia & Lopez, 1940: *Anopheles (Nyssorhynchus)*
rapax Dyar & Knab, 1906: *Runchomyia (Runchomyia)*
rara (Delfinado, 1968): *Verrallina (Neomacleaya)*
raris (Leicester, 1908): *Toxorhynchites (Toxorhynchites)*
ratcliffei (Marks, 1959): *Ochlerotatus* (subgenus uncertain)
rousseoi Cova Garcia, Sutil O. & Pulido F., 1972: *Culex (Carrollia)*
ravaonjanaharyi Brunhes & Hervy, 1995: *Orthopodomyia*
ravenalaphila Boussès & Brunhes, 2013: *Uranotaenia (Pseudoficalbia)*
ravenalicola da Cunha Ramos & Brunhes, 2004: *Uranotaenia (Pseudoficalbia)*
ravissei Rickenbach & Eouzan, 1970: *Eretmapodites*
raymondi (del Ponte, Castro & Garcia, 1951): *Ochlerotatus (Ochlerotatus)*
reali (Hamon & Adam, 1959): *Catageiomyia*
recens Sallum & Peyton, 2005: *Anopheles (Cellia)*
recondita Edwards, 1922: *Uranotaenia (Pseudoficalbia)*
reducens Lane & Whitman, 1951: *Culex (Microculex)*
reesi (King & Hoogstraal, 1947): *Verrallina (Verrallina)*
reevesi Wirth, 1948: *Culex (Neoculex)*
refiki (Medschid, 1928): *Ochlerotatus (Rusticoidus)*
regale Peyton & Harbach, 2000: *Onirion*
regalis Dyar & Knab, 1906: *Haemagogus (Haemagogus)*
reginae (Edwards, 1922): *Dendroskusea*
reginae Floch & Fauran, 1955: *Culex (Microculex)*
reidi Colless, 1965: *Culex (Lophoceraomyia)*
reidi Harrison, 1973: *Anopheles (Anopheles)*

reidi Mattingly, 1957: *Heizmannia (Heizmannia)*
reinerti (Rattarithikul & Harrison, 1988): *Hulecoeteomyia*
reinerti Peyton, 1977: *Uranotaenia (Pseudoficalbia)*
reisenii Basio, 1971: *Tripteroides (Tripteroides)*
rejector Dyar & Knab, 1906: *Culex (Microculex)*
rempeli (Vockeroth, 1954): *Ochlerotatus* (subgenus uncertain)
renatoi Lane & Ramalho, 1960: *Culex (Phytotelmatomyia)*
rennellensis Taylor & Maffi, 1991: *Anopheles (Cellia)*
restrictor Dyar & Knab, 1906: *Culex (Anoedioporpa)*
restuans Theobald, 1901: *Culex (Culex)*
reubenae (Tewari & Hiriyan, 1992): *Tewarius*
reunionensis Brunhes & Hervy, 1995: *Orthopodomyia*
reversa (Lane & Cerqueira, 1942): *Runchomyia (Runchomyia)*
reyi Baisas, 1935: *Uranotaenia (Uranotaenia)*
rhodesiensis Theobald, 1901: *Anopheles (Cellia)*
rhungkiangensis (Chang & Chang, 1974): *Stegomyia* (subgenus uncertain)
rhyacophilus (da Costa Lima, 1933): *Ochlerotatus (Ochlerotatus)*
ribeirensis Forattini & Sallum, 1985: *Culex (Melanoconion)*
richardgarciai Jeffery, Oothuman & Rudnick, 1987: *Culex (Eumelanomyia)*
richei Klein, 1970: *Culex (Eumelanomyia)*
richeti Brunhes & Venard, 1966: *Culex (Barraudius)*
richiardii (Ficalbi, 1889): *Coquillettidia (Coquillettidia)*
rickenbachi da Cunha Ramos, 1993: *Uranotaenia (Pseudoficalbia)*
rickenbachi Ferrara & Eouzan, 1974: *Eretmapodites*
rickenbachi (Hamon & Adam, 1959): *Aedimorphus*
rickenbachi Ribeiro, 1991: *Toxorhynchites (Toxorhynchites)*
rima Theobald, 1901: *Culex (Eumelanomyia)*
riojanus Duret, 1968: *Culex (Culex)*
riparioides (Su & Zhang, 1987): *Ochlerotatus* (subgenus uncertain)
riparis King & Baisas, 1936: *Anopheles (Cellia)*
riparius (Dyar & Knab, 1907): *Ochlerotatus* (subgenus uncertain)
riverai Duret, 1970: *Uranotaenia (Uranotaenia)*
riverai Miyagi, Toma & Tsukamoto, 1983: *Tripteroides (Tripteroides)*
riversi (Bohart & Ingram, 1946): *Stegomyia* (subgenus uncertain)
rivulorum Leeson, 1935: *Anopheles (Cellia)*
rizali (Banks, 1906): *Hulecoeteomyia*
rizzoi (de Deus Palma & Galvão, 1969): *Toxorhynchites (Lynchiella)*
roai (Belkin, 1962): '*Ochlerotatus (Finlaya)*'
roberti da Cunha Ramos & Brunhes, 2004: *Uranotaenia (Uranotaenia)*
robertsi (Laffoon, 1946): *Verrallina (Harbachius)*
robinsoni (Belkin, 1962): *Stegomyia (Actinothrix)*
robusta Senevet & Abonnenc, 1939: *Wyeomyia (Wyeomyia)*
rochei (Doucet, 1951): *Coquillettidia (Coquillettidia)*
rodhaini Brunhes & Boussès, 2017: *Paulianius*
rodhaini Brunhes & Hervy, 1995: *Orthopodomyia*
rodhaini Leleup & Lips, 1950: *Anopheles (Cellia)*
rodhaini Ribeiro, 1991: *Toxorhynchites (Toxorhynchites)*
rollai Cova Garcia, Pulido F. & Escalante de Ugueto, 1977: *Anopheles (Kerteszia)*
romeroi Surcouf & Gonzalez-Rincones, 1912: *Culex* (subgenus uncertain)
ronderosi de Linero, 1967: *Culex (Melanoconion)*
rondoni (Neiva & Pinto, 1922): *Anopheles (Nyssorhynchus)*
rooti (del Ponte, 1939): *Wyeomyia* (subgenus uncertain)
rooti Rozeboom, 1935: *Culex (Melanoconion)*
roperi Reid, 1950: *Anopheles (Anopheles)*
rorotaensis Floch & Abonnenc, 1946: *Culex (Melanoconion)*
rorotai Senevet, Chabelard & Abonnenc, 1942: *Wyeomyia* (subgenus uncertain)
roseni Belkin, 1962: *Culex (Culex)*
roslihashimi Miyagi & Toma, 2005: *Topomyia (Suaymyia)*
rossi Delfinado, 1966: *Uranotaenia (Pseudoficalbia)*
rossicus Dolbeskin, Gorickaja & Mitrofanova, 1930: *Aedes*

rotana (Bohart & Ingram, 1946): *Stegomyia (Bohartius)*
rotoruae Belkin, 1968: *Culex (Culex)*
rotumae (Belkin, 1962): *Stegomyia* (subgenus uncertain)
rotumanus (Edwards, 1929): *Tripteroides (Polylepidomyia)*
roubaudi (Doucet, 1950): *Mimomyia (Ingramia)*
roubaudi Grjebine, 1953: *Anopheles (Cellia)*
roucouyana (Bonne-Wepster & Bonne, 1920): *Wyeomyia* (subgenus uncertain)
roxasi Baisas & Ubaldo-Pagayon, 1953: *Tripteroides (Tricholeptomyia)*
rozeboomi Baisas & Ubaldo-Pagayon, 1953: *Tripteroides (Rachionotomyia)*
rozeboomi Causey, Deane & Deane, 1944: *Chagasia*
ruarinus Edwards, 1940: *Anopheles (Cellia)*
rubensis Sasa & Takahashi, 1948: *Culex (Neoculex)*
rubiginosus (Belkin, 1962): '*Ochlerotatus (Finlaya)*'
rubinotus Theobald, 1906: *Culex (Eumelanomyia)*
rubithoracis (Leicester, 1908): *Culex (Lophoceraomyia)*
rubithoracis Leicester, 1908: *Topomyia (Topomyia)*
rubrithorax (Macquart, 1850): *Dobrotworskyius*
rufipes (Gough, 1910): *Anopheles (Cellia)*
ruiiensis Dong, Zhou & Wang, 1997: *Heizmannia (Heizmannia)*
rupestris (Dobrotworsky, 1959): *Dobrotworskyius*
rusticus (Rossi, 1790): *Ochlerotatus (Rusticoidus)*
ruthae Peters, 1958: *Culex (Culiciomyia)*
rutherfordi Edwards, 1922: *Uranotaenia (Uranotaenia)*
rutilus (Coquillett, 1896): *Toxorhynchites (Lynchiella)*
ruwenzori (Haddow & van Someren, 1950): *Stegomyia* (subgenus uncertain)
ruwenzori (van Someren, 1948): *Toxorhynchites (Afrorhynchus)*
ryukyensis Bohart, 1946: *Culex (Culiciomyia)*
sabahensis (Reinert, 1974): *Verrallina (Neomacleaya)*
sabahensis Ramalingam & Ramakrishna, 1988: *Topomyia (Topomyia)*
sabethea Lane & Cerqueira, 1942: *Wyeomyia (Miamiya)*
sacchettiae Sirivanakarn & Jakob, 1982: *Culex (Melanoconion)*
sacharovi Favre, 1903: *Anopheles (Anopheles)*
saeungae Taai & Harbach, 2015: *Anopheles (Anopheles)*
saeva Dyar & Knab, 1906: *Psorophora (Psorophora)*
sagax (Skuse, 1889): *Ochlerotatus* (subgenus uncertain)
saimedres (Huang, 1988): *Stegomyia* (subgenus uncertain)
saipanensis (Stone, 1945): *Stegomyia (Bohartius)*
salauni Rickenbach, Ferrara & Eouzan, 1968: *Eretmapodites*
salbairi Maffi & Coluzzi, 1958: *Anopheles (Cellia)*
salinarius Coquillett, 1904: *Culex (Culex)*
salisburyensis Theobald, 1901: *Culex (Maillotia)*
sallumae (González & Reyes, 2017): *Ochlerotatus* (subgenus uncertain)
saltanensis Dyar, 1928: *Culex (Culex)*
samarensis Rozeboom, 1951: *Anopheles (Anopheles)*
samoensis (Theobald, 1914): *Culex (Oculeomyia)*
samoensis Stone, 1966: *Coquillettidia (Coquillettidia)*
samoana Grünberg, 1913: *Finlaya*
sampaioi da Costa Lima, 1935: *Orthopodomyia*
sampi (Huang, 2004): *Stegomyia (Mukwaya)*
sanctielii Senevet & Abonnenc, 1938: *Anopheles (Nyssorhynchus)*
sandrae (Zavortink, 1972): '*Ochlerotatus (Protomacleaya)*'
sandrae Berlin, 1969: *Culex (Micraedes)*
sangengluoensis Wang, 1984: *Culex (Lophoceraomyia)*
sanguinae Theobald, 1904: *Hodgesia*
santamarinai Broche, 2000: *Psorophora (Grabhamia)*
saperoi (Knight, 1946): *Downsiomyia*
saperoi Bohart & Ingram, 1946: *Anopheles (Anopheles)*
sapiens (Marks, 1964): *Ochlerotatus* (subgenus uncertain)
sapphirina (Osten Sacken, 1868): *Uranotaenia (Uranotaenia)*
saramaccensis Bonne-Wepster & Bonne, 1920: *Culex (Melanoconion)*

sardinerae Fox, 1953: **Culex (Melanoconion)**
sasai Kano, Nitahara & Awaya, 1954: **Culex (Culiciomyia)**
sasai Tanaka, Mizusawa & Saugstad, 1975: **Aedes**
satpuraensis Natarajan, Rajavel & Jambulingam, 2017: **Uranotaenia (Pseudoficalbia)**
saungi Colless, 1955: **Anopheles (Cellia)**
savoryi (Bohart, 1957): **Tanakaius**
sawadwongporni Rattanarithikul & Green, 1987: **Anopheles (Cellia)**
sawyeri Causey, Deane, Deane & Sampaio, 1943: **Anopheles (Nyssorhynchus)**
scanloni (Reinert, 1970): **Petermattinglyius (Petermattinglyius)**
scanloni Bram, 1967: **Culex (Culiciomyia)**
scanloni Mattingly, 1970: **Heizmannia (Heizmannia)**
scanloni Sallum & Peyton, 2005: **Anopheles (Cellia)**
scapularis (Rondani, 1848): **Ochlerotatus (Ochlerotatus)**
scatophagoides Theobald, 1901: **Mucidus (Mucidus)**
schedocyclia (Dyar & Knab, 1908): **Shannoniana**
scheuberi Carpintero & Leguizamón, 2004: **Culex (Culex)**
schicki (Zavortink, 1972): 'Ochlerotatus (Protomacleaya)'
schicki Berlin, 1969: **Culex (Micraedes)**
schiffgaardei Sirivanakarn, 1968: **Culex (Lophoceraomyia)**
schizopinax (Dyar, 1929): **Ochlerotatus** (subgenus uncertain)
schlosseri (Belkin, 1962): **Finlaya**
schnusei (Martini, 1931): **Sabethes (Sabethes)**
schoutedeni (Wolfs, 1948): **Coquillettidia (Coquillettidia)**
schroederi (Schick, 1970): 'Ochlerotatus (Protomacleaya)'
schtakelbergi (Shingarev, 1928): **Ochlerotatus** (subgenus uncertain)
schueffneri Stanton, 1915: **Anopheles (Cellia)**
schwetzi (Edwards, 1926): **Stegomyia** (subgenus uncertain)
schwetzi Edwards, 1929: **Culex (Culex)**
schwetzi Evans, 1934: **Anopheles (Cellia)**
scimitar Branch & Seabrook, 1959: **Culex (Culex)**
scintillans Ludlow, 1905: **Heizmannia (Heizmannia)**
scotinomus (Dyar & Knab, 1907): **Wyeomyia (Wyeomyia)**
scottii Theobald, 1912: **Culex (Culex)**
scutellalbum (Boshell-Manrique, 1939): **Ochlerotatus** (subgenus uncertain)
scutellaris (Walker, 1858): **Stegomyia** (subgenus uncertain)
scutoscripta (Bohart & Ingram, 1946): **Stegomyia** (subgenus uncertain)
scutostrata da Cunha Ramos & Brunhes, 2004: **Uranotaenia (Pseudoficalbia)**
seampi (Huang, 1974): **Stegomyia (Actinothrix)**
seatoi (Huang, 1969): **Stegomyia** (subgenus uncertain)
sechani Brunhes & Boussès, 2009: **Culex (Culex)**
seculata (Menon, 1950): **Verrallina (Neomacleaya)**
secundus Bonne-Wepster & Bonne, 1920: **Culex (Carrollia)**
secutor Theobald, 1901: **Culex (Culex)**
sedaensis (Lei, 1989): **Ochlerotatus** (subgenus uncertain)
sedlacekae Sirivanakarn, 1968: **Culex (Lophoceraomyia)**
segermanae (Huang, 1997): **Stegomyia** (subgenus uncertain)
selai Klein & Sirivanakarn, 1970: **Culex (Eumelanomyia)**
selangorensis Sirivanakarn, 1976: **Culex (Oculeomyia)**
seldeslachtsi Wolfs, 1947: **Culex (Culex)**
sembeli Toma & Miyagi, 2002: **Armigeres (Armigeres)**
semibrunneus Edwards, 1927: **Culex (Culiciomyia)**
semisimplicipes Edwards, 1914: **Eretmapodites**
semlikiensis (van Someren, 1950): **Aedimorphus**
seniori Barraud, 1934: **Culex (Lophoceraomyia)**
sentania (King & Hoogstraal, 1947): **Verrallina (Verrallina)**
senyavinensis (Knight & Hurlbut, 1949): **Aedimorphus**
seoulensis (Yamada, 1921): **Hopkinsius (Yamada)**
separatus (Leicester, 1908): **Anopheles (Anopheles)**
septempunctata Theobald, 1905: **Mansonia (Mansonioides)**
septemstriata (Dyar & Knab, 1907): **Howardina**

seretsei Abdulla-Khan, Coetzee & Hunt, 1998: *Anopheles (Cellia)*
sergentii (Theobald, 1907): *Anopheles (Cellia)*
sergievi (Danilov, Markovich & Proskuryakova, 1978): *Ochlerotatus* (subgenus uncertain)
serrata (Lutz, 1905): *Wyeomyia (Miamiya)*
serratimarge Root, 1927: *Culex (Melanoconion)*
serratoria (Dyar & Nunez Tovar, 1927): *Wyeomyia* (subgenus uncertain)
serratus (Barraud, 1929): *Tripteroides (Rachionotomyia)*
serratus (Theobald, 1901): *Ochlerotatus (Protoculex)*
seticoxitus Luh & Li, 1981: *Armigeres (Armigeres)*
setifer Delfinado, 1966: *Armigeres (Armigeres)*
setosa King & Hoogstraal, 1947: *Uranotaenia (Uranotaenia)*
sexaueri Belkin, 1953: *Uranotaenia (Uranotaenia)*
sexlineata (Theobald, 1901): *Howardina*
seydeli Edwards, 1929: *Anopheles (Cellia)*
seyrigi Edwards, 1941: *Culex (Maillotia)*
shanhani Sirivanakarn, 1968: *Culex (Lophoceraomyia)*
shannoni (Lane & Antunes, 1937): *Coquillettidia (Rhynchoaenia)*
shannoni (Vargas & Downs, 1950): *Ochlerotatus* (subgenus uncertain)
shannoni Cerqueira, 1961: *Sabethes (Sabethes)*
shannoni Davis, 1931: *Anopheles (Anopheles)*
shannoni Lane & Cerqueira, 1942: *Wyeomyia* (subgenus uncertain)
shebbearei Barraud, 1924: *Culex (Culiciomyia)*
shehzadae (Qutubuddin, 1972): *Downsiomyia*
sherkii (Knight, 1948): *Hulecoeteomyia*
shillitonis Edwards, 1932: *Uranotaenia (Pseudoficalbia)*
shinonagai (Tanaka, Mizusawa & Saugstad, 1979): *Lutzia (Insulalutzia)*
shoae Hamon & Ovazza, 1954: *Culex (Culex)*
shopei Forattini & Toda, 1966: *Culex (Microculex)*
shortti (Barraud, 1923): *Collessius (Collessius)*
siamensis Zavortink, 1968: *Orthopodomomyia*
sibirica (Danilov & Filippova, 1978): *Stegomyia* (subgenus uncertain)
sierrensis (Ludlow, 1905): *Jarnellius*
signata da Cunha Ramos, 1993: *Uranotaenia (Pseudoficalbia)*
signifera (Coquillett, 1896): *Orthopodomomyia*
signipennis (Coquillett, 1904): *Psorophora (Grabhamia)*
silvai Duret, 1968: *Culex (Melanoconion)*
silvestris (Dobrotworsky, 1961): *Ochlerotatus* (subgenus uncertain)
silvestris Ingram & de Meillon, 1927: *Eretmapodites*
simanini (Gutsevich, 1966): *Ochlerotatus* (subgenus uncertain)
simile Lane & Cerqueira, 1942: *Trichoprosopon*
similis (Leicester, 1908): *Tripteroides (Tripteroides)*
similis (Theobald, 1910): *Verrallina (Verrallina)*
similissimus Strickland & Chowdhury, 1927: *Anopheles (Anopheles)*
simlensis (Edwards, 1922): *Himalaius*
simmondsi Tenorio, 1977: *Bironella (Bironella)*
simmsi (Dyar & Knab, 1908): *Wyeomyia (Wyeomyia)*
simpla (King & Hoogstraal, 1947): *Verrallina (Verrallina)*
simplex (Theobald, 1903): *Canraedes*
simplex Brug, 1934: *Tripteroides (Rachisoura)*
simplicicornis Edwards, 1930: *Culex (Eumelanomyia)*
simpliciforceps Edwards, 1941: *Culex (Eumelanomyia)*
simpsoni Theobald, 1905: *Culex (Culex)*
simpsoni Theobald, 1905: *Stegomyia (Mukwaya)*
simulans (Newstead & Carter, 1911): *Elpeytonius*
simulator Dyar & Knab, 1906: *Culex (Melanoconion)*
simulatus Baisas & Ubaldo-Pagayon, 1953: *Tripteroides (Tripteroides)*
sinaiticus Kirkpatrick, 1925: *Culex (Culex)*
sinensis (Chow, 1950): *Downsiomyia*
sinensis Theobald, 1903: *Culex (Oculeomyia)*
sinensis Wiedemann, 1828: *Anopheles (Anopheles)*

sineroides Yamada, 1924: **Anopheles (Anopheles)**
singhbhumensis Natarajan & Rajavel, 2009: **Culex (Lophoceraomyia)**
singuawaensis Sirivanakarn, 1969: **Culex (Lophoceraomyia)**
singularis (Leicester, 1908): **Verrallina (Neomacleaya)**
sinkiagensis (Hsiao, 1977): **Ochlerotatus** (subgenus uncertain)
sintoni (Barraud, 1924): '**Ochlerotatus (Finlaya)**'
sintoni Puri, 1929: **Anopheles (Anopheles)**
sintonoides Ho, 1938: **Anopheles (Anopheles)**
siphanulatus Lourenço-de-Oliveira & da Silva, 1987: **Culex (Microculex)**
sirivanakarni (Duret, 1982): **Onirion**
sitiens Wiedemann, 1828: **Culex (Culex)**
smaragdinus Reinert, 1997: **Anopheles (Anopheles)**
smithburni (van Someren, 1950): **Catageomyia**
smithii (Coquillett, 1901): **Wyeomyia (Wyeomyia)**
smithii Theobald, 1905: **Anopheles (Cellia)**
soaresi Lane & Cerqueira, 1942: **Trichoprosopon**
socialis Theobald, 1901: **Uranotaenia (Uranotaenia)**
sohni (Reinert, 1974): **Verrallina (Neomacleaya)**
soleata (Edwards, 1924): **Stegomyia** (subgenus uncertain)
solitarius Bonne-Wepster, 1938: **Culex (Culex)**
sollicitans (Walker, 1856): **Ochlerotatus (Culicelsa)**
solomonis (Belkin, 1962): **Mimomyia (Etorleptiomyia)**
solomonis Belkin, 1953: **Uranotaenia (Uranotaenia)**
solomonis (Edwards, 1924): **Tripteroides (Polylepidomyia)**
solomonis (Stone & Bohart, 1944): **Finlaya**
solomonis (Wharton, 1947): **Malaya**
solomonis Belkin, 1962: **Hodgesia**
solomonis Belkin, Knight & Rozeboom, 1945: **Anopheles (Cellia)**
solomonis Edwards, 1929: **Culex (Lophoceraomyia)**
solstitialis (Lutz, 1904): **Toxorhynchites (Lynchiella)**
somalicus Rivola & Holstein, 1957: **Anopheles (Cellia)**
sombooni Peyton & Klein, 1970: **Uranotaenia (Uranotaenia)**
soperi Antunes & Lane, 1937: **Culex (Carrollia)**
soperi Lane & Cerqueira, 1942: **Sabethes (Peytonulus)**
soperi Levi-Castillo, 1955: **Haemagogus (Haemagogus)**
sororcula Dyar & Knab, 1906: **Wyeomyia (Wyeomyia)**
sorsogonensis (Bañez & Jueco 1966): **Finlaya**
spanius (Dyar & Knab, 1909): **Deinocerites**
spathifurca (Edwards, 1915): **Culex (Culiciomyia)**
spathulatus Forattini & Sallum, 1987: **Culex (Melanoconion)**
spathulirostris Edwards, 1923: **Topomyia (Suaymyia)**
speciosus (Skuse, 1889): **Toxorhynchites (Toxorhynchites)**
spgazzinii Brèthes, 1912: **Haemagogus (Haemagogus)**
spencerii (Theobald, 1901): **Ochlerotatus** (subgenus uncertain)
spermathecus (Wijesundara, 1951): **Verrallina (Neomacleaya)**
sphinx Howard, Dyar & Knab, 1913: **Culex (Culex)**
spiculosa Peyton & Rattanarithikul, 1970: **Uranotaenia (Pseudoficalbia)**
spiculostylus Chen, 1989: **Culex (Culiciomyia)**
spiculosus Bram & Rattanarithikul, 1967: **Culex (Lophoceraomyia)**
spilotus (Marks, 1963): **Ochlerotatus (Lepidokeneon)**
spinitubus da Cunha Ramos & Brunhes, 2004: **Uranotaenia (Pseudoficalbia)**
spinophallus Zhou, Zhu & Lu, 1999: **Topomyia (Suaymyia)**
spinosa (Berlin, 1969): **Howardina**
spinosa (Doucet, 1951): **Mimomyia (Ingramia)**
spinosa da Cunha Ramos & Brunhes, 2004: **Uranotaenia (Pseudoficalbia)**
spinosipes (Edwards, 1922): **Macleaya (Chaetocruimyia)**
spinosus Lutz, 1905: **Culex (Culex)**
spiraculata da Cunha Ramos & Brunhes, 2004: **Uranotaenia (Pseudoficalbia)**
spissipes (Theobald, 1903): **Culex (Melanoconion)**
spixi Cerqueira, 1961: **Sabethes (Sabethes)**

splendens (de Meijere, 1909): *Malaya*
splendens (Wiedemann, 1819): *Toxorhynchites (Toxorhynchites)*
splendens Lee, 1946: *Tripteroides (Tripteroides)*
splendens Theobald, 1903: *Mimomyia (Mimomyia)*
splendens Williston, 1896: *Haemagogus (Haemagogus)*
splendida Bonne-Wepster & Bonne, 1919: *Wyeomyia (Phoniomyia)*
splendidus Koidzumi, 1920: *Anopheles (Cellia)*
spoliata Edwards, 1923: *Hodgesia*
squamifemur Antunes, 1937: *Anopheles (Lophopodomomyia)*
squamiger (Coquillett, 1902): *Ochlerotatus* (subgenus uncertain)
squamipennis (Lynch Arribáizaga, 1878): *Aedeomyia (Aedeomyia)*
squamosus (Taylor, 1914): *Culex (Oculeomyia)*
squamosus Theobald, 1901: *Anopheles (Cellia)*
srilankensis (Reinert, 1977): *Verrallina (Harbachius)*
srilankensis Peyton, 1974: *Uranotaenia (Pseudoficalbia)*
staminifera Lourenço-de-Oliveira, Motta & de Castro, 1992: *Wyeomyia (Triamiya)*
standfasti Peters, 1959: *Tripteroides (Polylepidomyia)*
stanleyi (Peters, 1963): '*Ochlerotatus (Finlaya)*'
starckeae Stone & Knight, 1958: *Culex (Oculeomyia)*
steffani Sirivanakarn, 1968: *Culex (Lophoceraomyia)*
stellata Belkin, Heinemann & Page, 1970: *Wyeomyia (Wyeomyia)*
stellata Grjebine, 1986: *Mimomyia (Ingramia)*
stellatus van Someren, 1947: *Culex (Eumelanomyia)*
stenei (Thompson, 1956): *Howardina*
stenoetrus (Theobald, 1907): *Aedimorphus*
stenolepis Dyar & Knab, 1908: *Culex (Culex)*
stephensi Liston, 1901: *Anopheles (Cellia)*
stevensoni (Barraud, 1923): *Phagomyia*
sticticus (Meigen, 1838): *Ochlerotatus* (subgenus uncertain)
stigmaticus (Edwards, 1922): *Ochlerotatus (Chrysoconops)*
stigmaticus Skuse, 1889: *Anopheles (Anopheles)*
stigmatosoma Dyar, 1907: *Culex (Culex)*
stimulans (Walker, 1848): *Ochlerotatus* (subgenus uncertain)
stokesi (Evans, 1929): *Albuginosus*
stonei (Knight & Laffoon, 1946): *Finlaya*
stonei Belkin, 1950: *Tripteroides (Rachisoura)*
stonei Lane & Whitman, 1943: *Culex (Microculex)*
stonei Vargas & Martinez Palacios, 1953: *Wyeomyia (Wyeomyia)*
stonei Vargas, 1956: *Psorophora (Psorophora)*
stoneorum (Marks, 1977): *Macleaya (Macleaya)*
stokesi Colless, 1955: *Anopheles (Cellia)*
stramineus (Dubitzky, 1970): *Ochlerotatus* (subgenus uncertain)
strelitziae (Muspratt, 1950): *Stegomyia (Mukwaya)*
striatipes Edwards, 1941: *Culex (Culex)*
striatus Sant'Ana & Sallum, 2016: *Anopheles (Nyssorhynchus)*
stricklandi Barraud, 1926: *Uranotaenia (Pseudoficalbia)*
stricklandi Edwards, 1912: *Ochlerotatus (Lepidokeneon)*
stricklandi Reid, 1965: *Anopheles (Anopheles)*
strodei Root, 1926: *Anopheles (Nyssorhynchus)*
stunga (Klein, 1973): *Verrallina (Harbachius)*
suarezi Cova García & Sutil Oramas, 1976: *Mansonia (Mansonia)*
subaequalis Edwards, 1941: *Culex (Culiciomyia)*
subalbatus (Coquillett, 1898): *Armigeres (Armigeres)*
subalbirostris (Klein & Marks, 1960): *Ochlerotatus* (subgenus uncertain)
subalbitarsis (King & Hoogstraal, 1946): *Patmarksia*
subalbopicta (Barraud, 1931): *Stegomyia* (subgenus uncertain)
subargentea (Edwards, 1925): *Stegomyia (Mukwaya)*
subauridorsum (Marks, 1948): '*Ochlerotatus (Finlaya)*'
subbasalis (Dobrotworsky, 1962): *Dobrotworskyius*
subcomplosa (del Ponte, 1939): *Wyeomyia* (subgenus uncertain)

subdentatus (Edwards, 1936): *Aedimorphus*
subdiversus (Martini, 1926): *Ochlerotatus (Rusticoidus)*
submarginalis Sirivanakarn, 1973: *Culex (Lophoceraomyia)*
subnivea (Edwards, 1922): *Downsiomyia*
subnormalis Martini, 1920: *Uranotaenia (Uranotaenia)*
subnudipennis (Edwards, 1927): *Tripteroides (Rachisoura)*
subochrea (Edwards, 1921): *Culiseta (Culiseta)*
subpictus Grassi, 1899: *Anopheles (Cellia)*
subrima Edwards, 1941: *Culex (Eumelanomyia)*
subsalisburyensis Hervé & Geoffroy, 1974: *Culex (Maillotia)*
subsimilis (Barraud, 1927): *Udaya*
subsimplicipes Edwards, 1914: *Eretmapodites*
subtibioclada King & Hoogstraal, 1947: *Uranotaenia (Uranotaenia)*
suchariti (Miyagi & Toma, 1989): *Kimia*
sudanensis Theobald, 1908: *Mucidus (Mucidus)*
suffusus (Edwards, 1922): '*Ochlerotatus (Finlaya)*'
sulawesi Wakoedi Koesoemawinangoen, 1954: *Anopheles (Cellia)*
sullivanae Baisas & Ubaldo-Pagayon, 1953: *Tripteroides (Tripteroides)*
sumatrana Swellengrebel & Rodenwaldt, 1932: *Anopheles (Anopheles)*
sumatranus (Brug, 1939): *Toxorhynchites (Toxorhynchites)*
sumethi Peyton & Rattanarithikul, 1970: *Uranotaenia (Pseudoficalbia)*
sumidero (Schick, 1970): '*Ochlerotatus (Protomacleaya)*'
summorosus Dyar, 1920: *Culex (Culex)*
sundaicus (Rodenwaldt, 1925): *Anopheles (Cellia)*
sunthorni Thurman, 1959: *Toxorhynchites (Toxorhynchites)*
sunyaniensis Edwards, 1941: *Culex (Eumelanomyia)*
superpictus Grassi, 1899: *Anopheles (Cellia)*
surcoufi (Theobald, 1912): *Ochlerotatus* (subgenus uncertain)
surinamensis Bruijning, 1959: *Wyeomyia* (subgenus uncertain)
surinamensis Dyar, 1918: *Culex (Culex)*
sursumptor Dyar, 1924: *Culex (Melanoconion)*
sutili Cova Garcia & Pulido F., 1974: *Culex (Microculex)*
svastii Thurman, 1959: *Topomyia (Topomyia)*
swahilicus Gillies, 1964: *Anopheles (Cellia)*
sylvanensis (Dobrotworsky, 1960): *Culiseta (Culicella)*
sylvatica Lu, Dong & Wang, 1986: *Topomyia (Topomyia)*
sylvaticum le Goff, Bousès & Brunhes, 2007: *Neomelaniconion*
sylvestris (Theobald, 1910): *Tripteroides (Rachisoura)*
symbletos Sallum & Hutchings, 2003: *Culex (Melanoconion)*
symesii Edwards, 1928: *Anopheles (Anopheles)*
synchytus (Arnell, 1976): *Ochlerotatus (Ochlerotatus)*
szemaonensis Wang & Feng, 1964: *Culex (Lophoceraomyia)*
tabu (Ramalingam & Belkin, 1965): *Stegomyia* (subgenus uncertain)
taeniarostre (Theobald, 1909): *Neomelaniconion*
taeniarostris (Theobald, 1911): *Malaya*
taeniata (Leicester, 1908): *Verrallina (Neomacleaya)*
taeniatus (Leicester, 1908): *Aedimorphus*
taeniopus Dyar & Knab, 1907: *Culex (Melanoconion)*
taeniorhynchoides (Christophers, 1911): *Aedimorphus*
taeniorhynchus (Wiedemann, 1821): *Ochlerotatus (Culicelsa)*
tahoensis (Dyar, 1916): *Ochlerotatus* (subgenus uncertain)
taiwanensis Lien, 1968: *Heizmannia (Heizmannia)*
taiwanus (Lien, 1968): *Bruceharrisonius*
takagoensis Morishita, 1946: *Anopheles (Cellia)*
tamsi Edwards, 1934: *Culex (Culex)*
tanakai Miyagi & Tome, 2013: *Uranotaenia (Pseudoficalbia)*
tanzaniae da Cunha Ramos, 1993: *Uranotaenia (Pseudoficalbia)*
tarsalis (Newstead, 1907): *Catageiomyia*
tarsalis Coquillett, 1896: *Culex (Culex)*
tarsalis Delfinado & Hodges, 1968: *Tripteroides (Tripteroides)*

tarsata Lane & Cerqueira, 1942: *Wyeomyia* (*Exallomyia*)
tarsopus Dyar & Knab, 1908: *Sabethes* (*Sabethes*)
tasmaniensis (Strickland, 1911): *Tripteroides* (*Polylepidomyia*)
tasmaniensis Dobrotworsky, 1966: *Anopheles* (*Anopheles*)
tatoi Casal & García, 1971: *Culex* (*Culex*)
tauffliebi (Rickenbach & Ferrara, 1965): *Aedimorphus*
tauffliebi Geoffroy & Hervé, 1976: *Culex* (*Eumelanomyia*)
taurepana Anduze, 1941: *Wyeomyia* (subgenus uncertain)
taylori (Edwards, 1936): *Diceromyia*
tchekedii de Meillon & Leeson, 1940: *Anopheles* (*Cellia*)
tecmarsis Dyar, 1918: *Culex* (*Melanoconion*)
teesdalei (van Someren, 1954): *Albuginosus*
tehuantepec (Schick, 1970): '*Ochlerotatus* (*Protomacleaya*)'
telesilla de Meillon & Lavoipierre, 1945: *Culex* (*Culex*)
telmatophila Galindo, Blanton & Peyton, 1954: *Uranotaenia* (*Uranotaenia*)
tenagius van Someren, 1954: *Culex* (*Culex*)
tenax (de Meijere, 1910): *Tripteroides* (*Rachionotomyia*)
tendeiroi da Cunha Ramos, Ribeiro & de Barros Machado, 1992: *Eretmapodites*
tenebrosus Dönitz, 1902: *Anopheles* (*Anopheles*)
tengchongensis Dong, Wang & Zhou, 2002: *Heizmannia* (*Heizmannia*)
tenuipalpis (Edwards, 1924): *Coquillettidia* (*Austromansonia*)
tenuipalpis Barraud, 1924: *Culex* (*Eumelanomyia*)
tenuis Edwards, 1922: *Topomyia* (*Topomyia*)
terebor Dyar, 1920: *Culex* (*Melanoconion*)
termi Thurman, 1955: *Culex* (*Culiciomyia*)
terrens (Walker, 1856): '*Ochlerotatus* (*Protomacleaya*)'
territans Walker, 1856: *Culex* (*Neoculex*)
terzii Edwards, 1941: *Culex* (*Culex*)
tessellatus Theobald, 1901: *Anopheles* (*Cellia*)
testacea Theobald, 1905: *Uranotaenia* (*Uranotaenia*)
testeii Senevet & Abonnenc, 1939: *Wyeomyia* (*Dendromyia*)
thailandensis (Reinert, 1976): *Paraedes*
thalassius Theobald, 1903: *Culex* (*Culex*)
theileri Edwards, 1912: *Anopheles* (*Cellia*)
theileri Theobald, 1903: *Culex* (*Culex*)
thelcter (Dyar, 1918): *Ochlerotatus* (*Ochlerotatus*)
thelmae Mattingly, 1970: *Heizmannia* (*Heizmannia*)
theobaldi (Dyar & Knab, 1906): *Toxorhynchites* (*Lynchiella*)
theobaldi (Lane & Cerqueira, 1942): *Runchomyia* (*Runchomyia*)
theobaldi (Lane & Cerqueira, 1942): *Wyeomyia* (*Phoniomyia*)
theobaldi (Lutz, 1904): *Culex* (*Melanoconion*)
theobaldi (Taylor, 1914): *Ochlerotatus* (subgenus uncertain)
theobaldi Barraud, 1934: *Armigeres* (*Armigeres*)
theobaldi Giles, 1901: *Anopheles* (*Cellia*)
thibaulti (Dyar & Knab, 1910): *Ochlerotatus* (subgenus uncertain)
thomasi Shannon, 1933: *Anopheles* (*Stethomyia*)
thomsoni (Theobald, 1905): *Christophersomyia*
thorntoni (Dyar & Knab, 1907): '*Ochlerotatus* (*Protomacleaya*)'
thriambus Dyar, 1921: *Culex* (*Culex*)
thurmanae (Mattingly, 1958): *Canraedes*
thurmanorum Bram, 1967: *Culex* (*Culiciomyia*)
tianpingensis Chen, 1981: *Culex* (*Culex*)
tibialis Taylor, 1919: *Uranotaenia* (*Uranotaenia*)
tibiamaculatus (Neiva, 1906): *Anopheles* (*Anopheles*)
tibioclada King & Hoogstraal, 1947: *Uranotaenia* (*Uranotaenia*)
tigertti Scanlon & Peyton, 1967: *Anopheles* (*Anopheles*)
tigripes (de Grandpre & de Charmoy, 1901): *Lutzia* (*Metalutzia*)
timorensis (Miyagi, Toma & Lien, 2004): *Geoskusea*
tiptoni (Grjebine, 1953): *Paulianius*
tipuliformis Leicester, 1908: *Topomyia* (*Topomyia*)

titillans (Walker, 1848): *Mansonia* (*Mansonia*)
tityae Slooff, 1961: *Tripteroides* (*Rachisoura*)
toffaletii Baisas & Ubaldo-Pagayon, 1953: *Tripteroides* (*Tripteroides*)
togoi (Theobald, 1907): *Tanakaius*
toltecum (Dyar & Knab, 1906): *Psorophora* (*Grabhamia*)
tongae (Edwards, 1926): *Stegomyia* (subgenus uncertain)
tonkinensis (Galliard & Ngu, 1947): *Collessius* (*Alloeomyia*)
tonkingi Gebert, 1948: *Mucidus* (*Mucidus*)
tonnoiri (Edwards, 1925): *Culiseta* (*Climacura*)
tonsa (Edwards, 1924): *Geoskusea*
tonsus Edwards, 1941: *Eretmapodites*
tormentor (Dyar & Knab, 1906): *Ochlerotatus* (*Protoculex*)
toroensis Edwards & Gibbins, 1939: *Culex* (*Culex*)
torokinae Belkin, 1950: *Tripteroides* (*Rachisoura*)
torosa (Delfinado, 1967): *Verrallina* (*Neomacleaya*)
torrentium Martini, 1925: *Culex* (*Culex*)
torresiensis Schmidt, 2001: *Anopheles* (*Cellia*)
tortilis (Theobald, 1903): *Ochlerotatus* (*Ochlerotatus*)
totonaci Lassmann, 1951: *Psorophora* (*Janthinosoma*)
tourneri Senevet & Abonnenc, 1939: *Culex* (*Melanoconion*)
toviensis Klein, Rivière & Séchan, 1984: *Culex* (*Culex*)
towadensis (Matsumara, 1916): *Toxorhynchites* (*Toxorhynchites*)
toxopeusi (Bonne-Wepster, 1948): '*Ochlerotatus* (*Finlaya*)'
tramazayguesi Duret, 1954: *Culex* (*Allimanta*)
trapidoi Galindo, Blanton & Peyton, 1954: *Uranotaenia* (*Uranotaenia*)
traubi Colless, 1965: *Culex* (*Lophoceraomyia*)
traubi Macdonald, 1960: *Armigeres* (*Leicesteria*)
travestita (Brug, 1928): *Bironella* (*Brugella*)
tremula Theobald, 1903: *Macleaya* (*Macleaya*)
treubi (de Meijere, 1910): *Alanstonea*
triannulatus (Neiva & Pinto, 1922): *Anopheles* (*Nyssorhynchus*)
tricholabis (Edwards, 1941): *Aedimorphus*
trichopygus (Wiedemann, 1828): *Toxorhynchites* (*Ankylorhynchus*)
trichorostris (Theobald, 1909): *Malaya*
tricolor da Cunha Ramos & Brunhes, 2004: *Uranotaenia* (*Pseudoficalbia*)
tricuspis Edwards, 1930: *Culex* (*Culiciomyia*)
tridentata da Cunha Ramos & Brunhes, 2004: *Uranotaenia* (*Pseudoficalbia*)
tridentatus Cerqueira, 1961: *Sabethes* (*Sabethoides*)
trifida Edwards, 1922: *Topomyia* (*Topomyia*)
trifidus Dyar, 1921: *Culex* (*Melanoconion*)
trifilatus Edwards, 1914: *Culex* (*Culex*)
trifoliatus Edwards, 1914: *Culex* (*Culex*)
trifurcata Clastrier, 1973: *Wyeomyia* (*Dendromyia*)
trigeminatus Clastrier, 1970: *Culex* (*Melanoconion*)
trilineata Leicester, 1908: *Uranotaenia* (*Uranotaenia*)
trilobulatus Duret & Barreto, 1956: *Culex* (*Melanoconion*)
trimaculatus (Theobald, 1905): *Aedimorphus*
trinidadensis Theobald, 1901: *Wyeomyia* (*Phoniomyia*)
trinkae Faran, 1979: *Anopheles* (*Nyssorhynchus*)
tripartita (Bonne-Wepster & Bonne, 1921): *Wyeomyia* (*Phoniomyia*)
tripunctata (Theobald, 1908): *Heizmannia* (*Mattinglyia*)
triseriatus (Say, 1823): '*Ochlerotatus* (*Protomacleaya*)'
trisetosus Fauran, 1961: *Culex* (*Melanoconion*)
trispinata (King & Hoogstraal, 1947): *Verrallina* (*Verrallina*)
tritaeniorhynchus Giles, 1901: *Culex* (*Culex*)
trivittatus (Coquillett, 1902): *Ochlerotatus* (*Ochlerotatus*)
tropicalis Cerqueira & Antunes, 1938: *Haemagogus* (*Haemagogus*)
trukensis (Bohart, 1957): *Aedimorphus*
tsaratananae Doucet, 1950: *Uranotaenia* (*Pseudoficalbia*)
tsengi Lien, 1968: *Culex* (*Culex*)

tsiliensis (King & Hoogstraal, 1946): '*Ochlerotatus (Finlaya)*'
tubbutiensis (Dobrotworsky, 1959): *Dobrotworskyius*
tuberis Bohart, 1946: *Culex (Lophoceraomyia)*
tulagiensis (Edwards, 1926): *Stegomyia (Actinothrix)*
tulliae (Taylor, 1929): *Macleaya (Chaetocruimyia)*
tumetarsalis Chen & Zhang, 1988: *Topomyia (Suaymyia)*
turkhudi Liston, 1901: *Anopheles (Cellia)*
turneri (Marks, 1963): *Ochlerotatus (Lepidokeneon)*
tutuila (Ramalingam & Belkin, 1965): *Finlaya*
tyagii Krishnamoorthy *et al.*, 2013: *Toxorhynchites (Toxorhynchites)*
typhlosomata Dyar & Knab, 1907: *Uranotaenia (Uranotaenia)*
ugandae da Cunha Ramos, 1993: *Uranotaenia (Pseudoficalbia)*
uichancoi Baisas & Ubaldo-Pagayon, 1953: *Tripteroides (Tripteroides)*
ulocoma (Theobald, 1903): *Wyeomyia (Decamyia)*
ulopus (Dyar & Knab, 1906): *Johnbelkinia*
umbripes Edwards, 1941: *Culex (Culex)*
umbrosus (Theobald, 1903): *Anopheles (Anopheles)*
uncinatus Delfinado, 1966: *Culex (Eumelanomyia)*
uncus (Theobald, 1901): *Verrallina (Neomacleaya)*
undosus (Coquillett, 1906): *Sabethes (Peytonulus)*
undulata del Ponte & Cerqueira, 1938: *Wyeomyia* (subgenus uncertain)
unguiculata Edwards, 1913: *Uranotaenia (Pseudoficalbia)*
unicinctus (Edwards, 1922): *Jihlienius*
unicornis Root, 1928: *Culex (Melanoconion)*
unidentatum (McIntosh, 1971): *Neomelaniconion*
uniformis (Theobald, 1901): *Mansonia (Mansonioides)*
uniformis (Theobald, 1904): *Ficalbia*
uniformis (Theobald, 1905): *Culex (Lophoceraomyia)*
uniformis (Theobald, 1910): *Verrallina (Harbachius)*
unilineata (Theobald, 1906): *Stegomyia* (subgenus uncertain)
unimaculiala Leicester, 1908: *Uranotaenia (Uranotaenia)*
unispinosa Thurman, 1959: *Topomyia (Topomyia)*
univittatus Theobald, 1901: *Culex (Culex)*
upatensis (Anduze & Hecht, 1943): *Ochlerotatus* (subgenus uncertain)
upolensis (Marks, 1957): *Stegomyia* (subgenus uncertain)
urichii (Coquillett, 1906): *Culex (Carrollia)*
usambara (Mattingly, 1953): *Stegomyia* (subgenus uncertain)
usquatissimus Dyar, 1922: *Culex (Culex)*
usquatus Dyar, 1918: *Culex (Culex)*
vagans Wiedemann, 1828: *Culex (Culex)*
vagus Dönitz, 1902: *Anopheles (Cellia)*
valeryi Gornostaeva, 2005: *Aedes*
vallistris (Barraud, 1928): *Verrallina (Neomacleaya)*
vana (Colless, 1958): *Downsiomyia*
vanapa (Huang, 1968): *Verrallina (Verrallina)*
vanderwulpi Townson & Harbach, 2013: *Anopheles (Anopheles)*
vanduzeei Dyar & Knab, 1906: *Wyeomyia (Wyeomyia)*
vaneedeni Gillies & Coetzee, 1987: *Anopheles (Cellia)*
vanemdeni (Martini, 1931): *Howardina*
vanhooffi Wanson & Lebiec, 1945: *Anopheles (Cellia)*
vanleeuweni (Edwards, 1927): *Tripteroides (Rachisoura)*
vanoyei (Wolfs, 1948): *Coquillettidia (Coquillettidia)*
vansomerena Grjebine, 1986: *Mimomyia (Ingramia)*
vansomereni Edwards, 1926: *Culex (Culex)*
vansomereni Hamon, 1962: *Eretmapodites*
vanus Walker, 1859: *Anopheles (Anopheles)*
vargasi (Schick, 1970): '*Ochlerotatus (Protomacleaya)*'
vargasi Gabaldon, Cova-Garcia & Lopez, 1941: *Anopheles (Lophopodomomyia)*
variabilis (Huang, 1968): *Verrallina (Verrallina)*
variatus (Leicester, 1908): *Culex (Lophoceraomyia)*

variegata (Dobrotworsky, 1962): *Coquillettidia* (*Coquillettidia*)
variepicus (King & Hoogstraal, 1946): *Huaedes*
varietas (Leicester, 1908): *Verrallina* (*Neomacleaya*)
varinervis Edwards, 1922: *Psorophora* (*Grabhamia*)
varipalpus (Coquillett, 1902): *Jarnellius*
varipes (Coquillett, 1904): *Psorophora* (*Janthinosoma*)
varuae (Belkin, 1962): *Stegomyia* (subgenus uncertain)
varuna Iyengar, 1924: *Anopheles* (*Cellia*)
vattieri Geoffroy, 1971: *Culex* (*Eumelanomyia*)
vaxus Dyar, 1920: *Culex* (*Melanoconion*)
veeniae (McIntosh, 1975): *Catageomyia*
venezuelensis (Theobald, 1912): *Coquillettidia* (*Rhynchoaenia*)
ventrilloni Edwards, 1920: *Culex* (*Culex*)
ventrovittis (Dyar, 1916): *Ochlerotatus* (subgenus uncertain)
venustipes (Skuse, 1889): *Aedeomyia* (*Aedeomyia*)
vernoni van Someren, 1949: *Orthopodomyia*
vernus Gillies & de Meillon, 1968: *Anopheles* (*Cellia*)
versabilis Sirivanakarn, 1968: *Culex* (*Lophoceraomyia*)
versicolor (Barraud, 1924): '*Ochlerotatus* (*Finlaya*)'
versicolor (Edwards, 1913): *Coquillettidia* (*Coquillettidia*)
veruslanei Vargas, 1979: *Anopheles* (*Anopheles*)
verutus Harbach, 1987: *Culex* (*Culex*)
vestitipennis Dyar & Knab, 1906: *Anopheles* (*Anopheles*)
vexans (Meigen, 1830): *Aedimorphus*
vexillifer Komp, 1936: *Culex* (*Melanoconion*)
vicinus (Edwards, 1914): *Tripteroides* (*Tripteroides*)
vicinus (Taylor, 1916): *Culex* (*Culex*)
victoriensis (Dobrotworsky, 1954): *Culiseta* (*Culicella*)
vidali Floch & Fauran, 1954: *Culex* (*Melanoconion*)
vietnamensis Nguyen, Tran & Nguyen, 1993: *Anopheles* (*Anopheles*)
vigilax (Skuse, 1889): *Ochlerotatus* (*Empihals*)
vijayae Ramalingam, 1975: *Topomyia* (*Topomyia*)
vimoli Thurman & Thurman, 1958: *Armigeres* (*Leicesteria*)
vinckei de Meillon, 1942: *Anopheles* (*Cellia*)
vinckei Hamon, Holstein & Rivola, 1957: *Culex* (*Eumelanomyia*)
vinsoni (Mattingly, 1953): *Stegomyia* (subgenus uncertain)
violaceus (Wiedemann, 1820): *Toxorhynchites* (*Lynchiella*)
viridibasis (Edwards, 1935): *Toxorhynchites* (*Afrorhynchus*)
viridis Barraud, 1929: *Heizmannia* (*Heizmannia*)
viridiventer Giles, 1901: *Culex* (*Culiciomyia*)
virilis Leicester, 1908: *Verrallina* (*Neomacleaya*)
visnhui Theobald, 1901: *Culex* (*Culex*)
vittatus (Bigot, 1861): *Fredwardsius*
vittiger (Skuse, 1889): *Ochlerotatus* (subgenus uncertain)
voltaensis (Danilov, 1982): *Coquillettidia* (*Coquillettidia*)
vomerifer Komp, 1932: *Culex* (*Melanoconion*)
vonplesseni (Dyar & Knab, 1906): *Trichoprosopon*
vorax Edwards, 1921: *Lutzia* (*Metalutzia*)
wadai (Tanaka, Mizusawa & Saugstad, 1979): *Stegomyia* (subgenus uncertain)
wahlbergi (Edwards, 1936): *Coquillettidia* (*Coquillettidia*)
w-alba Theobald, 1905: *Stegomyia* (subgenus uncertain)
walcotti (Lane & Cerqueira, 1942): *Runchomyia* (*Ctenogoeldia*)
walkeri (Theobald, 1901): *Howardina*
walkeri Theobald, 1901: *Anopheles* (*Anopheles*)
wallacei (Edwards, 1926): *Finlaya*
walravensi Edwards, 1930: *Anopheles* (*Cellia*)
walukasi Belkin, 1962: *Culex* (*Lophoceraomyia*)
wamanguae Sirivanakarn, 1968: *Culex* (*Lophoceraomyia*)
wannonii Cova Garcia & Sutil O., 1976: *Culex* (*Carrollia*)
wansoni Edwards, 1941: *Eretmapodites*

wansonii Wolfs, 1945: *Culex (Eumelanomyia)*
wanxianensis Lei & Li, 1990: *Orthopodomyia*
wardangensis (Brust, Ballard, Driver, Hartley, Galway & Curran, 1998): *Halaedes*
wardi (Reinert, 1976): *Rhinoscusea*
wardi Sirivanakarn, 1977: *Culex (Lophoceraomyia)*
washinoi (Lanzaro & Eldridge, 1992): *Ochlerotatus* (subgenus uncertain)
wasselli (Marks, 1947): '*Ochlerotatus (Finlaya)*'
watasei (Yamada, 1921): *Phagomyia*
watsonii (Leicester, 1908): *Anopheles (Cellia)*
watteni (Lien, 1968): *Downsiomyia*
wattensis (Taylor, 1929): *Macleaya (Chaetocruimyia)*
watti Edwards, 1920: *Culex (Culex)*
wauensis (Huang, 1968): *Huaedes*
waverleyi (Grabham, 1907): *Orthopodomyia*
weindorferi (Edwards, 1926): *Culiseta (Culicella)*
wejchoochotei Taai & Harbach, 2015: *Anopheles (Anopheles)*
wellcomei Theobald, 1904: *Anopheles (Cellia)*
wellingtonianus Alcock, 1912: *Anopheles (Anopheles)*
wellmanii (Theobald, 1905): *Hopkinsius (Hopkinsius)*
wendyae (Service, 1959): *Catageiomyia*
wepsterae Komp & Rozeboom, 1951: *Culex (Melanoconion)*
wernerii Baisas & Ubaldo-Pagayon, 1953: *Tripteroides (Tricholeptomyia)*
weschei Edwards, 1935: *Culex (Culex)*
whartoni (Mattingly, 1965): *Petermattinglyius (Aglaonotus)*
whartoni Colless, 1965: *Culex (Lophoceraomyia)*
whartoni Reid, 1963: *Anopheles (Anopheles)*
whitei Barraud, 1923: *Culex (Culex)*
whitmani Lane & Cerqueira, 1942: *Sabethes (Peytonulus)*
whitmorei (Dunn, 1918): *Howardina*
whitmorei (Giles, 1904): *Culex (Culex)*
whittingtoni Belkin, 1962: *Culex (Culex)*
wigglesworthi (Edwards, 1941): *Aedimorphus*
wigglesworthi Edwards, 1941: *Culex (Eumelanomyia)*
wilfredi Colless, 1965: *Culex (Lophoceraomyia)*
wilkersoni (Reinert, 1990): *Kenknightia*
willmori (James, 1903): *Anopheles (Cellia)*
wilsoni (Barreto & Coutinho, 1944): *Mansonia (Mansonia)*
wilsoni Evans, 1934: *Anopheles (Cellia)*
wilsoni Lane & Whitman, 1943: *Culex (Carrollia)*
wilsoni Macdonald, 1958: *Orthopodomyia*
winkleri Belkin, 1962: *Culex (Lophoceraomyia)*
winter Dong, Wu & Mao, 2006: *Topomyia (Topomyia)*
wolfsi Ribeiro, 2005: *Toxorhynchites (Afrorhynchus)*
woodi (Edwards, 1922): *Stegomyia (Mukwaya)*
worontzowi Pessoa & Galvão, 1936: *Culex (Microculex)*
wysockii Belkin, 1953: *Uranotaenia (Uranotaenia)*
xanthogaster (Edwards, 1924): *Coquillettidia (Coquillettidia)*
xanthomelaena Edwards, 1925: *Uranotaenia (Pseudoficalbia)*
xanthozona (van Someren, 1948): *Mimomyia (Etorleptomyia)*
xelajuensis de Leon, 1938: *Anopheles (Anopheles)*
xenismus Harbach, 1995: *Sabethes (Peytonulus)*
xenophobus Ronderos, 1965: *Culex (Microculex)*
xhyphydes Harbach, 1994: *Sabethes (Sabethinus)*
xui Dong, Zhou, Dong & Mao, 2007: *Anopheles (Anopheles)*
yaeyamaensis Somboon & Harbach, 2010: *Anopheles (Cellia)*
yaeyamana Tanaka, Mizusawa & Saugstad, 1975: *Uranotaenia (Pseudoficalbia)*
yamadai Sasa, Kano & Takahasi, 1950: *Aedes*
yanbarensis Miyagi, 1976: *Topomyia (Suaymyia)*
yanbareroides Dong & Miyagi, 1995: *Topomyia (Suaymyia)*
yangambiensis (de Meillon & Lavoipierre, 1944): *Catageiomyia*

yaoi Tung, 1955: **Culex (Culiciomyia)**
ybarmis Dyar, 1920: **Culex (Melanoconion)**
yeageri Baisas, 1935: **Culex (Eumelanomyia)**
yeburyi (Edwards, 1917): **Verrallina (Neomacleaya)**
yjoae Strickman, 1990: **Culex (Culex)**
yongi Miyagi, Toma & Ramalingam, 1991: **Topomyia (Topomyia)**
yovani van Someren, 1951: **Uranotaenia (Pseudoficalbia)**
ypsipola Dyar, 1922: **Wyeomyia (Dendromyia)**
yunnanensis (Gaschen, 1934): **Hulecoeteomyia**
yunnanensis Dong, Dong & Wu, 2004: **Uranotaenia (Uranotaenia)**
yunnanensis Dong, Zhou & Dong, 1995: **Armigeres (Armigeres)**
yusafi (Barraud, 1931): **Verrallina (Harbachius)**
yvonneae (Edwards, 1941): **Catageiomyia**
zairensis Ribeiro, 2005: **Toxorhynchites (Afrorhynchus)**
zammitii Theobald, 1903: **Acartomyia**
zavortinki (Schick, 1970): 'Ochlerotatus (Protomacleaya)'
zeteki Dyar, 1918: **Culex (Melanoconion)**
zhang Gong, 1991: **Topomyia (Topomyia)**
ziemanni Grünberg, 1902: **Anopheles (Anopheles)**
zinzala Zavortink, 1986: **Wyeomyia (Zinzala)**
zombaensis Theobald, 1901: **Culex (Culex)**
zoosophus (Dyar & Knab, 1918): 'Ochlerotatus (Protomacleaya)'